



sycamore Lighting



2018/19 Lighting Collection

SMART Bluetooth Lighting/LED Kitchen Cabinet Lighting

SMART Bluetooth LED Lighting

Automated wireless control over various types of lighting using your smartphone or tablet. Our Bluetooth enabled LED ceiling lights, LED Lamps, and LED cabinet lighting can easily be turned on or off, as well as dimmed, using the app. All

warm white (2700k) right through to cool white (6500k). meaning you can easily choose the desired colour temperature for any room set, using a simple slide button within the app.

Bluetooth SMART LED Link Light



- Di used cover so no visible LED points
- 6W 300mm or 10W 600mm
- Tunable White from warm white through to cool white

SY8937 LED Link Light 300mm
SY8938 LED Link Light 600mm

Bluetooth SMART LED Cabinet Light



- Di used cover so no visible LED points
- 3.5W
- Tunable White from warm white through to cool white

SY8912
LED Recessed Cabinet Light
SY8901
LED Surface Cabinet Light

Bluetooth SMART LED Lamps



- A60 Candle Style Lamp
- 3.5W SBC/B15 or SES/E14
- Tunable White from warm white through to cool white

SY8910
LED SES E14 3.5W Lamp
SY8909
LED SBC B15 3.5W Lamp

Bluetooth SMART LED Lamps



- C37 Style Lamp
- 9W BC/B22 or ES/E27
- Tunable White from warm white through to cool white

SY8907
LED ES E27 9W Lamp
SY8909
LED BC B22 9W Lamp

Bluetooth SMART LED Ceiling Light




- 240v so no power converter required
- Brushed Nickel removable bezel - white underneath if required.
- 7W LED
- Tunable White from warm white through to cool white

SY8911
Bluetooth Smart LED Ceiling Light



APP for Android



APP for IOS

Sirius LED Cabinet Lighting

- Di used cover so no visible LED points
- 120° beam angle
- Available in warm white or natural white
- Requires 12Vdc LED power converter
- IP44 Rated



Suitable power converters

SY9980B 12Vdc 8W power converter (1-3 lights)

SY9739A/MF 12Vdc 15W power converter (1-5 lights)



SY7464WW or NW
Sirius designer tri-light
Warm white or natural white



SY7462WW or NW
Sirius rec/sur cabinet light
Warm white or natural white



SY7472WW or NW
Sirius rec/sur cabinet light
Warm white or natural white



SY7881WW or NW
Sirius designer recti light
Warm white or natural white

LED Kitchen Cabinet Lighting

Solaris LED Recti Cabinet Light

- Di used cover so no visible LED points
- 120° beam angle
- Available in natural white
-
- Requires 12Vdc LED power converter
- IP20 Rated

SY7923	Solaris LED Recti Light NW
SY9739A/MF	12Vdc 15W power converter (1 - 3 lights)
SY7350A/MF	12Vdc 20W power converter (1 - 4 lights)



Solaris LED Square Cabinet Light

- Di used cover so no visible LED points
- 120° beam angle
- Available in natural white
-
- Requires 12Vdc LED power converter
- IP20 Rated

SY7922	Solaris LED Square Light NW
SY9739A/MF	12Vdc 15W power converter (1 - 3 lights)
SY7350A/MF	12Vdc 20W power converter (1 - 4 lights)



Sirius LED Flat Panel

- Di used cover so no visible LED points
- 120° beam angle
- Available in warm or natural white
-
- Requires 12Vdc LED power converter
- IP20 Rated

SY7543BN/WW or NW	
SY9739A/MF	12Vdc 15W power converter (1 - 2 lights)
SY7350A/MF	12Vdc 20W power converter (1 - 3 lights)



Sirius LED Magnetic Cabinet Light

- Di used cover so no visible LED points
- 120° beam angle
- Available in natural white
-
- Requires 12Vdc LED power converter
- IP20 Rated


SY8935NW	Sirius LED Magnetic LED NW
SY8936CC	Chrome Magnetic Bezel
SY8936WH	White Magnetic Bezel
SY9980A/MF	12Vdc 8W power converter (1 - 3 lights)
SY9739A/MF	12Vdc 15W power converter (1 - 6 lights)



240V LED Link Light

- Di used cover so no visible LED points
- Available in warm white or natural white
- 240v so no power converter required
- Fixing kit and 1.5m mains cable included

SY7690A/WW or NW	222mm 3W LED Link Light
SY7691A/WW or NW	343mm 4W LED Link Light
SY7692A/WW or NW	525mm 8.4W LED Link Light
SY7693A/WW or NW	640mm 10W LED Link Light
SY7694A/WW or NW	904mm 12W LED Link Light
SY7695A/WW or NW	1204mm 18W LED Link Light




Link Cables
SY9324
SY9556

500mm Link Cable
1M Link Cable

Capella 240V LED Cabinet Light

- Di used cover so no visible LED points
- 120° beam angle
- Available in warm white or natural white
-
- 240v so no power converter required

SY7751BN/WW or NW	Capella 240v rec/sur WW or NW
SY7752BN/WW or NW	Capella 240v Tri-Light WW or NW
(a)SY7753	6 way distribution block
(b)SY7754	2 way distribution block



LED Strip Lighting

Flexile IP68 LED Strip




- Diffused cover so no visible LED points
- Available in warm white or natural white
- Fixing kit and 1.5m mains cable included at each end
- Can be cut to length
- 10W per metre

LED FLEXILE Strip

SY8913	3M LED Strip Warm White
SY8914	3M LED Strip Natural White
SY8915	3M LED Strip Cool White
SY8931/WW	3M Flexile kit Warm White
SY8931/NW	3M Flexile kit Natural White
SY8931/CW	3M Flexile kit Cool White

Suitable power converters

SY7715	12Vdc 30W LED Power Converter (Max 3M)
SY7351/50W	12Vdc 50W LED Power Converter (Max 5M)
SY7440A	12Vdc 100W LED Power Converter (Max 10M)



Flexible Modular LED Strip

- 3.6W per metre
- Warm, natural or cool white LED
- IP65 Rated
- 12Vdc
- 2 pin connection
- Cut marks every 85mm
- 35 LED's per metre

LED Strip

SY7759A/WW, NW or CW	1M LED Strip
SY7760A/WW, NW or CW	2M LED Strip
SY7761A/WW, NW or CW	3M LED Strip

Accessories

SY7758A	2M distribution cable
SY7183	2m extension cable (to extend distribution cable)
SY7912	Corner connector
SY7913	Straight connector
SY7944	Distribution connector for reconnection



Suitable power converters

SY9980B	12Vdc 8W LED Power Converter (Max 2M)
SY9739A/MF	12Vdc 15W LED Power Converter (Max 4M)
SY7350A/MF	12Vdc 20W LED Power Converter (Max 5M)
SY7715	12Vdc 30W LED Power Converter (Max 8M)
SY7351/50W	12Vdc 50W LED Power Converter (Max 10M)

LED Strip Lighting

Flexible LED Strip 3.6W Per Metre 5M Reel

- IP20 Rated
- 12Vdc
- 1.5m connectors at either end

SY8932/WW, NW, CW	5M LED Strip Reel
SY7350A/MF	12Vdc 20W LED Power Converter (Max 5M)
SY8920	Distribution Cable for reconnection
SY7183	2M Extension



Flexible LED Strip 9.6W Per Metre 5M Reel

- IP65 Rated
- 12Vdc
- 1.5m connectors at either end
- 120 chips per metre
- Cut marks every 25mm
- Ideal under cabinet lighting


SY8916	5M LED Strip Reel Warm White
SY8917	5M LED Strip Reel Natural White
SY8918	5M LED Strip Reel Cool White
SY7351A/MF	12Vdc 50W LED Power Converter (Max 5M)



Extrusions for LED Strip

- Mounting LED strip in extrusion helps keep runs straight and neat
- It also helps with heat dissipation, prolonging the life of the strip



(a) SY7482	Surface mounted 2M (includes diffuser and end caps)
(b) SY7388A	Recessed 1M
(b) SY7392A	Recessed 2M (includes diffuser and end caps)
(c) SY7389	Angled 1M
(c) SY7409	Angled 2M (includes diffuser and end caps)



4 Zone remote/WiFi control system

- Control up to 4 different zones of lighting using a remote control, or via a smartphone or tablet by using the separate WiFi control device.
- Transmits via radio frequency, so receivers can be hidden out of sight.
- This system also offers the ability to dim connected lights, and switch on and off
- 12 amp maximum
- 144W maximum (over 2 circuits, 72W per circuit)

(a) SY9565	Remote control
(b) SY7542A	Receiver
(c) SY7562	Wifi Connect device
(d) SY8810/DIM	Wall mounted controller
(e) SY8810/TUNABLE	Wall mounted controller tunable



Pendant Lighting

Concreto Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.5M adjustable cable

SY7812GW
Concreto pendant

Gabbia Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.5M adjustable cable
-

SY72813
Gabbia Pendant

Palla Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.7M adjustable cable

SY61320
Palla Nickel Pendant
SY61325
Palla Copper Pendant
SY64567
Palla Bronze Pendant

Hex Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.3M adjustable cable

SY72815
Hex pendant Copper
SY72817
Hex pendant Chrome

Campana Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.8M adjustable cable

SY61308
Campana Matt nickel pendant
SY61304
Campana White pendant

Lampada Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.5M adjustable cable

SY60799
Lampada Nickel pendant

Cilandro & Vaso Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.5M adjustable cable

SY73074
Cilandro Glass Pendant
SY73569
Vaso Glass Pendant

Rosa Pendant Light



- 240v so no power converter required
- E27 Lamp purchased separate
- Complete with 1.5M adjustable cable

SY61705
Rosa Copper Plate Pendant

Lamps

6W E27 LED Candle Lamp

Part Number		Colour Appearance	Colour Temperature	Luminous	Colour Rendition	Luminous Flux	Lamp Life
SY7619/2700K	6W	Warm White	3000÷3500k	78 lm/W	>Ra 80	470	15,000
SY7619/6500K	6W	Cool White	5000÷6000k	78 lm/W	>Ra 80	470	15,000

E27 LED Fillament Lamp

Part Number	Wattage	Colour Appearance	Colour Temperature	Luminous	Luminous Flux
SY7986/E27	4W	Warm White	2700K	117.5 lm/W	470
SY7986/E27GLS	5W	Warm White	2700K	94 lm/W	470

Bluetooth SMART 9W E27 LED Lamp



(see page 2 for more information)

Part Number	Wattage	Colour Appearance	Colour Temperature	Luminous	Colour Rendition	Luminous Flux	Lamp Life
SY8907	9W	Tunable White (warm to cool white)	2700K-6500K	89 lm/W	>Ra 80	800	15,000



LED Over Cabinet, Plinth, Shelving and Battery Lighting

Capella Deva 240V LED Over Cabinet Light



- Natural white
- 240V (no power converter required)
- IP44 Rated



SY8933
Capella Deva Over Cabinet Light
(a)SY7753
6 way distribution block
(b)SY7754
2 way distribution block

Capella 240V LED Over Cabinet Light



- Natural white
- 240V (no power converter required)
- IP44 Rated



SY8934
Capella Over Cabinet Light
(a)SY7753
6 way distribution block
(b)SY7754
2 way distribution block

Sirius Round LED Plinth Light



- Available in warm or natural white
- Kit includes 12Vdc LED power converter (max 4 lights)
- IP44 Rated

SY7521WW or NW
4 Light kit

Sirius Eyelid LED Plinth Light



- Available in natural white
- Kit includes 12Vdc LED power converter (max 4 lights)
- IP44 Rated

SY7295BN
4 Light kit

Sirius Square LED Plinth Light



- Available in warm or natural white
- Kit includes 12Vdc LED power converter (max 4 lights)
- IP20 Rated

SY7523WW or NW
3 Light kit
SY7524WW or NW
Individual light

15mm Round LED Plinth Light



- Available in warm or cool white
- Kit includes 12Vdc LED power converter (max 10 lights)
- IP67 Rated

SY9936WW or CW
4 Light kit
SY9928/AWW or CW
10 Light kit
SY9937WW or CW
Individual light

Vega LED Shelf



- Available in warm or natural white
- IP44 Rated
- 240V (no power converter required)
- Available in 400mm or 600mm
- 13W (400mm) or 16W (600mm)

SY8939
400mm Vega Shelf Light kit
SY8940
600mm Vega Shelf Light kit


LED Drawer Light with Sensor



- Natural white LED
- Integrated PIR sensor
- Available in 6 different lengths
- IP20 Rated
- 12Vdc LED Power Converter required, purchased separately (see back page)

SY8921	400m 2.5W
SY8922	500m 3.5W
SY8923	600m 4W
SY8924	800m 5.5W
SY8925	900m 6W
SY8926	1000m 7W

Rechargeable Battery LED Sensor Light



- Natural white LED
- Integrated PIR sensor
- 350mm long
- Rechargeable using integrated USB port
- easy removal for charging. Charging time 3 hours

SY7628
Lithium Rechargeable Battery Light

Milano Rechargeable LED Light with Sensor



- Natural white LED
- Integrated PIR sensor
- Rechargeable using integrated USB port
- easy removal for charging. Charging time 3 hours
- 73mm square

SY8927
Lithium Rechargeable Battery Light

Power Converters, Sensors, Switches & Powerports

12Vdc Power Converters

- For use with 12Vdc LED lighting
- 3 way block included on 8W, 6 way on all other models

SY9980B	8W 12Vdc LED power converter
SY9739A/MF	15W 12Vdc LED power converter
SY7350A/MF	20W 12Vdc LED power converter
SY7715	30W 12Vdc LED power converter
SY7351/50W	50W 12Vdc LED power converter
SY7740	100W 12Vdc LED power converter



Motion Sensor

- For use with 12Vdc LED lighting
- Maximum capacity 30W
- Suitable for single light. 12 way block available to control extra lights purchase separately if required
- Switches lights on and off automatically.

SY7915	Motion Sensor
SY7637	12 Way Distributor Block



Soft Start Single Door Sensor

- For use with 12Vdc LED lighting
- Maximum capacity 24W
- Suitable for single light. 12 way block available to control extra lights purchase separately if required
- Switches lights on and off automatically.

SY8928	Single Door Sensor
SY7637	12 Way Distributor Block



Soft Start Double Door Sensor

- For use with 12Vdc LED lighting
- Maximum capacity 24W
- Suitable for single light. 12 way block available to control extra lights purchase separately if required
- Switches lights on and off automatically.

SY8929	Double Door Sensors
SY7637	12 Way Distributor Block



Power Tech Module with Speaker & USB Ports

- 1 x Bluetooth speaker
- 3 UK Sockets
- 2 X USB ports capable of charging 2 X 1A
- Silver or stainless steel effect top
- 102mm cut out.

SY7192/SPEAKER	Powertech speaker module silver top
SY7192ST/SPEAKER	Powertech module stainless steel top



Power Tech Module with USB Ports

- 3 UK Sockets
- 2 X USB ports capable of charging 2 X 1A
- Silver, black or stainless steel effect top
- 102mm cut out.

SY7192SI	Powertech module silver top
SY7192BK	Powertech module black top
SY7192ST	Powertech module stainless effect top

