

COMPONENTS PORTFOLIOEDITION 04



CONTENTS HANDLES STORAGE SOLUTIONS 68 - 109 SINKS TAPS

Why do so many customers prefer ECF? Rather than one single reason, it's a combination of things.

The vast range of products; many designed and manufactured using the latest techniques in our own state-of-the-art facilities, sets us apart. Not to mention the flexibility to provide tailored kitchen, bedroom and bathroom solutions that provide for the needs of even the most discerning customer.

We will always strive to offer the best value, in every possible way. With over 35 years of experience, we'll ensure every customer has the flexibility, choice and support they need to achieve their lifestyle preference.

We have an open invitation for our customers to visit our Marketing Suite where furniture and accessory choices can be made and undertake an escorted tour of our manufacturing, warehouse and design facilities.

That's what makes us different. And what makes us ECF!

OUR SUPPLIER PARTNERS













OUR BRANDS























HANDLES

There's no better way to give a kitchen, bedroom or bathroom the personal touch. And with over 900 different styles of door handle all available from stock, there's no better choice than ECF. The following pages show just a selection of our handles; you'll find hundreds more online at www.ecf.co, where you can use filters to find the right size, finish and style to make yours the perfect finishing touch.







Code					Projection (mm)
FF11756CHGR	Chrome / Grey Glass	256	323	44	31
FF11756CHCL	Chrome / Clear Glass	256	323	44	31
FF11728CHCL	Chrome / Clear Glass	128	195	44	31
FF11728CHGR	Chrome / Grey Glass	128	195	44	31





Code					Projection (mm)
FF11856CHGR	Chrome / Grey Glass	256	277	44	38
FF11856CHCL	Chrome / Clear Glass	256	277	44	38
FF11828CHGR	Chrome / Grey Glass	128	148	44	38
FF11828CHCL	Chrome / Clear Glass	128	148	44	38
FF11832CHCL	Chrome / Clear Glass	32	52	44	38
FF11832CHGR	Chrome / Grey Glass	32	52	44	38



Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF12128BN	Brushed Nickel	128	136	16	25
FF12160BN	Brushed Nickel	160	168	16	25
FF12192BN	Brushed Nickel	192	200	16	25
FF12120BN	Brushed Nickel	320	328	16	25





Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF12128CH	Chrome	128	136	16	25
FF12160CH	Chrome	160	168	16	25
FF12192CH	Chrome	192	200	16	25
FF12120CH	Chrome	320	328	16	25




Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF12128ACH	Antique Copper	128	136	16	25
FF12160ACH	Antique Copper	160	168	16	25
FF12192ACH	Antique Copper	192	200	16	25
FF12120ACH	Antique Copper	320	328	16	25





Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF12128PE	Pewter	128	136	16	25
FF12160PE	Pewter	160	168	16	25
FF12192PE	Pewter	192	200	16	25
FF12120PE	Pewter	320	328	16	25



Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF12100CH	Chrome	96	125	36	25
FF12100BN	Brushed Nickel	96	125	36	25
FF12100PE	Pewter	96	125	36	25
FF12100ACH	Antique Copper	96	125	36	25





Code	Finish	Hole Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF10520BN	Brushed Nickel	320	400	18	36
FF10520CH	Chrome	320	400	18	36
FF10520PE	Pewter	320	400	18	36
FF10560BN	Brushed Nickel	160	240	18	36
FF10560CH	Chrome	160	240	18	36
FF10560PE	Pewter	160	240	18	36



Code						Diameter (mm)
FF12335PE	Pewter				25	35
FF12396PE	Pewter	96		24	25	
FF12364PE	Pewter	64	100	35	25	





Code	Finish		Length (mm)		Projection (mm)
FF12420BN	Brushed Nickel	320	340	12	25
FF12420CH	Chrome	320	340	12	25
FF12420PE	Pewter	320	340	12	25
FF12460BN	Brushed Nickel	160	180	12	25
FF12460CH	Chrome	160	180	12	25
FF12460PE	Pewter	160	180	12	25



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF11128PE	Pewter	128	168	30	29
FF11160PE	Pewter	160	199	30	29
FF11128AN	Antique	128	168	30	29
FF11160AN	Antique	160	199	30	29
FF11000PE	Pewter		31	31	26
FF11000AN	Antique		31	31	26
FF11000CH	Chrome		31	31	26
FF11000BN	Brushed Nickel		31	31	26





Code					
FF10056BN	Brushed Nickel	256	272	12	30
FF10056CH	Chrome	256	272	12	30
FF10092BN	Brushed Nickel	192	209	12	30
FF10092CH	Chrome	192	209	12	30
FF10292BN	Brushed Nickel	192	220	14	25
FF10292CH	Chrome	192	220	14	25
FF10228CH	Chrome	128	155	14	25
FF10228BN	Brushed Nickel	128	155	14	25



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF10156CH	Chrome	256	302	11	29
FF10160CH	Chrome	160	204	11	29
FF10156BN	Brushed Nickel	256	302	11	29
FF10160BN	Brushed Nickel	160	204	11	29
FF10392CH	Chrome	192	225	12	29
FF10392BN	Brushed Nickel	192	225	12	29
FF10328BN	Brushed Nickel	128	160	12	27
FF10328CH	Chrome	128	160	12	27



HANDLES



Code					
FF10960CH	Chrome	160	200	10	29
FF10960BN	Brushed Nickel	160	200	10	29
FF10832BN	Brushed Nickel	32	62	10	27
FF10832CH	Chrome	32	62	10	27
FF10460BN	Brushed Nickel	160	181	15	24
FF10496BN	Brushed Nickel	96	118	15	24
FF10460CH	Chrome	160	181	15	24
FF10496CH	Chrome	96	118	15	24



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF88103CH	Chrome		200	10	17*
FF88102CH	Chrome		100	10	17*
FF88101CH	Chrome		50	10	17*
FF88003CH	Chrome		200	10	17*
FF88002CH	Chrome		100	10	17*
FF88001CH	Chrome		50	10	17*
FF88113CH	Chrome	192	200	10	18
FF88112CH	Chrome	96	103	10	18





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF88103SC	Satin Chrome		200	10	17*
FF88102SC	Satin Chrome		100	10	17*
FF88101SC	Satin Chrome		50	10	17*
FF88003SC	Satin Chrome		200	10	17*
FF88002SC	Satin Chrome		100	10	17*
FF88001SC	Satin Chrome		50	10	17*
FF88113SC	Satin Chrome	192	200	10	18
FF88112SC	Satin Chrome	96	103	10	18

*If used on 18mm Fascia



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF11496CH	Chrome	96	139	28	29	
FF11460CH	Chrome	160	202	28	29	
FF11396CH	Chrome	96	145	37	24	
FF11364CH	Chrome	64	97	37	24	
FF11200CH	Chrome		60	35	27	
FF11528CH	Chrome	128	172	28	29	
FF11300CH	Chrome				35	38







Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF11496BN	Brushed Nickel	96	139	28	29	
FF11460BN	Brushed Nickel	160	202	28	29	
FF11396BN	Brushed Nickel	96	145	37	24	
FF11364BN	Brushed Nickel	64	97	37	24	
FF11200BN	Brushed Nickel		60	35	27	
FF11528BN	Brushed Nickel	128	172	28	29	
FF11300BN	Brushed Nickel				35	38






Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF11396PE	Pewter	96	145	37	24	
FF11364PE	Pewter	64	97	37	24	
FF11300PE	Pewter				35	38





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF11932TI	Titanium	32	76	30	28
FF12064TI	Titanium	64	76	30	28
FF12096TI	Titanium	96	110	30	28
FF12028TI	Titanium	128	142	30	28
FF11932PE	Pewter	32	76	30	28
FF12064PE	Pewter	64	76	30	28
FF12096PE	Pewter	96	110	30	28
FF12028PE	Pewter	128	142	30	28
FF11932ACH	Antique Copper	32	76	30	28
FF12064ACH	Antique Copper	64	76	30	28
FF12096ACH	Antique Copper	96	110	30	28
FF12028ACH	Antique Copper	128	142	30	28
FF11932CH	Chrome	32	76	30	28
FF12064CH	Chrome	64	76	30	28
FF12096CH	Chrome	96	110	30	28
FF12028CH	Chrome	128	142	30	28







Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF22460PE	Pewter	160	198	9	30
FF22560PE	Pewter	160	203	12	25
FF22860PE	Dark Pewter	160	177	24	30
FF22760PE	Pewter	160	175	15	32
FF22760BL	Black	160	175	15	32
FF21516SC	Satin Chrome	16	28	14	24*
FF21532SC	Satin Chrome	32	44	14	24*
FF21316SC	Satin Chrome	16	40	40	20
FF21396SC	Satin Chrome	96	160	40	24
FF22164LG	Light Greystone	64	85	10	26
FF22164DG	Dark Greystone	64	85	10	26
FF22164SL	Slate	64	85	10	26

^{*}If used on 18mm Fascia



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF22660PE	Pewter	160	240	8	32
FF21692SC	Satin Chrome	192	207	15	32
FF20160CH	Chrome	160	168	22	31
FF22260BZ	Bronze	160	172	12	34
FF22260SS	Stainless Steel	160	172	12	34
FF20460CH	Chrome	160	206	14	26
FF21260CH	Chrome	160	170	10	32
FF21060CH	Chrome	128/160	174	7	29
FF21832SC	Satin Chrome	32	40	40	8
FF20796SS	Stainless Steel	96	130	8	22
FF21132SC	Satin Chrome	32	54	35	8
FF20616SS	Stainless Steel	16	32	9	24



Code					Projection (mm)
FF20860PE	Pewter	160	240	14	36
FF22360SS	Stainless Steel	160	172	12	34
FF21960PE	Dark Pewter	160	170	18	33
FF20360PE	Dark Pewter	160	189	28	25
FF20360CH	Chrome	160	189	28	25
FF20516CH	Chrome	16	30	22	28
FF20516SS	Stainless Steel	16	30	22	28
FF20260FC	French Copper	160	173	24	29
FF20260BL	Black	160	173	24	29
FF22032BSN	Brushed Satin Nickel	32	60	10	22*
FF22032AL	Aluminium	32	60	10	22*
FF20932PE	Pewter	32	42	26	17


^{*}If used on 18mm Fascia







Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF78132CH	Chrome	32	50	60	26
FF78132BN	Brushed Nickel	32	50	60	26
FF45060SC	Satin Chrome	160	198	30	13
FF45060CH	Chrome	160	198	30	13
FF45060BC	Black Chrome	160	198	30	13



Code					Projection (mm)
FF87820CH	Chrome	320	331	20	35
FF87892CH	Chrome	192	204	18	34
FF87860CH	Chrome	160	172	18	34
FF87828CH	Chrome	128	138	15	32





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF83096ACH	Antique Copper	96	120	9	27
FF83096BN	Brushed Nickel	96	120	9	27
FF83096CH	Chrome	96	120	9	27
FF83028BN	Brushed Nickel	128	156	9	27
FF83028CH	Chrome	128	156	9	27
FF83060ACH	Antique Copper	160	186	9	27
FF83060CH	Chrome	160	186	9	27
FF83092BN	Brushed Nickel	192	220	9	27
FF83092CH	Chrome	192	220	9	27
FF83056BN	Brushed Nickel	256	294	9	27
FF83056CH	Chrome	256	294	9	27
FF83020BN	Brushed Nickel	320	358	9	27
FF83020CH	Chrome	320	358	9	27





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF85760CH	Chrome	160	171	29	37	
FF85760BN	Brushed Nickel	160	171	29	37	
FF85560CH	Chrome	160	173	27	32	
FF85560BN	Brushed Nickel	160	173	27	32	
FF85628CH	Chrome	128	176	22	28	
FF85628BN	Brushed Nickel	128	176	22	28	



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF85460CH	Chrome	160	209	26	29	
FF85460BN	Brushed Nickel	160	209	26	29	
FF85360CH	Chrome	160	202	21	29	
FF85360BN	Brushed Nickel	160	202	21	29	
FF85228CH	Chrome	128	177	20	25	
FF85228BN	Brushed Nickel	128	177	20	25	
FF85100CH	Chrome				25	44
FF85100BN	Brushed Nickel				25	44



Code					Projection (mm)
FF87728BN	Brushed Nickel	128	146	20	30
FF87728CH	Chrome	128	146	20	30
FF87760BN	Brushed Nickel	160	177	20	30
FF87760CH	Chrome	160	177	20	30
FF87792BN	Brushed Nickel	192	210	20	30
FF87792CH	Chrome	192	210	20	30
FF87756BN	Brushed Nickel	256	277	20	30
FF87756CH	Chrome	256	277	20	30
FF87720BN	Brushed Nickel	320	337	20	30
FF87720CH	Chrome	320	337	20	30
FF87716BN	Brushed Nickel	416	433	20	30
FF87716CH	Chrome	416	433	20	30



Code			Length (mm)		Projection (mm)
FF71296BC	Black Chrome	96	150	30	18
FF71296CH	Chrome	96	150	30	18
FF71296SC	Satin Chrome	96	150	30	18
FF71228BC	Black Chrome	128	150	40	18
FF71228CH	Chrome	128	150	40	18
FF71228SC	Satin Chrome	128	150	40	18
FF71228SN	Satin Nickel	128	150	40	18




Code		Centres (mm)	Length (mm)		Projection (mm)
FF86760BN	Brushed Nickel	160	186	24	23
FF86760CH	Chrome	160	186	24	23
FF86720BN	Brushed Nickel	320	376	24	23
FF86720CH	Chrome	320	376	24	23







Code					
FF63328SN	Satin Nickel	128	201	12	29
FF63328SC	Satin Chrome	128	201	12	29
FF63328CH	Chrome	128	201	12	29
			'	<u>'</u>	
FF77000BN	Brushed Nickel		55	20	28
FF77196BN	Brushed Nickel	96	120	20	29



Code					Projection (mm)
FF89228SC	Satin Chrome	128	142	42	10
FF89228CH	Chrome	128	142	42	10
FF68228SC	Satin Chrome	128	144	42	5
FF68228CH	Chrome	128	144	42	5





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF87648BN	Brushed Nickel	480	506	16	38
FF87632BN	Brushed Nickel	320	346	16	38
FF87660BN	Brushed Nickel	160	186	16	38
FF71528CH	Chrome	128	148	6	30
FF71556CH	Chrome	256	297	6	31



Code	Finish	Centres (mm)	Length (mm)		Projection (mm)
FF84706BN	Brushed Nickel	96	124	14	30
FF84707BN	Brushed Nickel	160	188	14	30
FF84708BN	Brushed Nickel	209	237	14	30
FF84756BN	Brushed Nickel	256	284	14	30
FF84709BN	Brushed Nickel	309	337	14	30
FF84710BN	Brushed Nickel	359	387	14	30
FF84711BN	Brushed Nickel	409	437	14	30
FF84713BN	Brushed Nickel	509	537	14	30
FF84714BN	Brushed Nickel	627	655	14	30



Code				Thickness / Height (mm)	Projection (mm)
FF83160BN	Brushed Nickel	160	172	25	35
FF83124BN	Brushed Nickel	224	236	25	35
FF83120BN	Brushed Nickel	320	332	25	35
FF83180BN	Brushed Nickel	480	492	25	35








FF79207BN	Brushed Nickel	128	152	22	43
FF79208BN	Brushed Nickel	156	180	22	43
FF79202BN	Brushed Nickel	160	184	22	43
FF79201BN	Brushed Nickel	186	210	22	43
FF79209BN	Brushed Nickel	256	280	22	43
FF79210BN	Brushed Nickel	306	330	22	43
FF79211BN	Brushed Nickel	356	380	22	43
FF79212BN	Brushed Nickel	456	480	22	43
FF79215BN	Brushed Nickel	632	656	22	43
FF79217BN	Brushed Nickel	756	780	22	43
FF79214BN	Brushed Nickel	512	655	22	43
FF68660BN	Brushed Nickel	160	172	30	34
FF68624BN	Brushed Nickel	224	236	30	34
FF68620BN	Brushed Nickel	320	332	30	34
FF68680BN	Brushed Nickel	480	492	30	34
FF68684BN	Brushed Nickel	384	396	30	34



FF74302BN	Brushed Nickel	144	160	12	34	
FF74310BN	Brushed Nickel	192	214	12	34	
FF74303BN	Brushed Nickel	198	214	12	34	
FF74311BN	Brushed Nickel	292	314	12	34	
FF74304BN	Brushed Nickel	294	310	12	34	
FF74305BN	Brushed Nickel	358	374	12	34	
FF74312BN	Brushed Nickel	392	414	12	34	
FF74306BN	Brushed Nickel	458	474	12	34	
FF74307BN	Brushed Nickel	486	502	12	34	
FF74313BN	Brushed Nickel	492	514	12	34	
FF74308BN	Brushed Nickel	582	598	12	34	
FF74300BN	Brushed Nickel				25	20



Code		Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF75860BN	Brushed Nickel	160	182	25	32
FF75820BN	Brushed Nickel	320	342	25	32
FF75884BN	Brushed Nickel	384	406	25	32
FF75880BN	Brushed Nickel	480	502	25	32
FF75812BN	Brushed Nickel	512	534	24	31





Code					Projection (mm)
FF61728BN	Brushed Nickel	128	138	24	31
FF61760BN	Brushed Nickel	160	170	24	31
FF61724BN	Brushed Nickel	224	234	24	31
FF61720BN	Brushed Nickel	320	330	24	31
FF61784BN	Brushed Nickel	384	394	24	31
FF61712BN	Brushed Nickel	512	522	24	31
FF61708BN	Brushed Nickel	608	618	24	31



Code					Projection (mm)
FF58000BN	Brushed Nickel	96	156	12	31
FF58007BN	Brushed Nickel	128	186	186 12	
FF58008BN	Brushed Nickel	156	226	12	31
FF58009BN	Brushed Nickel	184	244	12	31
FF58029BN	Brushed Nickel	224	294	12	31
FF58016BN	Brushed Nickel	256	326	12	31
FF58015BN	Brushed Nickel	284	344	12	31
FF58031BN	Brushed Nickel	306	376	12	31
FF58023BN	Brushed Nickel	327	387	12	31
FF58011BN	Brushed Nickel	357	426	12	31
FF58024BN	Brushed Nickel	377	437	12	31
FF58012BN	Brushed Nickel	456	526	12	31
FF58026BN	Brushed Nickel	477	537	12	31
FF58037BN	Brushed Nickel	512	572	12	31
FF58017BN	Brushed Nickel	595	655	12	31
FF58032BN	Brushed Nickel	632	702	12	31
FF58014BN	Brushed Nickel	677	737	12	31
FF58018BN	Brushed Nickel	775	835	12	31
FF58019BN	Brushed Nickel	860	920	12	31
FF58020BN*	Brushed Nickel	1125	1185	12	31



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF81808BN	Brushed Nickel	160	172	25	45
FF81809BN	Brushed Nickel	192	204	25	45
FF81810BN	Brushed Nickel	320	332	25	45





Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF88660BN	Brushed Nickel	160	200	16	35
FF88660CH	Chrome	160	200	16	35
FF88620BN	Brushed Nickel	320	370	20	35
FF88620CH	Chrome	320	370	20	35




Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF89932BN	Brushed Nickel	32	68	68	22
FF89932CH	Chrome	32	68	68	22
FF89964BN	Brushed Nickel	64	116	38	22
FF89964CH	Chrome	64	116	38	22




Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF84660AN	Antique	160	178	36	36
FF84560AN	Antique	160	192	32	30
FF84460AN	Antique	160	192	32	30
FF84328AN	Antique	128	180	18	30
FF84260AN	Antique	160	192	32	31
FF84100AN	Antique		38	36	27



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF84660PE	Pewter	160	178	36	36
FF84560PE	Pewter	160	192	32	30
FF84460PE	Pewter	160	192	32	30
FF84328PE	Pewter	128	180	18	30
FF84260PE	Pewter	160	192	32	31
FF84100PE	Pewter		38	36	27



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF55764SN	Satin Nickel	64	104	27	22
FF55764BN	Brushed Nickel	64	104	27	22
FF55764AN	Antique	64	104	27	22
FF55496SN	Satin Nickel	96	126	20	23
FF55496BN	Brushed Nickel	96	126	20	23
FF55496AN	Antique	96	126	20	23



Code					Projection (mm)
FF72264PE	Pewter	64	130	25	28
FF72264AN	Antique	64	130	25	28
FF72264BL	Black	64	130	25	28
FF72296PE	Pewter	96	162	40	28
FF72296AN	Antique	96	162	40	28
FF72296BL	Black	96	162	40	28
FF72664PE	Pewter	64	130	25	33
FF72664AN	Antique	64	130	25	33
FF72664BL	Black	64	130	25	33



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)	Diameter (mm)
FF86900AN	Antique				26	31
FF86900PE	Pewter				26	31
FF87096AN	Antique	96	162	20	26	
FF87096PE	Pewter	96	162	20	26	



Code						
FF86528PE	Pewter	128	156	28	28	
FF86528AN	Antique	128	156	28	28	
FF86435PE	Pewter				28	35
FF86435AN	Antique				28	35



Code					Projection (mm)
FF78296PE	Pewter	96	151	31	38
FF78296BL	Black	96	151	31	38
FF78096PE	Pewter	96	142	31	30
FF78096BL	Black	96	142	31	30





Code						Diameter (mm)
FF86328ANCR	Antique / Cream Crackle	128	152	24	39	
FF86328PECR	Pewter / Cream Crackle	128	152	24	39	
FF86328PEWH	Pewter / White Crackle	128	152	24	39	
FF86200PEWH	Pewter / White Crackle				28	35
FF86200ANCR	Antique / Cream Crackle				28	35
FF86200PECR	Pewter / Cream Crackle				28	35



Code	Finish	Centres (mm)	Length (mm)	Thickness / Height (mm)	Projection (mm)
FF86100ANCR	Antique / Cream Crackle		75	24	35
FF86100PECR	Pewter / Cream Crackle		75	24	35
FF86100PEWH	Pewter / White Crackle		75	24	35
FF86060ANCR	Antique / Cream Crackle	160	190	60	22
FF86060PECR	Pewter / Cream Crackle	160	190	60	22
FF86060PEWH	Pewter / White Crackle	160	190	60	22



Code					Projection (mm)
FF12228PE	Pewter	128	170	20	30
FF88728CH	Chrome	128	170	24	26
FF88728BN	Brushed Nickel	128	170	24	26










Code			
FF83535CH	Chrome	47	34
FF83535BN	Brushed Nickel	47	34
FF62435SN	Satin Nickel	22	35
FF52332BN	Brushed Nickel	26	31
FF52332CH	Chrome	26	31



Code	Finish	Projection (mm)	Diameter (mm)
FF89030CH	Chrome / Crystal	43	30
FF89035CH	Chrome / Crystal	45	35
FF89040CH	Chrome / Crystal	50	40
FF88828CH	Chrome / Crystal	28	28





With over 900 different door handles in our range, there are many more available online at ecf.co where you can search easily to find the perfect finishing touch for your kitchen, bedroom or bathroom.



The latest stylish contemporary design, a soothing sanctuary and practically chic - greyhouse provides the perfect bathroom experience.

With over 35 years in the business we understand exactly what customers are looking for in a bathroom. We continually invest in providing the latest design innovations, a choice of natural earthy tones, warm luxurious finishes and auality craftsmanship that you, like us, can be proud of

That's what makes it a greyhouse bathroom.



Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our stylish greyhouse bathrooms brochure.



STORAGE SOLUTIONS

The clever, ingenious use of space – from simple hanging rails to carousel systems for corner cupboards – is vital in any kitchen or bedroom. And it's an ECF speciality. We have a simply unbelievable range of options available...and better still, our Innostor and Innostor Plus range has been designed by us, so you can be sure every product is of the highest quality.







Designed by ECF to meet the highest standards in quality and functionality, the Innostor Plus storage solutions range incorporates heavy duty runner mechanisms with smooth soft close operation.

With a full complement of products to cover all applications, from small baskets through to full height larder systems, the second generation features a sleeker chrome rail profile and improved soft close functionality, which gives the range a superior look and feel. Along with new templates and improvements to the mechanisms, which make many of the products quicker and simpler to fit, Innostor Plus has it covered.

Key features within the Innostor Plus range:

- Solid bases, shelves or baskets
- Soft closing runners
- Chrome finished gallery rails
- Adjustable tray locations

- Full extension opening
- Concealed runners
- Self centering action on rotating carousels
- Templates and video guides provided for easy installation






1/2 Carousel Plus

- Universal
- Adjustable tray location
- Image shown, fitted left hand









Product Name	To Suit ECF Cabinet Width (mm)	Description	Product Width (mm)	Code
1/2 Carousel Plus	900	1/2 Carousel Plus, To Suit 900mm Wide Blind Corner Base Unit (2nd Generation)	708	IP2CC290
1/2 Carousel Plus	1000	1/2 Carousel Plus, To Suit 1000mm Wide Blind Corner Base Unit (2nd Generation)	780	IP2CC210






3/4 Carousel Plus

- Full 360° rotation
- Adjustable tray location
- Self centering action
- Trays can be rotated independently







Product Name	To Suit ECF Cabinet Width (mm)	Description	Code
3/4 Carousel Plus	900 x 900	3/4 Carousel Plus, To Suit 900 x 900mm 'L' Configuration Corner Base Unit (2nd Generation)	IP2CC390






Ultimate Carousel Plus

- Full 360° rotation
- Self centering action in 4 locations
- 2 centre trays, 6 side trays









Product Name	To Suit ECF Cabinet Width (mm)	Description	Code
Ultimate Carousel Plus	900 x 900	Ultimate Carousel Plus - To Suit 900 x 900mm 'L' Configuration Corner Base Unit (2nd Generation)	IP2UCL9






Blind Corner Optimiser Plus

- Universal handing
- No assembly to door required
- Can be used with or without corner post
- Image shown, fitted left hand





Product Name				Code
Blind Corner Optimiser Plus	800	Blind Corner Optimiser Plus - To Suit 800mm Wide Blind Corner Base Unit (400mm Door) (2nd Generation)	660	IP2BCO8
Blind Corner Optimiser Plus	900	Blind Corner Optimiser Plus - To Suit 900mm Wide Blind Corner Base Unit (450mm Door) (2nd Generation)	685	IP2BCO9
Blind Corner Optimiser Plus	1000	Blind Corner Optimiser Plus - To Suit 1000mm Wide Blind Corner Base Unit (500mm Door) (2nd Generation)	735	IP2BCO10




Corner Organiser Plus



- 3-way door adjustment
- Adjustable tray heights
- Engineered for sturdy attachment to door
- Soft closing action
- Image shown, left hand model





Product Name	To Suit ECF Cabinet Width (mm)	Description	Code
Corner Organiser Plus	900/1000	Corner Organiser Plus - To Suit 900 Or 1000mm Wide Blind Corner Base Unit, Left Hand (2nd Generation)	IP2CO9L
Corner Organiser Plus	900/1000	Corner Organiser Plus - To Suit 900 Or 1000mm Wide Blind Corner Base Unit, Right Hand (2nd Generation)	IP2CO9R







NUVOLA TWIN SHELF Corner Storage Solution

- Two independent swing shelves
- Grey wooden base
- Chrome plated finish
- 20kg loading capacity on each shelf
- Bottom tray fixed to cabinet base panel

- Upper tray attaches to a permanently fixed shelf
- Available for 450, 500 and now 600mm door widths
- Grey frame
- Left and right handed options
- Left handed option shown



Product Name	To Suit ECF Cabinet Width (mm)	Description	Height (mm)	Width (mm)	Depth (mm)	Code
Nuvola 371	900	Blind Corner Base Unit (450mm Door), Left Handed	180*	800	490	IPN71.900L
Nuvola 371	900	Blind Corner Base Unit (450mm Door), Right Handed	180*	800	490	IPN71.900R
Nuvola 371	1000	Blind Corner Base Unit (500mm Door), Left Handed	180*	840	490	IPN71.1000L
Nuvola 371	1000	Blind Corner Base Unit (500mm Door), Right Handed	180*	840	490	IPN71.1000R
Nuvola 371	1000	Blind Corner Base Unit (600mm Door), Left Handed	180*	840	490	IPN71.1200L
Nuvola 371	1000	Blind Corner Base Unit (600mm Door), Right Handed	180*	840	490	IPN71.1200R













Individual Pull Out Plus

- Full extension
- Concealed runners





Individual Pull-Out Plus	300	Individual Pull-Out Plus - To Suit 300mm Wide Base Unit, Supplied With 1 x Spacer (2nd Generation)	264	IP2IP300
Individual Pull-Out Plus	400	Individual Pull-Out Plus - To Suit 400mm Wide Base Unit, Supplied With 1 x Spacer (2nd Generation)	364	IP2IP400
Individual Pull-Out Plus	450	Individual Pull-Out Plus - To Suit 450mm Wide Base Unit, Supplied With 1 x Spacer (2nd Generation)	414	IP2IP450
Individual Pull-Out Plus	500	Individual Pull-Out Plus - To Suit 500mm Wide Base Unit, Supplied With 1 x Spacer (2nd Generation)	464	IP2IP500
Individual Pull-Out Plus	600	Individual Pull-Out Plus - To Suit 600mm Wide Base Unit, Supplied With 1 x Spacer (2nd Generation)	564	IP2IP600
Individual Pull-Out Plus	800	Individual Pull-Out Plus - To Suit 800mm Wide Base Unit, Supplied With 2 x Spacers (2nd Generation)	764	IP2IP800
Individual Pull-Out Plus	900	Individual Pull-Out Plus - To Suit 900mm Wide Base Unit, Supplied With 2 x Spacers (2nd Generation)	864	IP2IP900
Individual Pull-Out Plus	1000	Individual Pull-Out Plus - To Suit 1000mm Wide Base Unit, Supplied With 2 x Spacers (2nd Generation)	964	IP2IP1000

Individual Pull Out Plus 5 Piece Larder Pack	300	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 300mm	264	IP2IP300KIT
Individual Pull Out Plus 5 Piece Larder Pack	400	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 400mm	364	IP2IP400KIT
Individual Pull Out Plus 5 Piece Larder Pack	450	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 450mm	414	IP2IP450KIT
Individual Pull Out Plus 5 Piece Larder Pack	500	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 500mm	464	IP2IP500KIT
Individual Pull Out Plus 5 Piece Larder Pack	600	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 600mm	564	IP2IP600KIT
Individual Pull Out Plus 5 Piece Larder Pack	800	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 800mm	764	IP2IP800KIT
Individual Pull Out Plus 5 Piece Larder Pack	900	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 900mm	864	IP2IP900KIT
Individual Pull Out Plus 5 Piece Larder Pack	1000	Individual Pull Out Plus 5 Piece Larder Pack - To Suit 1000mm	964	IP2IP1000KIT



















Base Pull Out Plus

- Full extension opening
- Concealed runners
- 3 way door adjustment








Product Name			
Base Pull Out Plus	150	Base Pull-Out Plus - To Suit 150mm Wide Base Unit (2nd Generation)	IP2B150



Base Pull Out Plus

- Full extension opening
- Concealed runners
- Image shown, right hand model







Product Name	To Suit ECF Cabinet Width (mm)	Description	Product Width (mm)	Code
Base Pull Out Plus	300	Base Pull-Out Plus - To Suit 300mm Wide Base Unit, Left Hand (2nd Generation)	248	IP2B300L
Base Pull Out Plus	300	Base Pull-Out Plus - To Suit 300mm Wide Base Unit, Right Hand (2nd Generation)	248	IP2B300R
Base Pull Out Plus	400	Base Pull-Out Plus - To Suit 400mm Wide Base Unit, Left Hand (2nd Generation)	348	IP2B400L
Base Pull Out Plus	400	Base Pull-Out Plus - To Suit 400mm Wide Base Unit, Right Hand (2nd Generation)	348	IP2B400R











pblum

Blum LEGRABOX free SPACE TOWER

fblum°

Blum LEGRABOX pure SPACE TOWER







Blum TANDEMBOX antaro SPACE TOWER



Blum LEGRABOX free SPACE TOWER*

(Pre-assembled and boxed)

• Available in 300mm, 400mm, 500mm and 600mm widths

Blum LEGRABOX pure SPACE TOWER*

(Pre-assembled and boxed)

• Available in 300mm, 400mm, 500mm and 600mm widths

Blum TANDEMBOX antaro SPACE TOWER*

(Pre-assembled)


- Available in 400mm, 500mm and 600mm widths
- * Please refer to the SPACE TOWER section within Pull-Out Drawer Systems for further details of the above products.



Larder Plus



- Adjustable height from 1680mm 2175mm
- Includes six trays
- 3 way door adjustment
- Full extension opening





Larder Plus	300	Larder Plus- To Suit 300mm Wide Unit (2nd Generation)	250	IP2L31










1/2 Carousel Set

- Universal handing
- Mounted to the corner post
- Supplied with door clip to automatically open the bottom tray when the door is opened





Product Name				
1/2 Carousel Set	900	1/2 carousel set, to suit 900mm wide cabinet	750	WWM7500
1/2 Carousel Set	1000	1/2 carousel set, to suit 1000mm wide cabinet	850	WWM8500






3/4 Carousel Set


- Height adjustable central pole from 600mm - 800mm
- Baskets can be rotated independently

Individual Pull Out Basket

- To use as internal drawers or standard drawer front applications
- Full extension ball bearing runners









ı		To Suit ECF Cabinet Width (mm)		Product Width (mm)	
	3/4 Carousel Set	900 x 900	3/4 carousel set, to suit 900mm x 900mm cabinet	700	WWM5700
	3/4 Carousel Set	1000 x 1000	3/4 carousel set, to suit 1000mm x 1000mm cabinet	800	WWM5800


Product Name				
Individual Pull Out Basket	300	Individual pull out basket with runners,to suit 300mm wide unit	264	WWFC4300
Individual Pull Out Basket	400	Individual pull out basket with runners, to suit 400mm wide unit	364	WWFC4400
Individual Pull Out Basket	450	Individual pull out basket with runners, to suit 450mm wide unit	414	WWFC4450
Individual Pull Out Basket	500	Individual pull out basket with runners, to suit 500mm wide unit	464	WWFC4500
Individual Pull Out Basket	600	Individual pull out basket with runners, to suit 600mm wide unit	564	WWFC4600
Individual Pull Out Basket	700	Individual pull out basket with runners, to suit 700mm wide unit	664	WWFC4700
Individual Pull Out Basket	800	Individual pull out basket with runners, to suit 800mm wide unit	764	WWFC4800
Individual Pull Out Basket	900	Individual pull out basket with runners, to suit 900mm wide unit	864	WWFC4900
Individual Pull Out Under Sink Basket	900	Individual pull out under sink basket with runners, to suit 900mm wide unit	864	WWFC4900U
Individual Pull Out Basket	1000	Individual pull out basket with runners, to suit 1000mm wide unit	964	WWFC4100



Standard Base Towel Pull Out

- Full extension ball bearing runners
- Side mounted (left)






Standard Base Pull Out

- Full extension ball bearing runners
- Side mounted (left)






Product Name	To Suit ECF Cabinet Width (mm)	Description	Code
Standard Base Towel Pull Out	150	Single basket with 2 x towel rails, side mounted pull out, to suit 150mm wide base, cabinet, wire basket	WWTR150
Standard Base Pull Out	150	2-tier side mounted standard pull out, to suit 150mm wide base cabinet, wire baskets	WWCC150

Full Height Larder

- Full extension ball bearing runners
- Adjustable height from 1680mm 2175mm
- Includes six baskets and has adjustable door fixing brackets







Product Name	To Suit ECF Cabinet Width (mm)	Description	Product Width (mm)	Code
Full Height Larder	300	Full height larder with full extension, to suit 300mm wide unit	250	WWH7231



2 Tier Spice Rack (Deep)

3 Tier Spice Rack

4 Tier Spice Rack


- Welded steel construction
- Welded steel construction
- Welded steel construction


- May require reduced depth shelf
- May require reduced depth shelf •
- May require reduced depth shelf















Product Name	To Suit ECF Cabinet Width (mm)	Description	Product Width (mm)	Code
Single Tier Door Mounted Rack	500	Single tier door mounted rack (deep rack)	394	WWSYM1
2 Tier Door Mounted Rack	500	2-tier door mounted rack (deep rack)	394	WWSYM2
Single Tier Spice Rack	300	Single tier spice rack to suit 300mm wide door	188	WWSR301
Single Tier Spice Rack	400	Single tier spice rack to suit 400mm wide door	288	WWSR401
Single Tier Spice Rack	500	Single tier spice rack to suit 500mm wide door	388	WWSR501
				'
3 Tier Spice Rack	300	3 tier spice rack to suit 300mm wide door	188	WWSR303
3 Tier Spice Rack	400	3 tier spice rack to suit 400mm wide door	288	WWSR403
3 Tier Spice Rack	500	3 tier spice rack to suit 500mm wide door	388	WWSR503
4 Tier Spice Rack	500	4 tier door mounted spice rack	388	WWSR

Fixed Wine Rack

Supplied with fixing brackets







Product Name	To Suit ECF Cabinet Width (mm)	Description	Code
5 Bottle Fixed Wine Rack	150	5 bottle capacity fixed wine rack, to suit 150mm wide base unit	WWFWR150

Curved Wine Rack

• Supplied with fixing brackets







Product Name				
4 Bottle Curved Wine Rack	400	4 bottle capacity curved wine rack, to suit 400mm wide wall unit	364	WWCWR400
5 Bottle Curved Wine Rack	500	5 bottle capacity curved wine rack, to suit 500mm wide wall unit	464	WWCWR500
6 Bottle Curved Wine Rack	600	6 bottle capacity curved wine rack, to suit 600mm wide wall unit	564	WWCWR600





Base Mounted Pull-Out 20 Litre Waste Bin

- Complete with integrated lid which automatically gives access to the bin as the door is opened
- Integrated handle

BIN12



- Full extension runners with a load capacity of 30kg
- Plastic formed fixed lid
- Integrated handles

BIN11

Base Mounted Pull-Out Segregated 30 Litre Waste Bin

- Full extension runners with a load capacity of 30kg
- Plastic formed fixed lid
- Integrated handles

BIN16

Base Mounted Pull-Out Segregated 30 Litre Waste Bin

- Designed for cabinets with restricted internal height
- Option of mounting to the door or installing behind a standard hinged door
- Full extension runners
- Plastic formed fixed lid
- Integrated handles



























Base Mounted Pull-Out Segregated 40 Litre Waste Bin

- Full extension runners with a load capacity of 30kg
- Plastic formed fixed lid
- Integrated handles

BIN15



- Full extension runners with a load capacity of 30kg
- Plastic formed fixed lid
- Integrated handles

BIN17

Base Mounted Pull-Out Segregated 68 Litre Waste Bin


- Option of mounting to the door or installing behind a standard hinged door
- Full extension runners
- Plastic formed fixed lid
- Integrated handles


BIN19 soft CLOSE














To Suit Cabinet (mm)	Product Name	Bin Capacity(s)	Code
300	Base Mounted Pull-Out 20 Litre Waste Bin	1 x 20 litre	BIN12
300	Base Mounted Pull-Out Segregated 30 Litre Waste Bin	3 x 10 litre	BIN11
300	Base Mounted Pull-Out Segregated 30 Litre Waste Bin	1 x 10 litre 1 x 20 litre	BIN16
400	Base Mounted Pull-Out Segregated 40 Litre Waste Bin	2 x 20 litre	BIN15
400	Base Mounted Pull-Out Segregated 40 Litre Waste Bin	2 x 10 litre 1 x 20 litre	BIN17
450	Base Mounted Pull-Out Segregated 30 Litre Waste Bin	2 x 15 litre	BIN18
600	Base Mounted Pull-Out Segregated 68 Litre Waste Bin	2 x 17 litre 1 x 34 litre	BIN19

Door Mounted 12 Litre Polished Steel Waste Bin

- Automatically gives access to the bin as the door is opened
- Integrated handle

BIN10



- Fixed pressed steel lid caps off containers when the bin is closed
- Full extension runners



Side Mounted Pull-Out Segregated 62 Litre Waste Bin

- Full extension side mounted runners
- Integrated plastic formed fixed lids
- Integrated handles

BIN40 soft CLOSE

Side Mounted Pull-Out Segregated 68 Litre Waste Bin

- Full extension side mounted runners
- Integrated plastic formed fixed lids
- Integrated handles


























Side Mounted Pull-Out Segregated 68 Litre Waste Bin

- Full extension side mounted runners
- Integrated plastic formed fixed lids
- Integrated handles










- Full extension side mounted runners
- Integrated plastic formed fixed lids
- Integrated handles







400	Door Mounted 12 Litre Polished Steel Waste Bin	1 x 12 litre	BIN10
500	Side Mounted Pull-Out Segregated 49 Litre Recycling Waste Bin	1 x 28 litre 1 x 21 litre	BIN13
450	Side Mounted Pull-Out Segregated 62 Litre Waste Bin	2 x 31 litre	BIN40
500	Side Mounted Pull-Out Segregated 68 Litre Waste Bin	2 x 34 litre	BIN42
500	Side Mounted Pull-Out Segregated 68 Litre Waste Bin	1 x 34 litre 2 x 17 litre	BIN43
600	Side Mounted Pull-Out Segregated 90 Litre Waste Bin	2 x 45 litre	BIN44


Side Mounted Pull-Out Segregated 45 Litre Waste Bin

- Full extension side mounted runners
- Metal construction with plastic buckets

IP2BIN52








Side Mounted Pull-Out Segregated 45 Litre Waste Bin

- Full extension side mounted runners
- Metal construction with plastic buckets

IP2BIN53








Side Mounted Pull-Out Segregated 56 Litre Waste Bin

- Full extension side mounted runners
- Metal construction with plastic buckets

IP2BIN62








Side Mounted Pull-Out Segregated 56 Litre Waste Bin

- Full extension side mounted runners
- Metal construction with plastic buckets

IP2BIN63












To Suit Cabinet (mm)	Product Name	Bin Capacity(s)	Code
500	Side Mounted Pull-Out Segregated 45 Litre Waste Bin, 2 Bucket	1 x 28 litre 1 x 17 litre	IP2BIN52
500	Side Mounted Pull-Out Segregated 45 Litre Waste Bin, 3 Bucket	1 x 17 litre 2 x 14 litre	IP2BIN53
600	Side Mounted Pull-Out Segregated 56 Litre Waste Bin, 2 Bucket	2 x 28 litre	IP2BIN62
600	Side Mounted Pull-Out Segregated 56 Litre Waste Bin, 3 Bucket	1 x 28 litre 2 x 14 litre	IP2BIN63



Pull Down Hanging Rail



Product Name	Description	Code
Pull Down Hanging Rail	Pull down hanging rail, black and chrome finish, extendable 580 – 800mm wide	WWPDHR1
Pull Down Hanging Rail	Pull down hanging rail, black and chrome finish, extendable 760 – 1080mm wide	WWPDHR2



Telescopic Shoe Rack


- Extendable design to suit varying unit widths
- Can be base or side mounted


Pull Out Shoe Rack

- Soft closing runners
- Heavy gauge (6mm dia.) chrome plated racks











Product Name	Description	Code
Small Telescopic Shoe Rack	Small telescopic shoe rack, 450mm - 620mm, single	WW4562TSR
Medium Telescopic Shoe Rack	Medium telescopic shoe rack, 620mm - 790mm, single	WW6279TSR
Large Telescopic Shoe Rack	Large telescopic shoe rack, 790mm - 960mm, single	WW7996TSR


Product Name			Code
3 Tier Pull Out Shoe Rack	400	Soft closed pull-out 3 tier shoe rack, left handed	WWPSR3L
3 Tier Pull Out Shoe Rack	400	Soft closed pull-out 3 tier shoe rack, right handed	WWPSR3R
5 Tier Pull Out Shoe Rack	400	Soft closed pull-out 5 tier shoe rack, left handed	WWPSR5L
5 Tier Pull Out Shoe Rack	400	Soft closed pull-out 5 tier shoe rack, right handed	WWPSR5R





VOLANTESTOR

Introduced specifically to complement our VOLANTE sliding door system the VOLANTESTOR modular kits are now available individually from our component portfolio.





VOLANTESTOR Internal Storage Kit 1	Consists of double hanging rail module (rails 1100mm). Shelving module (6 pairs of brackets included). Single hanging rail module (rails 1100mm) complete with brackets for flyover shelf. Rails can be cut down to desired length. Shelves not included.	VSK1
VOLANTESTOR Internal Storage Kit 2	Consists of double hanging rail module (rails 1100mm). Rails can be cut down to desired length.	VSK2

VOLANTESTOR

Floor and wall fixed modular system consisting of: matt aluminium frame (30mm diameter); aluminium hanging rails (30mm diameter); and colour matched connectors and brackets. Coordinating 18mm MFC shelving available in Mussel, Ferrara Oak and Hacienda Black.

- Maximum height from base of foot to top of wall bracket is 2280mm Shelves not included; they are available in made to measure widths for purchase separately All rails can be cut down to desired size

HOXTON — Painted Doors—

Colour adds so much to any kitchen. Style, personality, warmth...with colour, you can create a focal point, lighten up dark corners or be mix-and-match creative. You can make it warm and welcoming, traditional and timeless.

And whether you go for muted, earthy shades or cool blue and grey tones, the exquisite craftsmanship and enduring design of our HOXTON painted doors is a natural choice.

Arlington

The Shaker-inspired Arlington offers the ideal mix of traditional style and contemporary minimalism, made from solid ash it offers a simple look enhanced by a beautiful grain, available in eleven different shades.

Aske

For a real 'statement kitchen', the crisp clean lines of our superb Aske door style takes some beating. The seamless edges and discreet 'J' handle result in a smooth, uncluttered look – bringing a modern touch to the HOXTON range and available in a total of eleven colours and three different lacquer finishes.

Highbury

The beautifully proportioned raised-panel design lends itself to a traditional or contemporary look – simply add individual touches with your choice of colour, handles and accessories. Very chic, very you.

Curve

Our Curve door style adds a touch of glamour to any kitchen, available in three tasteful colours given a deep, rich lustre through its high gloss lacquer finish. It creates a distinctly luxurious look, the angular feel set off to perfection by the J-Pull handles.

Stonebridge

The true beauty of solid oak really shines through on the Stonebridge, with individuality in each grain pattern. Subtle details add a certain flair to its pure lines – no wonder it's an enduringly popular choice.

Vallance

Cool and collected is the theme with Vallance, its six matt shades complementing its geometric shapes and smooth surfaces perfectly. And how better to complement its strongly defined lines than with the subtlety of the mid century inspired handle.

Boundary

Adding a fresh twist to the classic Shaker look, the Boundary door is available in no fewer than six fashionable shades in an elegant matt finish. Its beautiful proportions and practical style are the perfect choice for any kitchen.

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our HOXTON Painted Doors brochure.






SINKS


Contemporary stainless steel, traditional ceramic, practical granite...ECF has almost as many sink options as there are kitchens available. You'll find a huge choice of inset, under-mounted or farmhouse-style designs, perfect for every layout and look – and as if that weren't enough, we also have access to Caple's full portfolio.












CRANE 101SS

0.5mm Satin Stainless Steel, Single Bowl, Universal Handed CR101SS



CRANE 151SS


0.5mm Satin Stainless Steel, 1.5 Bowl, Universal Handed CR151SS




CRANE 91SS

0.5mm Satin Stainless Steel, Single Bowl, Universal Handed CR91SS








DOVE 100

0.7mm Satin Stainless Steel, Single Bowl, Universal Handed DO100SS $\,$


DOVE 150

0.7mm Satin Stainless Steel, 1.5 Bowl, Universal Handed DO150SS









LYON 100


0.8mm Satin Stainless Steel, Single Bowl, Right Handed LY100SSR

LYON 150

0.8mm Satin Stainless Steel, 1.5 Bowl, Right Handed, Bowl 0.8mm Frame 0.9mm LY150SSR

Product Name	Tap Facility	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Crane 101	2 Punched with Cover Cap	155		600	Included	CPK100	Υ	CR101SS
Crane 151	2 Punched with Cover Cap	155	90	600	Included	CPK200	Υ	CR151SS
Crane 91	2 Punched with Cover Cap	155		500	Included	CPK100	Υ	CR91SS
					'			
Dove 100	2 Punched with Cover Cap	180		500	Included	CPK100	Υ	DO100SS
Dove 150	2 Punched with Cover Cap	180	128	600	Included	CPK100	Υ	DO150SS
Lyon 100	1 Punched	200		600	Included	CPK100	Υ	LY100SSL
Lyon 100	1 Punched	200		600	Included	CPK100	Υ	LY100SSR
Lyon 150	1 Punched	200	128	600	Included	CPK100	Υ	LY150SSL
Lyon 150	1 Punched	200	128	600	Included	CPK100	Υ	LY150SSR






BIA7F 100

0.8mm, Satin Stainless Steel, Single Bowl, Right Handed BZ100R






BLAZE 150

0.8mm, Satin Stainless Steel, 1.5 Bowl, Right Handed BZ150R






BLAZE 100

0.8mm, Satin Stainless Steel, Single Bowl, Left Handed BZ100L





BLAZE 150

0.8mm, Satin Stainless Steel, 1.5 Bowl, Left Handed BZ150L






CUBIT 100

1.2mm, Satin Stainless Steel, Single Bowl, Right Handed CU100R





200

150

CUBIT 150

Cubit 150

1.2mm, Satin Stainless Steel, 1.5 Bowl, Right Handed CU150R


1 Punched



CUBIT 100

1.2mm, Satin Stainless Steel, Single Bowl, Left Handed CU100L





CUBIT 150

1.2mm, Satin Stainless Steel, 1.5 Bowl, Left Handed CU150L

Included

Included

Product Name	Tap Facility	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Blaze 100	1 Punched	200		600	Included	CPK100	Υ	BZ100L
Blaze 100	1 Punched	200		600	Included	CPK100	Υ	BZ100R
Blaze 150	1 Punched	200	128	600	Included	CPK100	Υ	BZ150L
Blaze 150	1 Punched	200	128	600	Included	CPK100	Υ	BZ150R
Cubit 100	1 Punched	200		600	Included	Included	Y	CU100/L
Cubit 100	1 Punched	200		600	Included	Included	Y	CU100/R
Cubit 150	1 Punched	200	150	600	Included	Included	Y	CU150/L

600

CU150/R

INSET CERAMIC SINKS



Product Name			Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)			Suitable for Waste Disposal	Code
Ashford 100	2 Semi Punched	180		500	CPK500	CPK100	Υ	ASH1W
Ashford 150	4 Semi Punched	180	110	600	CPK800	CPK100	Υ	ASH15W




Product Name							Code
Colorado 100	200		600	CPK1500 Stainless Steel CPK1900 Chrome or CPK2500 Brushed Steel	CPK100	Y	CO100
Colorado 150	220	125	600	BSW/OF/SS2 Stainless Steel x 2 BSW/CH3 Chrome x 2 or BSW/BS Brushed Steel	CPK200	Y	CO150

Disclaimer:

Dimensions may vary by plus or minus 2%











MODE 150

1mm Brushed Stainless Steel, 1.5 Bowl, Left Handed MODE150/L


MODE 25

1mm Brushed Stainless Steel, Single Bowl MODE025

MODE 34

1mm Brushed Stainless Steel, Single Bowl MODE034








MODE 3434

1mm Brushed Stainless Steel MODE3434

MODE 45

1mm Brushed Stainless Steel, Single Bowl MODE045









MODE 50

1mm Brushed Stainless Steel, Single Bowl MODE050

MODE 45 DRAINER


1mm Brushed Stainless Steel, Drainer* MODED045

Product Name	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Mode 150	200	140	600	Included	CPK100	Υ	MODE150/L
Mode 150	200	140	600	Included	CPK100	Υ	MODE150/R
Mode 25	140		300	Included	CPK100	Υ	MODE025
Mode 34	200		400	Included	CPK100	Υ	MODE034
Mode 3434	200	200	800	Included	CPK100	Υ	MODE3434
Mode 45	200		500	Included	CPK100	Υ	MODE045
Mode 50	200		600	Included	CPK100	Υ	MODE050
Mode 45 Drainer	25		500	Included	CPK100	Υ	MODED045

^{*} If installed with a Mode Sink please remember you need to order a CPK200 plumbing kit as opposed to a CPK100

Mode sinks do not have a tap facility








0.8mm Satin Stainless Steel, Single Bowl




FORM 150

1.0mm Satin Stainless Steel, 1.5 Bowl, Universal Handed FORM150UNI








FORM 33

1.0mm Satin Stainless Steel, Single Bowl FORM33






FORM 42

FORM 17

FORM17

1.0mm Satin Stainless Steel, Single Bowl FORM42





FORM 52

1.0mm Satin Stainless Steel, Single Bowl FORM52





FORM 3636

1.0mm Satin Stainless Steel, Double Bowl FORM3636





FORM 45

0.8mm Stainless Steel Sink, Single Bowl BI45

FORM 45 DRAINER

0.8mm Stainless Steel Drainer* DI45

Product Name	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Form 150	180	130	600	Included	CPK100	Υ	FORM150UNI
Form 17	140		300	Included	CPK100	Υ	FORM17
Form 33	180		400	Included	CPK100	Υ	FORM33
Form 42	190		500	Included	CPK100	Υ	FORM42
Form 52	230		600	Included	CPK100	Υ	FORM52
Form 3636	210	210	900	Included	Included	Υ	FORM3636
Form 45	180		500	Included	CPK100	Υ	BI45
Form 45 Drainer	40		500	Included	CPK100	Υ	DI45





Exceptionally good-looking and extremely hard-wearing, granite is an obvious choice to add a touch of style to your kitchen.

Our granite range consists of four different families; Sotera, Canis, Veis and Leesti. Each family is available in four colourways: Anthracite, Chalk White, Pebble Grey and Desert Sand, so whatever your preference, there is a sink to suit you. Every sink is made from specially developed Geotech material with all the benefits of granite - hard-wearing, versatile and stylish.





Why choose Geotech?

This hi-tech material is created from a unique blend of natural quartz and top grade acrylic. There are many reasons why it's such a great choice.

Naturally good looking

These sinks offer the beauty of natural stone, yet can be moulded into an unlimited number of inspiring designs.

Kind on the environment

Geotech is made up of around 80% natural materials and manufactured using low energy consumption.

Keeps its colour

Completely colourfast, the metallic and matt colour finishes will both stay fresh and vibrant.

Highly durable

Produced to be extremely hard-wearing, it takes the knocks and scrapes of daily life in its stride.

PEBBLE GREY DESERT SAN





GREY DESERT SAND CHALK WHITE

Cut-resistant

Both cut and scratch resistant, Geotech will retain its unblemished surface through thick and thin.

Heat and burn resistant

Hot pans? No problem - resistant to heat, cracking and discolouring, blistering and warping.


Stain resistant

As long as your sink is cleaned regularly, it won't discolour or stain.

Easy to clean


All you need to keep Geotech sparkling is warm water and washing-up liquid.






VEIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, AN - Anthracite $\mbox{VEI100AN}$




VEIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, DS - Dessert Sand $\mbox{\sc VEI100DS}$




VEIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, AN - Anthracite $\mbox{VEI150AN}$




VEIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, DS - Dessert Sand $\mbox{VEI150DS}$




VEIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, CW - Chalk White $\mbox{\sc VE}\mbox{\sc II}\mbox{\sc OOCW}$



VEIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, PG - Pebble Grey ${\sf VEI100PG}$



VEIS 150

Geotech Granite Sink and Drainer, Single Bowl, Universal, CW - Chalk White VEI150CW




VEIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, PG - Pebble Grey VEI150PG

Product Name	Tap Facility	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Veis 100	2 Semi Punched	200		600	Included	Included	Υ	VEI100AN
Veis 100	2 Semi Punched	200		600	Included	Included	Υ	VEI100CW
Veis 100	2 Semi Punched	200		600	Included	Included	Υ	VEI100DS
Veis 100	2 Semi Punched	200		600	Included	Included	Υ	VEI100PG
Veis 150	2 Semi Punched	200	140	600	Included	Included	Υ	VEI150AN
Veis 150	2 Semi Punched	200	140	600	Included	Included	Υ	VEI150CW
Veis 150	2 Semi Punched	200	140	600	Included	Included	Υ	VEI150DS
Veis 150	2 Semi Punched	200	140	600	Included	Included	Υ	VEI150PG





CANIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, AN - Anthracite ${\tt CAN100AN}$





CANIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, DS - Dessert Sand ${\tt CAN100DS}$




CANIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, AN - Anthracite ${\sf CAN150AN}$




CANIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, DS - Dessert Sand ${\tt CAN15DS}$




CANIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, CW - Chalk White CAN100CW




CANIS 100

Geotech Granite Sink and Drainer, Single Bowl, Universal, PG - Pebble Grey ${\tt CAN100PG}$



CANIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, CW - Chalk White CAN150CW



CANIS 150

Geotech Granite Sink and Drainer, 1.5 Bowl, Universal, PG - Pebble Grey ${\tt CAN150PG}$

Product Name	Tap Facility	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Canis 100	2 Semi Punched	200		600	Included	Included	Υ	CAN100AN
Canis 100	2 Semi Punched	200		600	Included	Included	Υ	CAN100CW
Canis 100	2 Semi Punched	200		600	Included	Included	Υ	CAN100DS
Canis 100	2 Semi Punched	200		600	Included	Included	Υ	CAN100PG
Canis 150	2 Semi Punched	200	146	600	Included	Included	Υ	CAN150AN
Canis 150	2 Semi Punched	200	146	600	Included	Included	Υ	CAN150CW
Canis 150	2 Semi Punched	200	146	600	Included	Included	Υ	CAN15DS
Canis 150	2 Semi Punched	200	146	600	Included	Included	Υ	CAN150PG







Product Name	Tap Facility	Main Bowl Depth (mm)	Secondary Bowl Depth (mm)	Minimum Base Unit Size (mm)	Waste & Overflow Options	Plumbing Kit Options	Suitable for Waste Disposal	Code
Belfast 600		215		600	CAPSLCH or CAP/PW/SS3	CPK100	N	CPBS
Chepstow	1 Semi Punched	190	190	800	2 x CPK500	CPK200	Υ	CHEPSTOW
Yorkshire		195		600	CPK1500 Stainless Steel CPK1900 Chrome or CPK2500 Brushed Steel	CPK100	Y	YORK

 $\textbf{Disclaimer:} \ \mathsf{Dimensions} \ \mathsf{may} \ \mathsf{vary} \ \mathsf{by} \ \mathsf{plus} \ \mathsf{or} \ \mathsf{minus} \ \mathsf{2\%}$






Product Name	Code	
Double Bowl Plumbing Kit	Provision for washing machines or dishwashers.	CPK200
1 Bowl Plumbing Kit	Provision for washing machines and dishwashers.	CPK100



Product Name	Product Specific Information	Code
Waste & Overflow Kit	Suitable for Colorado 100 and Yorkshire sinks, Stainless Steel	CPK1500
Waste & Overflow Kit	Suitable for Colorado 100 and Yorkshire sinks, Chrome	CPK1900
Waste & Bowl Connection Kit	Stainless steel, 2 x 90mm basket strainer wastes, round overflow	CPK800
Waste & Bowl Connection Kit	Stainless steel, 90mm basket strainer waste, round overflow	CPK500



Product Name		
Basket Strainer Waste		BSW/CH3
Basket Strainer Waste	No overflow, Max Sink Thickness 20mm	BSW/BS
Basket Strainer Waste	Supplied with overflow connection and blanking plug	BSW/OF/SS2
Slotted Waste	To suit Belfast sinks with 65mm waste outlet	CAPSLCH
Waste	Waste & Plug for Belfast Sinks with 65mm waster outlet	CAP/PW/SS3



ARROW 91 SINK & SINGLE LEVER TAP PACK

Single Bowl, Universal Handed Satin Stainless Steel / Chrome 0.5mm PK/AR91



ARROW 101 SINK & SINGLE LEVER TAP PACK

Single Bowl, Universal Handed Satin Stainless Steel / Chrome 0.6mm PKAR101



ARROW 151 SINK & SINGLE LEVER TAP PACK

1.5 Bowl, Universal Handed Satin Stainless Steel / Chrome 0.5mm PKAR151



SABRE 100 SINK & DUAL LEVER TAP PACK

Single Bowl, Universal Handed Satin Stainless Steel PK/SA100



SABRE 150 SINK & DUAL LEVER TAP PACK

1.5 Bowl, Universal Handed Satin Stainless Steel PK/SA150

Product Name				Minimum Base Unit Size (mm)		Plumbing Kit Options	Suitable for Waste Disposal	Code
Arrow 91 Sink & Single Lever Tap Pack	2 Punched with Cover Cap	155		500	Included	CPK100	Υ	PK/AR91
Arrow 101 Sink & Single Lever Tap Pack	2 Punched with Cover Cap	155		600	Included	CPK100	Υ	PK/AR101
Arrow 151 Sink & Single Lever Tap Pack	2 Punched with Cover Cap	155	90	600	Included	CPK200	Υ	PK/AR151
Sabre 100 Sink & Dual Lever Tap Pack	2 Punched with Cover Cap	180		500	Included	CPK100	Υ	PK/SA100
Sabre 150 Sink & Dual Lever Tap Pack	2 Punched with Cover Cap	180	128	600	Included	CPK100	Υ	PK/SA150





FOOD WASTE DISPOSAL UNIT 50

0.5 Horsepower Waste Disposal Unit WDU050



FOOD WASTE DISPOSAL UNIT 75

0.75 Horsepower Waste Disposal Unit WDU075



FOOD WASTE DISPOSAL AIR SWITCH

Chrome Air Switch WDUAIR



FOOD WASTE DISPOSAL UNIT 100

1.0 Horsepower Waste Disposal Unit WDU100

Product Name							Code
Food Waste Disposal Unit 50	Continuous	Yes		High Speed Magnet	3 Stage		WDU050
Food Waste Disposal Air Switch						For use with WDU050	WDUAIR
Food Waste Disposal Unit 75	Continuous	Yes	Included	High Speed Magnet	3 Stage		WDU075
Food Waste Disposal Unit 100	Continuous	Yes	Included	High Speed Magnet	3 Stage		WDU100



Stainless steel sink



Stainless steel colander




Stainless steel colander and beech chopping board

AXLE INSET AND UNDERMOUNTED SINKS


Introducing Caple's new range of inset and undermounted stainless steel sinks. With a choice of 3 sizes, each sink includes a steel colander and a wooden chopping board, both of which are specially designed to fit the bowl perfectly. Each accessory sits side-by-side on a small ledge making it quick and easy to chop, drain and rinse freely. Axle sinks are ideal for apartment living, freeing up valuable worktop areas when space-saving is key.











Product Name							Code
Axle 45	200mm		500	Included	Included	Yes	AXL45*
Axle 50	200mm		600	Included	Included	Yes	AXL50*
Axle 175	220mm	185mm	900	Included	Included	Yes	AXL175*

^{*}All include chopping board and colander



HOXTON

— Made to Measure Doors —

From traditional to ultra-modern, and with each one made to measure and exquisitely crafted, HOXTON made to measure Painted Doors are undoubtedly the perfect fit. Choosing from a range of unique colours and styles it's amazing how much personality you can bring to your home.

Whether you're looking for serenity or complete escapism, choose from a range of modern or traditional stylish finishes and add calming colours to suit you.

The space around us has a huge impact on our mood so why not take time out to create your dream kitchen or bedroom with HOXTON made to measure painted doors?

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our HOXTON Painted Doors Made to Measure Kitchens brochure.








TAPS

For a splash of style, nothing sets off a kitchen more than a tap that's as beautiful to look at as it is efficient. ECF has a stunning array in every material – chrome, brushed steel or black granite, traditional or cubist style – plus we have access to Caple's full portfolio for even more options. All on tap, of course.





Vapos taps supply fresh cold water, regular hot water and filtered 98°C steaming water, the perfect temperature for preparing tea, blanching vegetables and assisting the cooking of pasta and rice.

Water conditioning technology provides exceptional accuracy for scale and acidity control for increased boiler protection, this also means outstanding food and beverage quality. Quick and simple installation allows the tap, filter and boiler to be easily retrofitted. Finished in stunning stainless steel, Vapos taps exude style and practicality.





Outstanding Water Filtration

Offering a new standard of water filtration technology, providing extraordinary accuracy for scale and PH control. This water filtration and conditioning technology effectively combines hardness reduction, mineral stabilisation and corrosion inhibition by maintaining a controlled low carbonic acid level in the water.

It delivers the best available water quality for hot drinks by removing lime scale build up in the boiler (provided filters are installed and maintained/exchange in line with manufacturer recommendations).

It includes DuoBlend® valve technology for the most accurate bypass ratio and a 5µm Carbon block membrane for particle protection, reducing tastes and odours such as chlorine and chlorine by-products, THM's, PAH's and pesticides such as Simazine, Atrazine, Lindane and Dieldrin. Eachy filter lasts approximately six months and is easily changed without tools.

Large Boiler

A large boiler capacity means 2.4 litres of steaming water is ready for use whenever you need it. With a temperature range of 50°C - 98°C it uses less electricity than a 40W light bulb.

Product Name		Lever Style	Minimum Bar Pressure	Minimum Bar Pressure for Boiler		Reach (mm)	Rated Load (kW)		Code
Vapos	Solid Stainless Steel	Dual	0.5	0.8	410	195	1.2	10	VAP3IN1/SS
Vapos Quad	Solid Stainless Steel	Dual	0.5	0.8	320	220	1.2	10	VAPQ3IN1/SS






















Product Name	Finish	Lever Style	Minimum Bar Pressure	Height (mm)	Reach (mm)	Code
Zuben Quad Monobloc	Polished Chrome	Dual	0.3	342	189	ZUBQ4/CH
Washington Monobloc	Polished Chrome	Dual	0.3	322	165	WAS4CH
Spiro Monobloc	Polished Chrome	Single	0.5	441	268	SPI/CH
Single Lever Monobloc	Polished Chrome	Single	0.3	145	205	SL6CH
Shaftsbury Monobloc	Polished Chrome	Dual	0.3	348	213	SCRU5CH
Robo Monobloc	Brushed Stainless Steel	Dual	0.5	352	195	ROB3SS
Leval Monobloc	Polished Chrome	Dual	0.3	348	213	LEV3CH
Torrent Professional	Polished Chrome	Single	0.5	647	227	TOR/CH

















Product Name	Finish	Lever Style	Minimum Bar Pressure	Height (mm)	Reach (mm)	Code
Natick Puriti	Polished Chrome	Dual	0.3	342	189	NATPUR/CH
Knightsbridge	Polished Chrome	Dual	0.1	390	220	K/BRI4/CH
Dumas	Polished Chrome	Single	0.1	287	210	DUM/CH
Dalton Puriti	Solid Stainless Steel	Dual	0.5	405	195	DALPUR/SS
Buckingham Bridge	Polished Chrome	Dual	0.1	380	220	B/BRI4/CH
Karns	Solid Stainless Steel	Single	0.5	265	245	KAR/SS
Ridley	Solid Stainless Steel	Single	0.5	443	226	RID/SS














Product Name						Code
Delta	Polished Chrome	Single	0.5	335	230	DEL/CH
Aspen Spray	Polished Chrome	Single	0.5	424	225	ASPS2/CH
Aspen	Polished Chrome	Single	0.3	353	210	ASP2/CH
Avel Monobloc	Brushed Stainless Steel	Dual	0.5	352	180	AVE2/SS
Avel Monobloc	Polished Chrome	Dual	0.3	339	213	AVE4CH
Avel Monobloc	Brushed Nickel	Dual	0.3	339	213	AVE4BN
Karns Monobloc	Chromite Black	Single	0.5	265	245	KAR/BK
Avel Monobloc	Chromite Black	Dual	0.5	332	200	AVE2/BK





PURITI FILTER TAPS

Discreet and easy

The Caple Puriti filter is discreetly installed under the sink. It will be easily accessible for changing which will need to be done about every six months. This is a very straight-forward process that does not require any tools.

Compared to other filtration systems on the market, the Caple Puriti filter can last 4×100 loger. Filtering up to 6,000 litres compared to only 300 - 1,500 litres. So, no more filter jugs cluttering up your fridge, or plastic bottles clogging up the environment just fresh, pure healthy water.

Just for filtered water

We've introduced another Puriti tap to the range that is purely for filtered water. The Caple Salus Puriti tap and Layton Puriti are used in addition to your normal tap or taps.


They can sit on the worktop, near your sink and other tap or taps and produce great tasting filtered water. Both taps are quite small compared to a lot of taps so that it doesn't overwhelm the sink area of your kitchen. They can of course be put in any room that has a water supply so although traditionally filter taps are used in the kitchen it can also be fitted in a utility room or laundry room for example.



Filter technology

Our innovative Puriti taps are cleverly designed to deliver hot, cold and filtered water from one single fitting. As with conventional taps, hot and cold water is delivered using the standard controls.

An additional lever on our Puriti taps allows you to select fresh, filtered water. When the lever is turned, water is diverted through a filter cartridge which uses activated carbon media to remove hidden impurities such as chlorine and rust. The result is clean, great-tasting water that can be enjoyed at any time.



APPLIANCES

We proudly stand alongside Caple, a leading brand in the domestic appliance market to bring you an array of kitchen appliances that not only have striking design attributes but perfectly balance reliability with the latest technology and performance with efficiency.

Perfectly aligned for price through ECF you can be assured your Caple appliance will exceed your expectations. If core functionality in the appliance is required, we have it - if a little flair for the latest design innovations is needed we have it too, thanks to our Caple partnership.

'Every appliance combines intuitive technology, functional engineering and contemporary design through and through.' Caple 2015

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of Caple's Appliance Collection.









HINGE SYSTEMS

Ever-more intricate kitchen design has brought an ever-increasing range of hinge options. And you'll find them all at ECF, with one of the widest choices available and a fitting to suit virtually any application.





HINGE SYSTEMS FOR EVERY APPLICATION

Blum's comprehensive hinge programme has the right solution for a great many applications.

All hinge systems excel in terms of reliable function, adjustment, assembly ease and beautiful design. There are many reasons to choose hinges from Blum: High quality, durability, easy assembly, comprehensive programme, variety of special solutions and attractive design.

- BLUMOTION for silent and effortless closing of furniture doors
- For CLIP top, BLUMOTION is integrated into the hinge boss
- Or as a BLUMOTION retrofit part for optional use with CLIP top hinges
- Easy assembly and removal thanks to the proven CLIP mechanism
- An extensive hinge programme that offers the right solution for any application





CLIP top BLUMOTION

Innovative technology within the smallest space. CLIP top BLUMOTION has soft-close BLUMOTION integrated into the hinge boss.

- With integrated BLUMOTION
- With deactivation switch
- Infinitely variable 3-dimensional setting options
- Compatible with all CLIP mounting plates
- Tool-free assembly and removal
- Special hinges available, e.g. for aluminium frames, profile and angled doors



CLIP top

Simply clip it on and that's it. CLIP top offers standard and special hinges for a variety of applications. Can be combined with BLUMOTION or TIP-ON.

- Infinitely variable 3-dimensional setting options
- Compatible with all CLIP mounting plates
- Tool-free assembly and removal
- Special hinges available, e.g. for aluminium frames, profile and angled doors



MODUL

Classic design and reliable function - MODUL's combined slide-on and screw-fix feature has proven itself over the years. The hinge is very popular with furniture makers.

- Simple and easy slide-on assembly
- Simple 3-way adjustment for perfect gap alignment

CLIP TOP / CLIP HINGE



OVERLAY

95° opening, for profile/thick doors, screw-on
BLUM71T9550



95° opening, +30° angled, screw-on BLUM79A9556



95° opening, +45° angled half overlay, screw-on BLUM79A9658



170° opening, overlay, screw-on* BLUM71T6550



107° opening, overlay, screw-on BLUM75T1550



110° opening, screw-on BLUM71T3550



110° opening, +45° angled overlay, screw-on BLUM79T5550



120° degree unsprung clip aluminium door hinge BLUM72T550A



120° degree clip top aluminium door hinge BLUM73T550A



Clip top standard hinge 110°, overlay application, unsprung BLUM70T3550



155° opening, 0-protrusion, screw-on BLUM71T7500



100° opening, overlay, screw-on BLUM71M2550

Application Illustration



Overlay

* Safety Information:

If young children have access to furniture with wide angle hinges then the 155 degree opening 0-protrusion hinge should be used.



CLIP TOP / CLIP HINGE



60° opening, corner cabinet, screw-on BLUM79T8500



DUAL

107° opening, dual application, screw-on BLUM75T1650



155° Zero protrusion hinge BLUM71T7600N



170° Wide angle hinge, Dual application, Boss: screw-on BLUM71T6650



INSET

95° opening, for profile/thick doors, screw-on





107° opening, inset application, screw-on

BLUM75T1750

CLIP TOP / CLIP HINGE WITH BLUMOTION



DUAL

110° opening, dual application, screw-on

BLUM71B3650



INSET

95° opening, blind corner hinge, screw-on BLUM79B9550



110° opening, inset application, screw-on BLUM71B3750



OVERLAY

30° II Angled hinge, Boss: Screw-on BLUM79B9556



110° opening, +45° angled, screw-on

BLUM79B3558



95° opening, for profile/thick doors, screw-on

BLUM71B9550



110° opening, screw-on BLUM71B3550

Application Illustration



Overlay



Dual



BI-Fold



BLUMOTION inside

Inset

MODUL HINGES



OVERLAY 170° opening, screw-on* BLUM91A6550



100° opening, screw-on BLUM91M2550



95° opening, refrigerator/appliance hinge, screw-on

BLUM91K9550

(Can only be used with BLUM194K6100E)

Application Illustration



Overlay

MOUNTING PLATES



CLIP

Cruciform mounting plate, nickel plated pressed steel, suitable for 15mm carcasses, chipboard screw fixing

BLUM173L613

BLUM173L610



Cruciform mounting plate, nickel plated pressed steel, suitable for 15mm carcasses, pre-mounted with euro screws BLUM173L813



Cruciform mounting plate, nickel plated pressed steel, suitable for 18mm carcasses, pre-mounted with euro screws BLUM173L810



Horizontal mounting plate, nickel plated zinc die-cast, suitable for 18mm carcasses, chipboard screw fixing BLUM175H5400



Cruciform mounting plate, nickel plated zinc die-cast, suitable for 15mm carcasses, chipboard screw fixing BLUM175H713



Cruciform mounting plate, nickel plated zinc die-cast, suitable for 18mm carcasses, chipboard screw fixing BLUM175H710



Cruciform mounting plate, nickel

carcasses, chipboard screw fixing

plated pressed steel, suitable for 18mm

Cruciform mounting plate, nickel plated zinc die-cast, for in-frame applications, height 18mm, chipboard screw fixing BLUM175H9190.22





MODUL

Cruciform mounting plate, nickel plated zinc die-cast, suitable for 15mm carcasses, chipboard screw fixing

BLUM193L613



Cruciform mounting plate, nickel plated pressed steel, suitable for 18mm carcasses, chipboard screw fixing

BLUM193L610



Cruciform mounting plate, nickel plated pressed steel, suitable for 18mm carcasses, EXPANDO dowel fixing

BLUM194K6100E

(Can only be used with BLUM91K9550)



Cruciform mounting plate, nickel plated pressed steel, suitable for 15mm carcasses, pre-mounted with euro screws BLUM193L813



Cruciform mounting plate, nickel plated pressed steel, suitable for 18mm carcasses, pre-mounted with euro screws BIUM193I810



Cruciform mounting plate, nickel plated zinc die-cast, suitable for 15mm carcasses, chipboard screw fixing BLUM195H713



Cruciform mounting plate, nickel plated zinc die-cast, suitable for 18mm carcasses, chipboard screw fixing BLUM195H710

* Safety Information:

If young children have access to furniture with wide angle hinges then the 155 degree opening 0-protrusion hinge should be used.

ACCESSORIES



Clip top hinge boss cover cap BLUM70T1504



Clip top hinge arm cover cap, to suit integrated & non-BLUMOTION 110° hinges, embossed Blum BLUM70.1503



Clip top hinge arm cover cap, for Clip top 170° hinge BLUM80,6507



Clip top hinge boss cover cap, to suit integrated & non-BLUMOTION 110° hinges BLUM70T3504



Hinge arm cover cap, for Clip top 107° inset hinges BLUM70.1663



Hinge cover cap, embossed Blum, Symmetrical, to suit Clip & Modul hinges BLUM90M2503BP



Inline adapter plate, grey nylon BLUM970.1201



Cruciform adapter plate, chipboard screw fixing, grey nylon BLUM970.1501



Cruciform adapter plate, pre-mounted with screws, grey nylon BLUM970.15E1



Inline adapter plate, nickel plated zinc BLUM970.5201



Cruciform adapter plate, chipboard screw fixing, nickel plated zinc BLUM970.5501



Cruciform adapter plate, pre-mounted with screws, nickel plated zinc BLUM970.55E1



Handle side BLUMOTION mechanism, to suit carcase or adapter plate application BLUM970.1002



ACCESSORIES



Hinge side carcase mounted BLUMOTION, to suit all straight arm hinges with 0mm raised mounting plate

BLUM971A0500



Hinge mounted BLUMOTION, to suit 155° 0 - protrusion CLIP TOP hinge BLUM973A7000



TIP-ON Set with magnet for doors up to 1300mm high, to suit carcase or adapter housing application BLUM956.1004

Hinge mounted BLUMOTION, to suit 100°, 107° & 120° CLIP TOP & CLIP straight arm & profile door hinges BLUM973A0500



TIP-ON For doors cruciform adapter housing BLUM956A1501



TIP-ON Set with magnet for doors over 1300mm high, to suit carcase or adapter housing application

BLUM956A1004



Hinge mounted BLUMOTION, to suit 170° CLIP TOP hinges BLUM973A6000



TIP-ON For doors inline adapter housing BLUM956A1201





SUPERIOR CABINETS

PROUDLY MADE IN BRITAIN

KITCHEN - BEDROOM - BATHROOM

Our SUPERIOR CABINETS are well known for their quality and durability. Manufactured in the UK at our state of the art facilities we produce an extensive range of kitchen, bedroom and bathroom cabinets.

Utilising predominantly Egger board throughout, our unassembled cabinets offer a comprehensive range of sizes and configuration options.

Not only does the quality of our SUPERIOR CABINETS make them extremely easy to assemble, their strength and durability has allowed our innovative manufacturing and design team to develop both the GADDESBY rigid fitted furniture and greyhouse bathrooms rigid modular design concepts from the core SUPERIOR CABINET.

Together with Blum's hinge, lift and runner system technology our SUPERIOR CABINETS are amongst the best cabinets available.

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our SUPERIOR CABINETS brochure.







LIFT SYSTEMS

They're the rising stars in the kitchen: practical and powerful, compact and flexible, ECF's range of innovative lift systems is the perfect choice for today's extremely popular bi-fold and flap doors. And they're all available from stock.





LIFT SYSTEMS

For enhanced freedom of movement

AVENTOS lift systems bring enhanced freedom of movement to every wall cabinet. No matter whether in kitchens or living areas, with large or small fronts - all AVENTOS wall cabinets open with utmost ease and close again softly and effortlessly with integrated BLUMOTION. Freedom of movement is guaranteed throughout, and fronts are always out of the user's way.

AVENTOS fittings for lift systems provide ease of use in the wall cabinet area. Even wide lift systems open easily, remain in any desired position and – thanks to BLUMOTION – close silently and effortlessly.

- Silent and effortless closing thanks to the integrated BLUMOTION
- Quick and easy assembly and removal due to CLIP technology
- Easy 3 dimensional front adjustment
- Perfectly balanced fronts remain in any desired position

- Optimised ergonomic handle position
- No protruding parts
- With SERVO-DRIVE, the electrical motion support system for wall cabinets
- With TIP-ON, the mechanical opening support system for AVENTOS HK-S

AVENTOS An inspiring range of lift systems





AVENTOS HF BI-FOLD LIFT SYSTEM

- Ideal for high, bi-fold fronts in wall cabinets
- Low upward space requirement
- Can be used with fronts of different heights
- From stock



AVENTOS HS UP AND OVER LIFT SYSTEM

- Ideal for large, one-part fronts in wall cabinets
- The lift system pivots over the cabinet
- Can be combined with cornice or crown moulding
- Available to order
- Further details available upon request



AVENTOS HL

- Ideal for large, one-part fronts in larders and wall cabinets
- Suitable for use with fronts above it
- Conceals electronic devices, for example, behind a continuous front
- Available to order
- Further details available upon request



AVENTOS HK STAY LIFT

- Ideal for heavy fronts in wall cabinets
- Low upward space requirement
- Complete fitting
- From stock

SERVO–DRIVE, the electrical motion support system for bi-fold lift systems, up and over lift systems, lift ups, and stay lifts



AVENTOS HK-S SMALL STAY LIFT

- Ideal for small fronts in top wall cabinets
- Lift mechanism fits harmoniously into small cabinets, e.g. above the refrigerator or larder
- Complete fitting
- From stock

TIP-ON, our mechanical opening support system, is now also available for lift systems AVENTOS HK and AVENTOS HK-S



AVENTOS HK-XS SMALL STAY LIFT

- Ideal for small, top wall cabinets
- Also suitable for cabinets with low internal depths, e.g. above the extractor
- Small fitting, can be used on one or both sides
- From stock



Advantages that will inspire both you and your customers.

Excellent durability

The core element of the mechanism is a robust spring package

No Protruding Parts

Removable telescopic arm – an advantage for furniture manufacturing and kitchen installation

Includes a finger safety feature

The CLIP top centre hinge with innovative technology ensures finger safety

Similar shelves possible

Depending on the height of the cabinet, two identical shelves can be used



AVENTOS HF BI-FOLD LIFT SYSTEM

A Bi-fold lift system has never been so smooth.

The AVENTOS HF has a two-part front that folds together in the centre when opening. The Bi-fold lift system is ideal for higher wall cabinets with large fronts because the handle is easy to reach and in any position AVENTOS HF can also be used with fronts of different heights.

- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Small programme, huge application variety

- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- Free positioning of handles
- No protruding parts

Optional: SERVO-DRIVE for AVENTOS, the electrical motion support system for wall cabinets





AVENTOS HF lift mechanism, 'light' power factor including cover caps (Pair)	960 - 2600 (1 x lift mechanism required) 2600 - 5500 (2 x lift mechanism required)	BLUM20F2200
AVENTOS HF lift mechanism, 'medium' power factor including cover caps (Pair)	5350 -10150	BLUM20F2500
AVENTOS HF lift mechanism, 'heavy' power factor including cover caps (Pair)	9000 -17250	BLUM20F2800
AVENTOS HF telescopic arm set, to suit carcase height 700 - 900mm		BLUM20F3800
AVENTOS HF hinge pack, to suit solid doors		BLUMAVHP
AVENTOS HF hinge pack, to suit narrow aluminium framed doors		BLUMAVHPA
AVENTOS HF opening angle stop, 83°		BLUM20F7011
AVENTOS HF opening angle stop, 104°		BLUM20F7051
SERVO-DRIVE for AVENTOS HF cover cap pack, includes left and right unit covers in		BLUM21F8000

grey, 2 round cover cap, 2 grey switches, 6 distance bumpers

cable, connecting node and two cable end protectors

and 2m UK power cable SERVO-DRIVE Transformer, 72W

SERVO-DRIVE for AVENTOS HF drive unit pack, includes drive unit, 1.5m distribution

SERVO-DRIVE Transformer accessory pack, includes wall mounted transformer housing

BLUM21FA000

BLUMZ10M200B.22

BLUMZ10NE030A



Advantages that will inspire both you and your customers.

Excellent durability

The core element of the mechanism is a robust spring package

No Protruding Parts

Delivered with closed lever – an advantage for furniture manufacturing and kitchen installation

Cornice and crown moulding

When developing AVENTOS HK, we also took into account cabinets with cornices and crown moulding. This provides more design freedom for kitchen planning



AVENTOS HK STAY LIFT

Experience unprecedented ease of use.

AVENTOS HK lifts the single front upwards making it well-suited for lift systems in wall cabinets with low lift system heights, applications in high cabinets as well as over the refrigerator. Cornice and crown mouldings can also be used.

- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for wall cabinets with cornice or crown moulding
- Small programme, huge application variety

- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts
- Optional: SERVO-DRIVE for AVENTOS
- Optional: TIP-ON for AVENTOS

Optional: SERVO-DRIVE for AVENTOS, the electrical motion support system for wall cabinets



Description	Power Factor	Code
AVENTOS HK lift mechanism, 'light' power factor (Pair)	480-1500	BLUM20K2300
AVENTOS HK lift mechanism, 'medium' power factor (Pair)	750-2500	BLUM20K2500
AVENTOS HK lift mechanism, 'heavy' power factor (Pair)	1500-4900	BLUM20K2700
AVENTOS HK lift mechanism, 'extra heavy' power factor (Pair)	3200-9000	BLUM20K2900
AVENTOS HK front fixing bracket set, to suit solid doors		BLUM20S4200

Power Factor: Carcass Height (mm) x upper and lower door weight including handles (kg)



Advantages that will inspire both you and your customers.

Compact design

Due to its minimal installation size, AVENTOS HK-S fits easily into smaller cabinets

No Protruding Parts

Delivered with closed lever – an advantage for furniture manufacturing and kitchen installation

Cornice and crown moulding

When developing AVENTOS HK-S, we also took into account cabinets with cornices and crown moulding. This provides more design freedom for kitchen planning



AVENTOS HK-S STAY LIFT

Lift System for small stay lifts.

AVENTOS HK-S is well suited for small lift systems, such as over the larder unit or refrigerator. Due to its small installation size AVENTOS HK-S fits harmoniously into smaller cabinets.

- Special for small stay lifts
- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for wall cabinets with cornice or crown mouldings

- Small programme, huge application variety
- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts
- Optional: TIP-ON for AVENTOS





Description	Power Factor	Code
AVENTOS HK-S lift mechanism, 'strong' power factor	960-2215	BLUM20K2E01
AVENTOS HK-S cover caps (pair)		BLUM20K8A01
AVENTOS HK-S front fixing bracket, to suit solid doors		BLUM175H3100

Power Factor: Carcass Height (mm) x door weight including handles (kg)



High quality of motion

The variable stop allows the lift system to remain in any desired position and always within easy reach

Numerous possibilities

Whether thick wooden fronts with wide or narrow aluminium frames, the fixing positions always remain the same. This allows different materials and different thickness to be easily integrated

Proven Blum quality

The lift mechanism with a robust spring package is the core element of the compact fitting.

The AVENTOS HK-XS proves itself in this way with high stability and durability. High quality is ensured for the lifetime of the furniture



AVENTOS HK-XS STAY LIFT

A wide range of applications in every living area.

The compact design of the AVENTOS HK-XS means that the cabinets with small internal depths can be equipped easily. The symmetrical lift mechanism can be used on one or both sides. For the widest range of applications and a high level of design freedom.

- Well suited for top wall cabinets
- Cabinet height from 240mm to 600mm
- Interior depth minimum 125mm
- Closes silently and effortlessly in conjunction with CLIP top BLUMOTION hinges
- Well-balanced quality of motion due to light operating forces, a variable stop and BLUMOTION
- Simple, virtually tool-free assembly and easy adjustment
- Symmetrical lift mechanism can be used on one or both sides
- High quality design





Description	Power Factor	Code
AVENTOS HK-XS Mechanism Set 'light' power factor (Single Application)	200-1000	BLUM20K1100.23
AVENTOS HK-XS Mechanism Set 'medium' power factor (Single Application)	500-1500	BLUM20K1300.23
AVENTOS HK-XS Mechanism Set 'heavy' power factor (Single Application)	800-1800	BLUM20K1500.23

Power Factor: Carcass Height (mm) x door weight including handles (kg)



Gas lift with adjustable automatic mechanism	50	0	GLA01
Gas lift with adjustable automatic mechanism	80	0	GLA02
Gas lift with adjustable automatic mechanism	12	20	GLA03
Gas lift with automatic mechanism	60	0	GLA04
Gas lift with automatic mechanism	80	0	GLA05
Gas lift with friction mechanism	45	5	GLF01
Gas lift with friction mechanism	60	0	GLF02
Kraby gas stay adaptor for aluminium framed doors			KGLA











Sleek contemporary styling, endless stunning design configurations, effortless state of the art runner technology and soft closing are offered standard.

The VOLANTE sliding door system not only provides a tailored, made to measure service but a commitment from us that the product is made to the highest standards, we don't compromise on quality why should you. To prove it, we deliver our doors with a 10 year ECF manufacturers warranty.

Door configurations are fully customisable should you wish to use non standard panel configurations, both vertical and horizontal, Visit ecf.co and utilise the free VOLANTE configuration tool to create door designs with all material and colour options available including mirrored and suede finishes.

Simple principles, matched with the latest technologies and designs.

That's what makes it VOLANTE.

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our VOLANTE brochure.





PULL-OUT DRAWER SYSTEMS

Smooth-running, beautifully organised drawers are a real sign of quality in any kitchen or bedroom. With endless possibilities in terms of size, shape and internal options – stretching from TANDEMBOX antaro pre-assembled drawers to the sophisticated SERVO-DRIVE power-assisted opening system – it's an open and shut case for choosing ECF.





PULL-OUT DRAWER SYSTEMS OVERVIEW

You can now fulfil all different customer wishes with BLUM pull-out systems.

This is because the LEGRABOX and TANDEMBOX lines offer many different design options. Each line offers a comprehensive range of applications: from standard solutions to special applications.

- BLUMOTION for silent and effortless closing
- SERVO-DRIVE for more comfort of motion.
 A light touch for opening. BLUMOTION provides silent and effortless closing action
- TIP-ON for handless options

- High stability
- Quality for the lifetime of the furniture



LEGRABOX pure and free

Minimalistic. Linear. Sleek. Slim.

The elegant drawer box system for every living area.



TANDEMBOX antaro

The Minimalistic line Rectangular with a clear design all the way down the line.

TANDEMBOX antaro is characterised by a clear style – whether it's with a gallery or as a closed box with a design element.



METABOX

Simple. Excellent. Proven.

The single walled BOX system made from steel offers a number of application options.



Straight lines, sleek design with clearly defined shapes and especially high quality of motion – that's LEGRABOX, the new elegant box system from Blum.

LEGRABOX is as wide-ranging as the concept of 'home' itself. It can be used for any application in any part of the home. To go with this, there is AMBIA-LINE, an inner dividing system that has been specifically tailored to match the design. For harmonious overall look in all living spaces.

Straight on the inside and outside

The side panels, which are impressively slim at 12.8mm, blend in beautifully with all items of furniture. The individual components are perfectly coordinated with one another and form beautiful transitions

Runner Quality

The LEGRABOX cabinet profile is a new runner system with outstanding running characteristics. Minimal opening force and synchronised smooth running action add a new feeling of smoothness and quality of motion.











All Round adjustment

Height and side adjustment; The height (+/- 2mm) and sides (+/- 1.5mm) can be adjusted with precision using Torx screws. Tilt adjustment is very easy to perform thanks to its position at the rear on the inside of the drawer side.

Stability for high fronts

High fronts are becoming more and more significant as a design element. LEGRABOX supports this design trend with a new type of front fixing bracket that guarantees maximum stability when opening and closing.





TANDEMBOX antaro has a clear, rectangular style – either with a gallery or as a closed box with a design element.

All the components are colour-coordinated, thus accentuating the minimalistic product design. You also have the option of using different opening support systems. SERVO-DRIVE, the electrical opening support system in combination with BLUMOTION, or TIP-ON the mechanical opening support system.





Characteristic of the minimalist product design: the rectangular gallery.

All nylon components are matched with the relevant drawer side colour.



Design elements don't just provide closed containers but also give your kitchen character. Choose from Blum design elements made from glass or metal. Other materials are also possible such as wood.

The coordinated colour and material programme includes three steel variants: grey (white aluminium, RAL 9006) available from stock or silk white, and terra black as well as stainless steel. (Minimum order quantities and lead time may apply).











A high quality system with a few component parts.

METABOX drawers are made up of only a few components. Using the proven BOX system you can realise so many different applications. Stable materials and careful assembly ensure the best stability values – up to a max. Dynamic load bearing of 30kg.

The tried and tested BLUMOTION function is also available as an option for the METABOX single extension. Independent of the force used and the weight of the storage items. Extremely practical and economical: in all standard applications one unit is all you need.

METABOX BLUMOTION ensures silent and effortless closing action.




Drawer side 'M' height, 86mm



Drawer side 'K' height, 118mm



Drawer side 'H' height, 150mm



Reliable handleless opening.

Handleless fronts are playing a greater and greater role in modern furniture design. With TIP-ON – the mechanical opening support system from Blum – handleless drawers and pull-outs open with just a touch. This enables your customers to experience practical opening comfort in any living area.

Small programme, wide range of applications.

TIP-ON can be combined with all TANDEMBOX and LEGRABOX programme lines and can be used for all standard applications: from standard cabinets to special solutions such as the Blum sink drawers.

- A light touch on the front at any location is enough and the pull-out opens effortlessly
- To close the pull-out, it can be lightly pressed shut or closed with a light push
- TIP-ON consists of a special cabinet profile with a pre-mounted latch and a locking mechanism unit
- The depth adjustment can be carried out toolfree and on an inserted drawer
- The optional synchronisation feature ensures secure opening and closing even for higher and wider fronts
















More design freedom thanks to the electrical opening support system.

Drawers and high fronted pull-outs open as if by themselves using an electrical drive with just a light touch on the handleless front or a light pull of the handle. Regardless of where and how the front is touched, the pull-out will open allowing full freedom of movement in any living area. Thanks to the addition of BLUMOTION for silent and effortless closing action, we have reached new levels of quality of motion, opening up new design possibilities.





Whether it's the base or wall cabinet, a single system moves handleless pull-outs and lift systems as if by themselves. The individual cabling components are the same. One transformer is all that's required for power supply to the entire kitchen.





Application

- No fixed connection to the drive system
- Can be used without having to change TANDEMBOX or LEGRABOX pull-outs

Assembly

- Tool-free assembly
- Simple cabling
- Separate drilling template





SPACE TOWER offers a high level of design freedom. There are two box systems available with a wide range of design variants – LEGRABOX and TANDEMBOX. If the customer wishes, the design of the entire kitchen can be made consistent or for a feature storage solution the LEGRABOX free SPACE TOWER supplied by ECF will produce a signature talking point.

More space in the kitchen

SPACE TOWER can be accessed with impressive ease, provides ample space for provisions and can be tailored to each customer's individual needs, meaning this well-designed larder unit provides optimum support for everyday kitchen use.

For flexible access

Larder units are used more frequently than you would think. This is why they really need to be convenient to use. Thanks to the SPACE TOWER's pull-outs that can be opened individually, provisions can be stored in this practical cabinet solution in an organised fashion and then accessed easily.

Access from three sides

SPACE TOWER makes use of the full depth of your cabinet. Thanks to full extension, even those provisions stored in the furthest corner of a pull-out are easy to access from the left, right and even the front.

Removal from above

Each full extension can be opened individually and is fully visible from above, meaning you can quickly find the item you need and then remove it from above with ease.

Light operating forces

You only have to open the one pull-out that contains the item you need. The light operating forces make the larder unit incredibly convenient to use.







For flexible storage

Ample storage space is the main priority with SPACE TOWER. This clever cabinet solution therefore makes the best possible use of the space available, with the option of storing and clearly arranging provisions in the pull-out.

High, closed drawer boxes

High, closed drawer boxes ensure that provisions are stored securely, meaning that nothing can fall out from the side or the back.

Flexible interior organization

Inner dividing systems allow you to arrange your storage space optimally, ensuring better organization and visibility. Plus, you can store provisions such as flour, sugar and rice without the risk of them tipping over.

High load bearing capacity

Each and every pull-out boasts an impressive level of stability and high load bearing capacity, up to a total weight of 70 kg, ensuring that even heavy items, such as bottles, are stored securely.

For flexible design

To ensure that every single SPACE TOWER has the wow factor, there are already some handy design tips available for when you are planning your practical solution. Pull-outs that fit flexibly into the cabinet and can be individually adapted to suit different stored items offer additional design options.

In high cabinets, a practical shelf is the highest level and therefore clearly visible from the front. The inner drawer underneath makes it easier to access stored items from the side.

The option to position the pull-outs at different heights within the cabinet guarantees that no items will be too tall to be stored inside.

If the hinges are mounted above the pull-outs, the lowest pull-out can be inserted right at the bottom, turning even those last few centimetres into usable storage space.

Single code solution

The SPACE TOWER solution in either LEGRABOX or TANDEMBOX is offered by ECF pre-assembled in common sizes and can be ordered using a single code.

Blum LEGRABOX free SPACE TOWER

(Pre-assembled and boxed)

To Suit Cabinet (Width)	Description	Code
300mm	LEGRABOX free SPACE TOWER For Larder Unit, 300mm Wide, 500mm Deep, Stainless Steel	BLUM780X50BOI-30
400mm	LEGRABOX free SPACE TOWER For Larder Unit, 400mm Wide, 500mm Deep, Stainless Steel	BLUM780X50BOI-40
500mm	LEGRABOX free SPACE TOWER For Larder Unit, 500mm Wide, 500mm Deep, Stainless Steel	BLUM780X50BOI-50
600mm	LEGRABOX free SPACE TOWER For Larder Unit, 600mm Wide, 500mm Deep, Stainless Steel	BLUM780X50BOI-60

Box includes

- 1 x 'M' height LEGRABOX drawer with solid front (pre-assembled)
- 2 x 'C' height LEGRABOX drawer with half height glass front (pre-assembled)
- 2 x 'C' height LEGRABOX drawer with full height glass front (pre-assembled)
- 5 x 40kg 500mm runner sets
- 1 x Hardware fitting pack
- 1 x Set of instruction
- 4 x Planning examples
- 1 x SPACE TOWER marking template
- 1 x Tape measure









Blum LEGRABOX pure SPACE TOWER

(Pre-assembled)

To Suit Cabinet (Width)	Description	Code
300mm	LEGRABOX Pure Space Tower For Larder Unit, 300mm Wide, Orion Grey	LEGRASPACE300
400mm	LEGRABOX Pure Space Tower For Larder Unit, 400mm Wide, Orion Grey	LEGRASPACE400
500mm	LEGRABOX Pure Space Tower For Larder Unit, 500mm Wide, Orion Grey	LEGRASPACE500
600mm	LEGRABOX Pure Space Tower For Larder Unit, 600mm Wide, Orion Grey	LEGRASPACE600

Box includes

- 1 x pre-assembled 'M' height LEGRABOX drawer with solid front
- 4 x pre-assembled 'C' height LEGRABOX drawers with solid sides and gallery rail fronts
- 5 x 40kg 450mm BLUMOTION runners







(Pre-assembled)

	To Suit Cabinet (Width)	Description	Code
SPACE TOWER	400mm	TANDEMBOX antaro SPACE TOWER For Larder Unit, 400mm Wide, Metallic Grey	ANTSPACE400
	500mm	TANDEMBOX antaro SPACE TOWER For Larder Unit, 500mm Wide, Metallic Grey	ANTSPACE500
	600mm	TANDEMBOX antaro SPACE TOWER For Larder Unit, 600mm Wide, Metallic Grey	ANTSPACE600

Included

- 1 x pre-assembled 'M' height TANDEMBOX antaro drawer with solid front
- 4 x pre-assembled 'D' height TANDEMBOX antaro drawers with gallery rail sides and fronts
- 5 x 30kg 450mm BLUMOTION runners















*Design elements (box sides) sold separately

LEGRABOX pure 'M' Height, 106mm

The entire range of LEGRABOX, and all the relevant accessories carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your LEGRABOX pure as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Un-assembled Sets

For ease of ordering, a comprehensive range of popular 'M' height LEGRABOX pure configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 2 – Individual components

Alternatively, 'M' height LEGRABOX pure can be ordered in component form.





- 1 Drawer sides
- 2 Runners
- 3 Back fixing brackets
- 4 Metal back

- **5** Front fixing brackets
- 6 Internal cover caps
- **7** External cover caps



LEGRABOX pure

'K' Height, 115mm

The entire range of LEGRABOX, and all the relevant accessories carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your LEGRABOX pure as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Un-assembled Sets

For ease of ordering, a comprehensive range of popular 'K' height LEGRABOX pure configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 2 – Individual components

Alternatively, 'K' height LEGRABOX pure can be ordered in component form.







- 1 Drawer sides
- 2 Runners
- 3 Back fixing brackets

- Front fixing brackets
- 5 Internal cover caps
- 6 External cover caps



LEGRABOX pure 'C' Height, 193mm

The entire range of LEGRABOX, and all the relevant accessories carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your LEGRABOX pure as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Un-assembled Sets

For ease of ordering, a comprehensive range of popular 'C' height LEGRABOX pure configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 2 – Individual components

Alternatively, $^{\prime}C^{\prime}$ height LEGRABOX pure can be ordered in component form.





- 1 Drawer sides
- 2 Runners
- 3 Back fixing brackets
- 4 Metal back

- 5 Front fixing brackets
- 6 Internal cover caps
- **7** External cover caps



LEGRABOX pure 'F' Height, 241mm

The entire range of LEGRABOX, and all the relevant accessories carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your LEGRABOX pure as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Un-assembled Sets

For ease of ordering, a comprehensive range of popular 'F' height LEGRABOX pure configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 2 – Individual components

Alternatively, 'F' height LEGRABOX pure can be ordered in component form.







1 Drawer sides

4 Front fixing brackets

2 Runners

5 Internal cover caps

- 3 Back fixing brackets
- 6 External cover caps





Blum LEGRABOX pure (Unassembled Sets)

	To Suit Cabinet (Width)	Description	Code
		LEGRABOX (Unassembled Sets), 'M' Height, 270mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKM27040B
		LEGRABOX (Unassembled Sets), 'M' Height, 450mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKM45040B
'M' Height (Sets)		LEGRABOX (Unassembled Sets), 'M' Height, 450mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKM45070B
		LEGRABOX (Unassembled Sets), 'M' Height, 500mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKM50040B
		LEGRABOX (Unassembled Sets), 'M' Height, 500mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKM50070B
		LEGRABOX (Unassembled Sets), 'K' Height, 450mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKK45040B
		LEGRABOX (Unassembled Sets), 'K' Height, 450mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKK45070B
'K' Height (Sets)		LEGRABOX (Unassembled Sets), 'K' Height, 500mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKK50040B
		LEGRABOX (Unassembled Sets), 'K' Height, 500mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKK50070B
		LEGRABOX (Unassembled Sets), 'C' Height, 450mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKC45040B
10/11 : 1. (6)		LEGRABOX (Unassembled Sets), 'C' Height, 450mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKC45070B
'C' Height (Sets)		LEGRABOX (Unassembled Sets), 'C' Height, 500mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKC50040B
		LEGRABOX (Unassembled Sets), 'C' Height, 500mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKC50070B
		LEGRABOX (Unassembled Sets), 'F' Height, 450mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKF45040B
'F' Height (Sets)		LEGRABOX (Unassembled Sets), 'F' Height, 450mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKF45070B
		LEGRABOX (Unassembled Sets), 'F' Height, 500mm Full Extension, 40Kg With BLUMOTION, Orion Grey	LEGKF50040B
		LEGRABOX (Unassembled Sets), 'F' Height, 500mm Full Extension, 70Kg With BLUMOTION, Orion Grey	LEGKF50070B





Blum LEGRABOX pure (Individual Components)

	To Suit Cabinet (Width)	Description	Code
		LEGRABOX, 90.5mm High Drawer Sides ('M' Height), 270mm Deep (Pair), Orion Grey	BLUM770M2702S
		LEGRABOX, 90.5mm High Drawer Sides ('M' Height), 450mm Deep (Pair), Orion Grey	BLUM770M4502S
		LEGRABOX, 90.5mm High Drawer Sides ('M' Height), 500mm Deep (Pair), Orion Grey	BLUM770M5002S
		LEGRABOX, 115mm High Drawer Sides ('K' Height), 450mm Deep (Pair), Orion Grey	BLUM770K4502S
Drawer Sides		LEGRABOX, 115mm High Drawer Sides ('K' Height), 500mm Deep (Pair), Orion Grey	BLUM770K5002S
		LEGRABOX, 177mm High Drawer Sides ('C' Height), 450mm Deep (Pair), Orion Grey	BLUM770C4502S
		LEGRABOX, 177mm High Drawer Sides ('C' Height), 500mm Deep (Pair), Orion Grey	BLUM770C5002S
		LEGRABOX, 241mm High Drawer Sides ('F' Height), 450mm Deep (Pair), Orion Grey	BLUM770F4502S
		LEGRABOX, 241mm High Drawer Sides ('F' Height), 500mm Deep (Pair), Orion Grey	BLUM770F5002S
		LEGRABOX, 270mm Full Extension Runners, 40Kg With BLUMOTION (Pair)	BLUM750.2701B
		LEGRABOX, 450mm Full Extension Runners, 40Kg With BLUMOTION (Pair)	BLUM750.4501B
Runners		LEGRABOX, 500mm Full Extension Runners, 40Kg With BLUMOTION (Pair)	BLUM750.5001B
		LEGRABOX, 450mm Full Extension Runners, 70Kg With BLUMOTION (Pair)	BLUM753.4501B
		LEGRABOX, 500mm Full Extension Runners, 70Kg With BLUMOTION (Pair)	BLUM753.5001B
		LEGRABOX Back Fixing Bracket To Suit 'M' Height, Orion Grey (Pair)	BLUMZB7M000S
		LEGRABOX Back Fixing Bracket To Suit 'K' Height, Orion Grey (Pair)	BLUMZB7K000S
Back Brackets		LEGRABOX Back Fixing Bracket To Suit 'C' Height, Orion Grey (Pair)	BLUMZB7C000S
		LEGRABOX Back Fixing Bracket To Suit 'F' Height, Orion Grey (Pair)	BLUMZB7F000S
	300mm	LEGRABOX, 'C' Height Steel Back To Suit 300mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C232S.6
	400mm	LEGRABOX, 'C' Height Steel Back To Suit 400mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C332S.6
	450mm	LEGRABOX, 'C' Height Steel Back To Suit 450mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C382S.6
'C' Hoight Motal Backs	500mm	LEGRABOX, 'C' Height Steel Back To Suit 500mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C432S.6
'C' Height Metal Backs	600mm	LEGRABOX, 'C' Height Steel Back To Suit 600mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C532S.6
	800mm	LEGRABOX, 'C' Height Steel Back To Suit 800mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C732S.6
	900mm	LEGRABOX, 'C' Height Steel Back To Suit 900mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C832S.6
	1000mm	LEGRABOX, 'C' Height Steel Back To Suit 1000mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7C932S.6






	To Suit Cabinet (Width)	Description	Code
	300mm	LEGRABOX, 'M' Height Steel Back To Suit 300mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M232S.6
	400mm	LEGRABOX, 'M' Height Steel Back To Suit 400mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M332S.6
'M' Height Metal Backs	450mm	LEGRABOX, 'M' Height Steel Back To Suit 450mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M382S.6
	500mm	LEGRABOX, 'M' Height Steel Back To Suit 500mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M432S.6
	600mm	LEGRABOX, 'M' Height Steel Back To Suit 600mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M532S.6
	800mm	LEGRABOX, 'M' Height Steel Back To Suit 800mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M732S.6
	900mm	LEGRABOX, 'M' Height Steel Back To Suit 900mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M832S.6
	1000mm	LEGRABOX, 'M' Height Steel Back To Suit 1000mm Wide Unit With 18mm Thick Carcase, Orion Grey	BLUMZB7M932S.6

	To Suit Cabinet (Width)	Description	Code
		LEGRABOX, 'M' Height Front Fixing Bracket	BLUMZF7M7002
Front Fixing Brackets		LEGRABOX, 'K' Height Front Fixing Bracket	BLUMZF7K7002
		LEGRABOX, 'C' Height Front Fixing Bracket	BLUMZF7C7002
0.0		LEGRABOX External Cover Cap, Orion Grey	BLUMZA7.0700
Cover Caps		LEGRABOX Internal Cover Cap, Orion Grey	BLUMZA7.5700.BT
		LEGRABOX, Internal Drawer Front Bracket (Pair), "M" Height, Orion Grey	BLUMZI7.0MS0
Internal Drawer Front		LEGRABOX, Internal Drawer Front Bracket (Pair), 'C' Height, Orion Grey	BLUMZI7.3CS0
(Custom)		LEGRABOX, Internal Drawer Front Rail, 'Cut-to-Size', 1080mm Long, Orion Grey	BLUMZR7.1080U
		LEGRABOX, Internal Drawer Front Piece, 'Cut-to-Size', 1043mm Long, Orion Grey	BLUMZV7.1043C01
	300mm	LEGRABOX, 'M' Height Internal Drawer Front	BLUMZW7.250M
Internal Drawer Front ('M'	400mm	LEGRABOX, 'M' Height Internal Drawer Front	BLUMZW7.350M
Height)	500mm	LEGRABOX, 'M' Height Internal Drawer Front	BLUMZW7.450M
	600mm	LEGRABOX, 'M' Height Internal Drawer Front	BLUMZW7.550M
	300mm	LEGRABOX, 'C' Height Internal Drawer Front (With Gallery Rail)	BLUMZW7.250CR
	400mm	LEGRABOX, 'C' Height Internal Drawer Front (With Gallery Rail)	BLUMZW7.350CR
Internal Drawer Front ('C' Height)	500mm	LEGRABOX, 'C' Height Internal Drawer Front (With Gallery Rail)	BLUMZW7.450CR
	600mm	LEGRABOX, 'C' Height Internal Drawer Front (With Gallery Rail)	BLUMZW7.550CR
		LEGRABOX and MOVENTO Tip-On BLUMOTION Sync Rod Adapter	BLUMT60.000D
		LEGRABOX and MOVENTO Tip-On BLUMOTION Sync Rod	BLUMT60.1125W
Tip-On Components		LEGRABOX and MOVENTO Tip-On BLUMOTION Mechanism	BLUMT60L7540
Tip-Oil Components		LEGRABOX and MOVENTO Front Spacing Template	BLUM65.5631
		LEGRABOX Tip-On BLUMOTION Runner, 450mm Full Extension, 40Kg (Pair)	BLUM750.4501M
		LEGRABOX Tip-On BLUMOTION Runner, 500mm Full Extension, 40Kg (Pair)	BLUM750.5001M
		Drive unit	BLUMZ10A3000
		TANDEMBOX cable pack, includes 8m cable, 30 distance bumpers, 10 cable clips, 10 connecting nodes & 5 end caps	BLUMZ10K800AE.21
		Transformer pack, includes base mounted transformer housing & 2m UK power cable	BLUMZ10M200B.21
SERVO-DRIVE		Transformer accessory pack, includes wall mounted transformer housing and 2m UK power cable	BLUMZ10M200B.22
		SERVO-DRIVE uno for use with bottom mounted waste bin, includes drive unit, transformer with power cable, attachment bracket & distance bumpers	BLUMZ10NA20BA
		SERVO-DRIVE Transformer, 72w	BLUMZ10NE030A
		TANDEMBOX back bracket pack, includes aluminium profile to suit 720mm cabinet, top & bottom connector, profile bottom & back connector, 4 front stabilisers	BLUMZ10T670AA21







The inner dividing system AMBIA-LINE stands out on account of its slim, minimalist design and diverse setting options. The frames, which can be used universally, are designed to fit the box system LEGRABOX and ensure perfect organisation for any living area. The clearly arranged programme of versatile frames opens up a wealth of design options in terms of the organisation of the insides of furniture and offers practical, everyday functionality

AMBIA-LINE in steel design

Powder-coated steel frames mean that pull-outs and their inner workings become one.

A harmonious look with flexible options

The versatile, high-quality steel frames are extremely flexible and functional. Using them is easy and intuitive. The colour options silk white matt, orion grey matt and terra black matt mean that drawers and their inner workings become one.

Programme

- Drawer frames for nominal lengths of 270–650 mm
- Cutlery insert with Soft-touch material
- High fronted pull-out frames with magnet for connection to the steel back
- Optional: adapter profile for magnetic connection to chipboard back
- Cross gallery for cutting to size and lateral divider

Advantages at a glance

- Frames are easy to use and can be put in any position
- Compact programme of parts that can be used universally
- Elegant design, suitable for LEGRABOX













	AMBIA-LINE 100mm wide drawer frame, to suit 450mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S450RS1
	AMBIA-LINE 200mm wide drawer frame, to suit 450mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S450RS2
ANADIA LINIE (JAMILI : L.	AMBIA-LINE 300mm wide cutlery insert to suit 450mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S450BS3
AMBIA-LINE for 'M' Height	AMBIA-LINE 100mm wide drawer frame, to suit 500mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S500RS1
	AMBIA-LINE 200mm wide drawer frame, to suit 500mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S500RS2
	AMBIA-LINE 300mm wide cutlery insert to suit 500mm deep 'M' Height LEGRABOX, Orion Grey	BLUMZC7S500BS3
	AMBIA-LINE High Fronted Pull-Out Frame to suit LEGRABOX, 218mm wide, Orion Grey	BLUMZC7F400RSP
AMBIA-LINE for 'C' Height	AMBIA-LINE High Fronted Pull-Out Frame to suit LEGRABOX, 242mm wide, Orion Grey	BLUMZC7F300RSU
	AMBIA-LINE Adapter Profile for 'C' Height wooden back LEGRABOX, 218mm wide, Orion Grey	BLUMZC7A0P0C
	AMBIA-LINE Foil and Film Dispenser to suit LEGRABOX, Orion Grey (Includes Foil)	BLUMZC7C0000
	AMBIA-LINE Knife Holder to suit LEGRABOX, Orion Grey	BLUMZC7M0200
AMBIA-LINE Accessories	AMBIA-LINE Spice Holder to suit LEGRABOX, Stainless Steel	BLUMZC7G0P0I
	AMBIA-LINE Customisable Box to suit LEGRABOX, Orion Grey	BLUMZC7S100AS3

TANDEMBOX antaro

'M' Height, 83mm

TANDEMBOX antaro's colour co-ordinated components and clean lines present a simple yet effective design.

The entire range of antaro, and all the relevant accessories carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your TANDEMBOX antaro as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Pre-Assembled and Boxed

For easy ordering and quick installation, you can order your 'M' height TANDEMBOX antaro pre-assembled and individually boxed ready for immediate installation.

All options come complete with metal backs and colour coordinated MFC bases.

Option 2 – Unassembled component sets

For ease of ordering, a comprehensive range of popular 'M' height TANDEMBOX antaro configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 3 – Individual Components

Alternatively, 'M' height TANDEMBOX antaro can be ordered in component form.





- 1 Drawer sides
- 2 Runners
- 3 Back fixing bracket

- 4 Metal back
- **5** Front fixing brackets
- 6 Cover Caps



TANDEMBOX antaro

'D' Height, 206mm

Whether you choose an open box with a gallery rail or closed box with a design element, TANDEMBOX antaro provides one system for all applications making assembly simple and tool free.

As with the 'M' height the entire range of antaro, and all the relevant accessories, carry Blum's "lifetime guarantee" – giving you and your customers the assurance that the drawers will work as well on their last day of service as they did on their first.

To make the process of ordering your TANDEMBOX antaro as simple as possible, we provide a number of options to choose from. Just select the one that best suits your requirements.

Option 1 – Pre-Assembled and Boxed

For easy ordering and quick installation, you can order your 'D' height TANDEMBOX antaro pre-assembled and individually boxed ready for immediate installation.

All options come complete with metal backs and colour coordinated MFC bases.

Option 2 – Unassembled component sets

For ease of ordering, a comprehensive range of popular 'D' height TANDEMBOX antaro configurations can be supplied as unassembled component sets under a single code. All sets include sides, runners with integrated BLUMOTION, gallery rails, back fixing brackets, front fixing brackets and cover caps. Please note that backs and bases are NOT included.

Option 3 – Individual Components

Alternatively, 'D' height TANDEMBOX antaro can be ordered in component form.





- 1 Drawer sides
- 2 Runners
- **3** Back fixing bracket
- 4 Metal back

- **5** Front fixing brackets
- 6 Cover Caps
- **7** Gallery Rails



(Pre-Assembled)

	To Suit Cabinet (Width)	Description	Code
	300mm	'D' height 450mm (d) x 300mm (w), full extension, 30Kg with BLUMOTION	ANTD450300
	400mm	'D' height 450mm (d) x 400mm (w), full extension, 30Kg with BLUMOTION	ANTD450400
	450mm	'D' height 450mm (d) x 450mm (w), full extension, 30Kg with BLUMOTION	ANTD450450
/D/11:1./D 1 1: D: \	500mm	'D' height 450mm (d) x 500mm (w), full extension, 30Kg with BLUMOTION	ANTD450500
'D' Height (Packed in Pairs)	600mm	'D' height 450mm (d) x 600mm (w), full extension, 30Kg with BLUMOTION	ANTD450600
	800mm	'D' height 450mm (d) x 800mm (w), full extension, 50Kg with BLUMOTION	ANTD450800
	900mm	'D' height 450mm (d) x 900mm (w), full extension, 50Kg with BLUMOTION	ANTD450900
	1000mm	'D' height 450mm (d) x 1000mm (w), full extension, 50Kg with BLUMOTION	ANTD4501000
	500mm	'D' height 450mm (d) x 500mm (w), full extension, 30Kg with BLUMOTION	ANTDS450500
	600mm	'D' height 450mm (d) x 600mm (w), full extension, 30Kg with BLUMOTION	ANTDS450600
'D' Height (Individually Packed)	800mm	'D' height 450mm (d) x 800mm (w), full extension, 50Kg with BLUMOTION	ANTDS450800
i acked)	900mm	'D' height 450mm (d) x 900mm (w), full extension, 50Kg with BLUMOTION	ANTDS450900
	1000mm	'D' height 450mm (d) x 1000mm (w), full extension, 50Kg with BLUMOTION	ANTDS4501000
	300mm	'M' height 270mm (d) x 300mm (w), full extension, 30Kg with BLUMOTION	ANTM270300
	400mm	'M' height 270mm (d) x 400mm (w), full extension, 30Kg with BLUMOTION	ANTM270400
	500mm	'M' height 270mm (d) x 500mm (w), full extension, 30Kg with BLUMOTION	ANTM270500
	600mm	'M' height 270mm (d) x 600mm (w), full extension, 30Kg with BLUMOTION	ANTM270600
	300mm	'M' height 450mm (d) x 300mm (w), full extension, 30Kg with BLUMOTION	ANTM450300
	400mm	'M' height 450mm (d) x 400mm (w), full extension, 30Kg with BLUMOTION	ANTM450400
'M' Height (Individually Packed)	450mm	'M' height 450mm (d) x 450mm (w), full extension, 30Kg with BLUMOTION	ANTM450450
	500mm	'M' height 450mm (d) x 500mm (w), full extension, 30Kg with BLUMOTION	ANTM450500
	600mm	'M' height 450mm (d) x 600mm (w), full extension, 30Kg with BLUMOTION	ANTM450600
	800mm	'M' height 450mm (d) x 800mm (w), full extension, 30Kg with BLUMOTION	ANTM450800
	900mm	'M' height 450mm (d) x 900mm (w), full extension, 30Kg with BLUMOTION	ANTM450900
	1000mm	'M' height 450mm (d) x 1000mm (w), full extension, 30Kg with BLUMOTION	ANTM4501000

Blum TANDEMBOX antaro

(Unassembled Sets)

	Description	Code
	'D' height, 450mm full extension, 30kg with BLUMOTION, metallic grey	ANTKD45030B
(D/ 11=:=!=+ (C=+=)	'D' height, 450mm full extension, 50kg with BLUMOTION, metallic grey	ANTKD45050B
'D' Height (Sets)	'D' height, 500mm full extension, 30kg with BLUMOTION, metallic grey	ANTKD50030B
	'D' height, 500mm full extension, 50kg with BLUMOTION, metallic grey	ANTKD50050B
	'M' height, 270mm full extension, 30kg with BLUMOTION, metallic grey	ANTKM27030B
	'M' height, 350mm full extension, 30kg with BLUMOTION, metallic grey	ANTKM35030B
'M' Height (Sets)	'M' height, 400mm full extension, 30kg with BLUMOTION, metallic grey	ANTKM40030B
	'M' height, 450mm full extension, 30kg with BLUMOTION, metallic grey	ANTKM45030B
	'M' height, 500mm full extension, 30kg with BLUMOTION, metallic grey	ANTKM50030B



	To Suit Cabinet (Width)	Description	Code
		83mm high ('M' height), 270mm deep, antaro (Pair)	BLUM378M2702SA
		83mm high ('M' height), 350mm deep, antaro (Pair)	BLUM378M3502SA
Drawer Sides		83mm high ('M' height), 400mm deep, antaro (Pair)	BLUM378M4002SA
		83mm high ('M' height), 450mm deep, antaro (Pair)	BLUM378M4502SA
		83mm high ('M' height), 500mm deep, antaro (Pair)	BLUM378M5002SA
Drawer Sides (Sink)		TANDEMBOX antaro, Sink Drawer Only Sides 450mm Deep (Pair)	BLUM378M4504SG
Adapter		Sink drawer adapters	BLUMZ30N0002.6Z
		270mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.270B
		350mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.350B
		400mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.400B
Runners		450mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.450B
		500mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.500B
		450mm full extension, 50Kg with BLUMOTION (Pair)	BLUM579.450B
		500mm full extension, 50Kg with BLUMOTION (Pair)	BLUM579.500B
		-	PLLIM720D000
		Back fixing bracket to suit 'D' height, metallic grey (Pair)	BLUMZ30D000
Back Brackets		Back fixing bracket to suit 'K' height, metallic grey (Pair)	BLUMZ30K000
		Back fixing bracket to suit 'M' height, metallic grey (Pair)	BLUMZ30M000
		Back fixing bracket to suit 'N' height, metallic grey (Pair)	BLUMZ30N000
	300mm	'D' height, to suit 300mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D235
	400mm	'D' height, to suit 400mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D335
	450mm	'D' height, to suit 450mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D385
	500mm	'D' height, to suit 500mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D435
'D' Height Metal Backs	600mm	'D' height, to suit 600mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D535
	800mm	'D' height, to suit 800mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D735
	900mm	'D' height, to suit 900mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D835
	1000mm	'D' height, to suit 1000mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30D935
	300mm	'M' height, to suit 300mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M235
	400mm	'M' height, to suit 400mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M335
	450mm	'M' height, to suit 450mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M385
	500mm	'M' height, to suit 500mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M435
'M' Height Metal Backs	600mm	'M' height, to suit 600mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M535
	800mm	'M' height, to suit 800mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M735
	900mm	'M' height, to suit 900mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M835
	1000mm	'M' height, to suit 1000mm wide unit with 18mm thick carcase, metallic grey	BLUMZ30M935
		Gallery rail (Pair), 350mm Long	BLUMZRG.287RSIC
Gallery Rails		Gallery rail (Pair), 400mm Long	BLUMZRG.337RSIC
		Gallery rail (Pair), 450mm Long	BLUMZRG.387RSIC
		Gallery rail (Pair), 500mm Long	BLUMZRG.437RSIC
Front Fixing Brackets		Front Fixing Brackets	BLUMZSF35A2
Cover Caps		Drawer side cover caps, grey	BLUMZAA.532C



	To Suit Cabinet (Width)	Description	Code
	300mm	Internal drawer, pre-assembled front, 'D' height	BLUMZIA.130D2.1
	400mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.230D2.1
	500mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.330D2.1
Internal Drawer Front ('D' Height)	600mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.430D2.1
	800mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.630D2.1
	900mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.730D2.1
	1000mm	Internal Drawer, pre-assembled front, 'D' height	BLUMZIA.830D2.1
Internal Drawer Front ('D' Height)		Gallery head to suit 'D' height internal drawer fronts (2 required)	BLUMZRG.000R5F
	300mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.130M0.1
	400mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.230M0.1
	500mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.330M0.1.
Internal Drawer Front ('M' Height)	600mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.430M0.1
	800mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.630M0.1
	900mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.730M0.1
	1000mm	Internal Drawer, pre-assembled front, 'M' height	BLUMZIA.830M0.1
		Internal Drawer front 'cut to size' for non standard widths 1036mm long, metallic grey	BLUMZ31L1036A
		Internal Drawer front bracket, 'M' height	BLUMZIF.71M0
Internal Drawer Front		Internal Drawer front bracket 'D' height (pair)	BLUMZIF.74D0
(Custom)		Internal Drawer, handle to suit 'M' height front	BLUMZIF.80M5
		Internal Drawer, handle & latch to suit 'M' height front	BLUMZIF.80M7
		Internal Drawer 'cut to size' gallery rail to suit 'D' height front, 1046mm long, grey	BLUMZRG.1046Z
		TANDEMBOX antaro locking set for design elements	BLUMZ36D0080
Design Element (Box-side)		Design Element to suit 450mm antaro (single)	BLUMZ37A417D
		Design Element Glass to suit 450mm antaro (pair)	BLUMZ37R417D
		Cross Divider connector, for use with 'cut-to-size' cross divider, grey	BLUMZ40D0002Z
ORGA-LINE Dividers		Cross Divider, 'cut-to-size' for non-standard width antaro TANDEMBOX, 1077mm long, metallic grey	BLUMZ40L1077A









	To Suit Cabinet (Width)	Description	Code
	300mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L177S
	400mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L277S
	450mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L327S
ODCA LINE D	500mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L377S
ORGA-LINE Dividers	600mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L477S
	800mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L677S
	900mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L777S
	1000mm	Cross Divider, pre-cut, metallic grey	BLUMZ40L877S
ORGA-LINE Dividers		ORGA-LINE lateral divider, metallic grey	BLUMZ43L100S
		Description	
		TIP-ON synchronisation unit	BLUMZ55S0001
	600mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S135G
	800mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S235G
	900mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S285G
TIP-ON Components	1000mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S335G
		TANDEMBOX runner, 450mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.4501T
		TANDEMBOX runner, 500mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.5001T
		TIP-ON locking mechanism left and right	BLUMZ55.5103
		Drive unit	BLUMZ10A3000
		TANDEMBOX cable pack, includes 8m cable, 30 distance bumpers, 10 cable clips, 10 connecting nodes & 5 end caps	BLUMZ10K800AE.21
		Transformer pack, includes base mounted transformer housing & 2m UK power cable	BLUMZ10M200B.21
SERVO-DRIVE		Transformer accessory pack, includes wall mounted transformer housing and 2m UK power cable	BLUMZ10M200B.22
		SERVO-DRIVE uno for use with bottom mounted waste bin, includes drive unit, transformer with power cable, attachment bracket & distance bumpers	BLUMZ10NA20BA
		SERVO-DRIVE Transformer, 72w	BLUMZ10NE030A
		TANDEMBOX back bracket pack, includes aluminium profile to suit 720mm cabinet, top & bottom connector, profile bottom & back connector, 4 front stabilisers	BLUMZ10T670AA21









Blum TANDEMBOX antaro white

(Unassembled Sets)

	To Suit Cabinet (Width)	Description	Code
'D' Height Sets		TANDEMBOX antaro (Unassembled Sets), 'D' Height, 450mm Full Extension, 30Kg With BLUMOTION, Silk White	ANTKSWD45030B
		TANDEMBOX antaro (Unassembled Sets), 'D' Height, 450mm Full Extension, 50Kg With BLUMOTION, Silk White	ANTKSWD45050B
		TANDEMBOX antaro (Unassembled Sets), 'D' Height, 500mm Full Extension, 30Kg With BLUMOTION, Silk White	ANTKSWD50030B
		TANDEMBOX antaro (Unassembled Sets), 'D' Height, 500mm Full Extension, 50Kg With BLUMOTION, Silk White	ANTKSWD50050B
'M' Height Sets		TANDEMBOX antaro (Unassembled Sets), 'M' Height, 270mm Full Extension, 30Kg With BLUMOTION, Silk White	ANTKSWM27030B
		TANDEMBOX antaro (Unassembled Sets), 'M' Height, 450mm Full Extension, 30Kg With BLUMOTION, Silk White	ANTKSWM45030B
		TANDEMBOX antaro (Unassembled Sets), 'M' Height, 500mm Full Extension, 30Kg With BLUMOTION, Silk White	ANTKSWM50030B

Blum TANDEMBOX antaro white

	To Suit Cabinet (Width)	Description	Code
Drawer Sides		TANDEMBOX Antaro 83mm High ('M' Height), 270mm Deep, Silk White (Pair)	BLUM378M2702SA.SW
		TANDEMBOX Antaro 83mm High ('M' Height), 350mm Deep, Silk White (Pair)	BLUM378M3502SA.SW
		TANDEMBOX Antaro 83mm High ('M' Height), 400mm Deep, Silk White (Pair)	BLUM378M4002SA.SW
		TANDEMBOX Antaro 83mm High ('M' Height), 450mm Deep, Silk White (Pair)	BLUM378M4502SA.SW
		TANDEMBOX Antaro 83mm High ('M' Height), 500mm Deep, Silk White (Pair)	BLUM358M5002SA.SW
		270mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.270B
Runners		350mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.350B
		400mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.400B
		450mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.450B
		500mm full extension, 30Kg with BLUMOTION (Pair)	BLUM578.500B
		450mm full extension, 50Kg with BLUMOTION (Pair)	BLUM579.450B
		500mm full extension, 50Kg with BLUMOTION (Pair)	BLUM579.500B
Back Brackets		TANDEMBOX Antaro, Back Fixing Bracket To Suit 'M' Height, Silk White (Pair)	BLUMZ30M000S.04.SW
		TANDEMBOX Antaro Back Fixing Bracket To Suit 'D' Height, Silk White (Pair)	BLUMZ30D000S.SW

Blum TANDEMBOX antaro white

	To Suit Cabinet		
	(Width)	Description	
'D' Height Metal Backs	300mm	TANDEMBOX Antaro, 'D' Height, To Suit 300mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D235S.6.SW
	400mm	TANDEMBOX Antaro, 'D' Height, To Suit 400mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D335S.6.SW
	450mm	TANDEMBOX Antaro, 'D' Height, To Suit 450mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D385S.6.SW
	500mm	TANDEMBOX Antaro, 'D' Height, To Suit 500mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D435S.6.SW
	600mm	TANDEMBOX Antaro, 'D' Height, To Suit 600mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D535S.6.SW
	800mm	TANDEMBOX Antaro, 'D' Height, To Suit 800mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D735S.6.SW
	900mm	TANDEMBOX Antaro, 'D' Height, To Suit 900mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D835S.6.SW
	1000mm	TANDEMBOX Antaro, 'D' Height, To Suit 1000mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30D935S.6SW
	300mm	TANDEMBOX Antaro, 'M' Height, To Suit 300mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M235S.6.SW
'M' Height Metal Backs	400mm	TANDEMBOX Antaro, 'M' Height, To Suit 400mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M335S.6.SW
	450mm	TANDEMBOX Antaro, 'M' Height, To Suit 450mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M385S.6.SW
	500mm	TANDEMBOX Antaro, 'M' Height, To Suit 500mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M435S.6.SW
	600mm	TANDEMBOX Antaro, 'M' Height, To Suit 600mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M535S.6.SW
	800mm	TANDEMBOX Antaro, 'M' Height, To Suit 800mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M735S.6.SW
	900mm	TANDEMBOX Antaro, 'M' Height, To Suit 900mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M835S.6.SW
	1000mm	TANDEMBOX Antaro, 'M' Height, To Suit 1000mm wide unit with 18mm Thick Carcase, Silk White	BLUMZ30M935S.6.SW
		TANDEMBOY autors Cill White Calley Deil (Deil) 450 aug Large	DILIMATEC 207DCIC CVA
Gallery Rails		TANDEMBOX antaro Silk White, Gallery Rail (Pair), 450mm Long	BLUMZRG.387RSIC.SW
		TANDEMBOX antaro Silk White, Gallery Rail (Pair), 500mm Long	BLUMZRG.437RSIC.SW
Front Fixing Brackets		Front Fixing Brackets	BLUMZSF35A2
Cover Caps		Drawer Side Cover Caps, Silk White	BLUMZAA.532C.SW



Blum TANDEMBOX antaro white

	To Suit Cabinet (Width)	Description	Code
Internal Drawer Front (Custom)		TANDEMBOX Antaro internal drawer, 'cut-to-size' front for non-standard widths, 1036mm long,	BLUMZ31L1036.A
		TANDEMBOX antaro Silk White, Internal Drawer Front Bracket, 'M' Height	BLUMZIF.71M0.SW
		TANDEMBOX antaro Silk White, Internal Drawer Front Bracket 'D' Height (Pair)	BLUMZIF.74D0.SW
		TANDEMBOX Antaro, Internal Drawer, Handle To Suit 'M' Height Front, Silk White	BLUMZIF.80M5.SW
		TANDEMBOX Antaro, Internal Drawer, Handle & Latch To Suit 'M' Height Front, Silk White	BLUMZIF.80M7.SW
		TANDEMBOX antaro Silk White, Internal Drawer 'Cut To Size' Gallery Rail To Suit 'D' Height Front, 1046mm Long	BLUMZRG.1046Z.SW
		TANDEMBOX antaro Silk White, Locking Set For Design Elements	BLUMZ36D0080.SW
		Design Element to suit 450mm antaro (single)	BLUMZ37A417D
Design Element (Box-side)		Design Element Glass to suit 450mm antaro (pair)	BLUMZ37R417D
		TANDEMBOX antaro, Design Element To Suit 450mm (Single), Silk White	BLUMZ37A417D.SW
		TIP-ON synchronisation unit	BLUMZ55S0001
	600mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S135G
	800mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S235G
	900mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S285G
TIP-ON Components	1000mm	TIP-ON synchronisation rod (2 required)	BLUMZ55S335G
		TANDEMBOX runner, 450mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.4501T
		TANDEMBOX runner, 500mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.5001T
		TIP-ON locking mechanism left and right	BLUMZ55.5103
		D	DI LIN 474.0 A 2000
		Drive unit	BLUMZ10A3000
SERVO-DRIVE		TANDEMBOX cable pack, includes 8m cable, 30 distance bumpers, 10 cable clips, 10 connecting nodes & 5 end caps	BLUMZ10K800AE.21
		Transformer pack, includes base mounted transformer housing & 2m UK power cable	BLUMZ10M200B.21
		Transformer accessory pack, includes wall mounted transformer housing and 2m UK power cable	BLUMZ10M200B.22
		SERVO-DRIVE uno for use with bottom mounted waste bin, includes drive unit, transformer with power cable, attachment bracket & distance bumpers	BLUMZ10NA20BA
		SERVO-DRIVE Transformer, 72w	BLUMZ10NE030A
		TANDEMBOX back bracket pack, includes aluminium profile to suit 720mm cabinet, top & bottom connector, profile bottom & back connector, 4 front stabilisers	BLUMZ10T670AA21



ORGA-LINE is a high-quality inner dividing system that works wonders on the interiors of drawers and high fronted pull-outs. It lets you store everything tidily and accessibly - no matter whether cutlery, bottles, pots and pans. Organise your storage space to meet your needs using the ORGA-LINE inner dividing system.

ORGA-LINE for TANDEMBOX high fronted pull-outs A synergy of function and design

The design and colour of the inner dividing system match each individual programme line: TANDEMBOX intivo, TANDEMBOX antaro and TANDEMBOX plus. All cross and longside dividers can be adapted to contents. The result is amazing organisation and easy access to interiors.

Programme

- Cross and longside dividers match the individual TANDEMBOX programme lines
- Cross dividers and longside dividers
- For cabinet widths of 275 1,200 mm

Advantages at a glance

- Clear visibility and tidy interiors
- Dividers adapt flexibly to contents
- Easy access; contents are held firmly and will not tip

ORGA-LINE for TANDEMBOX Drawers The wow effect for every drawer

The ORGA-LINE inner dividing system has high-quality stainless steel containers and utensil dividers that provide clear visibility and easy access to all contents. Sets can be flexibly arranged in drawers, and items are organised and kept safe. The containers can be easily removed and are designed for dishwasher use. Now that's practical!

Programme

- For cabinet widths of 250 1,200 mm
- Full width set from cabinet width of 450 mm
- Special widths can be organised with individual sets
- Kitchen accessories can be added later

Advantages at a glance

- Flexible arrangement, tidy interiors and clear visibility
- Easy access to all contents
- ORGA-LINE containers are designed for dishwasher use











ORGA-LINE Kitchen Tools

	To Suit Cabinet (Width)	Description	Code
	400mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.450BI3N
	450mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.45VEI4
	500mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.50VEI4
ORGA-LINE Cutlery Inserts	600mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.60VEI4
	800mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.80VEI4
	900mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.90VEI4
	1000mm	To suit TANDEMBOX, 450mm deep, stainless steel	BLUMZSI.10VEI4
		Foil holder & cutter to suit ORGA-LINE utensil division system, 400 -1000mm wide, grey	BLUMZSZ.02F0
		Knife holder to suit ORGA-LINE utensil division system, 400 -1000mm wide, grey	BLUMZSZ.02M0
		Plate holder to suit plates 180-320mm dia., grey	BLUMZC7T0350
	300mm	Spice holder to suit TANDEMBOX and TANDEMBOX intivo 300mm wide, stainless steel	BLUMZFZ.30G0I

METABOX 'M', 'K' & 'H' Heights

Unassembled

Blums single wall steel METABOX drawer systems provides a cost effective versatile drawer box suitable for a multitude of applications.

Available in range of heights and lengths, METABOX is supplied in sets containing a pair of sides and corresponding colour matched high impact runners.



1 Drawer Set

3 Cover Caps (optional)

2 Front Fixing Brackets

	Description	
	Drawer set, 86mm high, 270mm length, cream RAL9001	BLUM320M270
	Drawer set, 86mm high, 350mm length, cream RAL9001	BLUM320M350
'M' Height METABOX	Drawer set, 86mm high, 400mm length, cream RAL9001	BLUM320M400
	Drawer set, 86mm high, 450mm length, cream RAL9001	BLUM320M450
	Drawer set, 86mm high, 500mm length, cream RAL9001	BLUM320M500
	Drawer set, 118mm high, 400mm length, cream RAL9001	BLUM320K400
'K' Height METABOX	Drawer set, 118mm high, 450mm length, cream RAL9001	BLUM320K450
	Drawer set, 150mm high, 350mm length, cream RAL9001	BLUM320H350
/II/ II : I : METADOV	Drawer set, 150mm high, 400mm length, cream RAL9001	BLUM320H400
'H' Height METABOX	Drawer set, 150mm high, 450mm length, cream RAL9001	BLUM320H450
	Drawer set, 150mm high, 500mm length, cream RAL9001	BLUM320H500
Front Fixing Brackets	Drawer front fixing bracket, to suit 'M', 'K' & 'H' heights, screw-on	BLUMZSF1700
Cover Caps	Drawer front fixing bracket cover caps, to suit 'M', 'K' & 'H' heights, cream RAL9001	BLUMZAA3500
Dividers	Metafile set, to suit 275-600mm wide, 450-550mm depth, cream RAL9001	BLUMZRM5500





		Description	Code
METABOX Cutlery Trays	300mm	To suit METABOX, 450-500mm deep, cream RAL9001	MCI300
	450mm	To suit METABOX, 450-500mm deep, cream RAL9001	MCI450
	500mm	To suit METABOX, 450-500mm deep, cream RAL9001	MCI500
	600mm	To suit METABOX, 450-500mm deep, cream RAL9001	MCI600



Beech Drawers

Unassembled

The traditional beech drawer box supplied unassembled with ply base, chamfered on all sides can be assembled in a matter of minutes and designed to work with the Blum TANDEM runner system.

Suitable for installation as part of the kitchen or bedroom design.

- 13mm Solid Beech Sides
- 4mm thick ply base



- Clear Lacquered finish
- Assembled using 8mm dowels

	To Suit Cabinet (Width)	Description	Code
	300mm	Wooden Drawer Box, 87 x 248 x 440mm	WD30087
	400mm	Wooden Drawer Box, 87 x 348 x 440mm	WD40087
	450mm	Wooden Drawer Box, 87 x 398 x 440mm	WD45087
Standard Drawer	500mm	Wooden Drawer Box, 87 x 448 x 440mm	WD50087
Standard Drawer	600mm	Wooden Drawer Box, 87 x 548 x 440mm	WD60087
	800mm	Wooden Drawer Box, 87 x 748 x 440mm	WD80087
	900mm	Wooden Drawer Box, 87 x 848 x 440mm	WD90087
	1000mm	Wooden Drawer Box, 87 x 948 x 440mm	WD100087
	300mm	Wooden Drawer Box, 155 x 248 x 440mm	WD300155
	400mm	Wooden Drawer Box, 155 x 348 x 440mm	WD400155
	450mm	Wooden Drawer Box, 155 x 398 x 440mm	WD450155
	500mm	Wooden Drawer Box, 155 x 448 x 440mm	WD500155
Dresser Drawer	600mm	Wooden Drawer Box, 155 x 548 x 440mm	WD600155
	800mm	Wooden Drawer Box, 155 x 748 x 440mm	WD800155
	900mm	Wooden Drawer Box, 155 x 848 x 440mm	WD900155
	1000mm	Wooden Drawer Box, 155 x 948 x 440mm	WD1000155



Solid Oak Drawers

Assembled

Standard Solid Oak options are supplied pre-assembled with seamless dovetailed joints.

Simply select the type of drawer and width you require and then chose which runner system you require. The Drawer is designed to operate with both the MOVENTO or TANDEM runners.

- Assembled 4 sided drawer
- Dovetail front and dowelled/bored back
- 16mm Solid Oak with 6mm double faced oak veneered MDF base



- Clear natural finish
- Specially designed for Blum MOVENTO or TANDEM runners on front and rear

		Description	
	400mm	Solid Oak Drawer Box 90 x 354 x 260mm	WD90400260
Dresser Drawers	500mm	Solid Oak Drawer Box 90 x 454 x 260mm	WD90500260
	600mm	Solid Oak Drawer Box 90 x 554 x 260mm	WD90600260
	300mm	Solid Oak Drawer Box 90 x 254 x 440mm	WD90300440
	350mm	Solid Oak Drawer Box 90 x 304 x 440mm	WD90350440
	400mm	Solid Oak Drawer Box 90 x 354 x 440mm	WD90400440
	450mm	Solid Oak Drawer Box 90 x 404 x 440mm	WD90450440
Standard Drawers	500mm	Solid Oak Drawer Box 90 x 454 x 440mm	WD90500440
Standard Drawers	550mm	Solid Oak Drawer Box 90 x 504 x 440mm	WD90550440
	600mm	Solid Oak Drawer Box 90 x 554 x 440mm	WD90600440
	800mm	Solid Oak Drawer Box 90 x 754 x 440mm	WD90800440
	900mm	Solid Oak Drawer Box 90 x 854 x 440mm	WD90900440
	1000mm	Solid Oak Drawer Box 90 x 954 x 440mm	WD901000440
	500mm	Solid Oak Drawer Box 184 x 454 x 440mm	WD184500440
	600mm	Solid Oak Drawer Box 184 x 554 x 440mm	WD184600440
Deep Drawers	800mm	Solid Oak Drawer Box 184 x 754 x 440mm	WD184800440
	900mm	Solid Oak Drawer Box 184 x 854 x 440mm	WD184900440
	1000mm	Solid Oak Drawer Box 184 x 954 x 440mm	WD1841000440
		In-Frame Oak Drawer cutlery tray insert 284 x 406mm	IFWDCT284406
In-Frame Accessories		In-Frame Oak Drawer utensil insert 120 x 406mm	IFWDUT120406
		In-Frame Oak Drawer double utensil insert 284 x 406mm	IFWDUT284406



In-Frame Solid Oak Drawers


Assembled

In-frame Solid Oak options are supplied pre-assembled with seamless dovetailed joints.

Simply select the type of drawer and width you require and then chose which runner system you require. The Drawer is designed to operate with both the MOVENTO or TANDEM runners.

- Assembled 4 sided drawer
- Dovetail front and dowelled/bored back
- 16mm Solid Oak with 6mm double faced oak veneered MDF base
- Clear natural finish
- Specially designed for Blum MOVENTO or TANDEM runners on front and rear

	To Suit Cabinet (Width)	Description	Code
	400mm	In-Frame Oak Drawer Box 90 x 318 x 260mm	IFWD90400260
Dresser Drawers In-Frame	500mm	In-Frame Oak Drawer Box 90 x 418 x 260mm	IFWD90500260
	600mm	In-Frame Oak Drawer Box 90 x 518 x 260mm	IFWD90600260
	300mm	In-Frame Oak Drawer Box 90 x 218 x 440mm	IFWD90300440
	350mm	In-Frame Oak Drawer Box 90 x 268 x 440mm	IFWD90350440
	400mm	In-Frame Oak Drawer Box 90 x 318 x 440mm	IFWD90400440
	450mm	In-Frame Oak Drawer Box 90 x 368 x 440mm	IFWD90450440
6. 1.10	500mm	In-Frame Oak Drawer Box 90 x 418 x 440mm	IFWD90500440
Standard Drawers In-Frame	550mm	In-Frame Oak Drawer Box 90 x 468 x 440mm	IFWD90550440
	600mm	In-Frame Oak Drawer Box 90 x 518 x 440mm	IFWD90600440
	800mm	In-Frame Oak Drawer Box 90 x 718 x 440mm	IFWD90800440
	900mm	In-Frame Oak Drawer Box 90 x 818 x 440mm	IFWD90900440
	1000mm	In-Frame Oak Drawer Box 90 x 918 x 440mm	IFWD901000440
	500mm	In-Frame Oak Drawer Box 184 x 418 x 440mm	IFWD184500440
	600mm	In-Frame Oak Drawer Box 184 x 518 x 440mm	IFWD184600440
Deep Drawers In-Frame	800mm	In-Frame Oak Drawer Box 184 x 718 x 440mm	IFWD184800440
	900mm	In-Frame Oak Drawer Box 184 x 818 x 440mm	IFWD184900440
	1000mm	In-Frame Oak Drawer Box 184 x 918 x 440mm	IFWD1841000440
		In-Frame Oak Drawer cutlery tray insert 284 x 406mm	IFWDCT284406
In-Frame Accessories		In-Frame Oak Drawer utensil insert 120 x 406mm	IFWDUT120406
		In-Frame Oak Drawer double utensil insert 284 x 406mm	IFWDUT284406



	To Suit Cabinet (Width)	Description	Code
		Anti-slip matting roll, 2000mm x 500mm, grey	ASM2000
	300mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450300
	400mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450400
	450mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450450
Anti-slip matting	500mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450500
	600mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450600
	800mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450800
	900mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM450900
	1000mm	Pre-cut to suit TANDEMBOX 450 deep, grey	ASM4501000



	To Suit Cabinet (Width)	Description	Code
	400mm	To suit TANDEMBOX 450mm deep, beech	BCT400
Beech Cutlery Trays	450mm	To suit TANDEMBOX 450mm deep, beech	
	500mm	To suit TANDEMBOX 450mm deep, beech	BCT500
	600mm	To suit TANDEMBOX 450mm deep, beech	BCT600
	800mm	To suit TANDEMBOX 450mm deep, beech	BCT800
	900mm	To suit TANDEMBOX 450mm deep, beech	BCT900
	1000mm	To suit TANDEMBOX 450mm deep, beech	BCT1000









	To Suit Cabinet (Width)	Description	Code
Metal Drawer Bracket		Metal drawer bracket for use with mechanism RCAT25 RCAC	
Wooden Drawer Bracket		Wooden drawer bracket for use with mechanism RCAT25	RCAC09
Mechanism		Soft close mechanism	RCAT25



	To Suit Cabinet (Width)	Description	Code
	300mm	To suit TANDEMBOX, 450mm deep, silver	TCI300
	400mm	To suit TANDEMBOX, 450mm deep, silver	TCI400
	450mm	To suit TANDEMBOX, 450mm deep, silver	TCI450
C'I C II T	500mm	To suit TANDEMBOX, 450mm deep, silver	TCI500
Silver Cutlery Trays	600mm	To suit TANDEMBOX, 450mm deep, silver	TCI600
	800mm	To suit TANDEMBOX, 450mm deep, silver	TCI800
	900mm	To suit TANDEMBOX, 450mm deep, silver	TCI900
	1000mm	To suit TANDEMBOX, 450mm deep, silver	TCI1000

AMBIA-LINE for LEGRABOX, please see LEGRABOX section

ORGA-LINE for TANDEMBOX, please see TANDEMBOX antaro section

METABOX accessories, please see METABOX section

RUNNER SYSTEMS OVERVIEW

Runner systems for ultra smooth running action.

Blum's runner systems ensure that wooden drawers and pull-outs open and close with ultimate ease. Even heavily laden pull-outs have a feather-light glide and very good sag values. They bring enhanced user convenience to the entire home.







MOVENTO

The MOVENTO runner system boasts a synchronised feather-light glide, 4-dimensional front adjustment and dynamic loading capacities of 40 kg and 60 kg.

TANDEM

TANDEM gives single and full extensions a feather light glide and enhanced user convenience.

Drawers can be equipped with a locking device or hook and peg feature.

STANDARD

STANDARD is a visible, tried and tested roller runner. It only has a few components so assembly is quick and simple.



	To Suit Cabinet (Depth)	Description	
	350mm	350mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M350
	400mm	400mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M400
	450mm	450mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M450
ottom Mounted	500mm	500mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M500
	550mm	550mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M550
	600mm	600mm single extension, 25Kg, cream RAL9001 (pair)	BLUM230M600
	450mm	TANDEMBOX runner, 450mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.4501T
TIP-ON	500mm	TANDEMBOX runner, 500mm full extension, 50Kg without BLUMOTION, suitable for TIP-ON (pair)	BLUM559.5001T
		TIP-ON locking mechanism left and right	BLUMZ55.5103
TIP-ON Mechanism		TIP-ON mechanism for TANDEM runners	BLUMT55.7150
	450mm	450mm full extension, 30Kg without BLUMOTION	BLUM560H4500C
FANDEM and TIP-ON	500mm		
	Suumm	500mm full extension, 30Kg without BLUMOTION	BLUM560H5000C
	270mm	270mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H2700B
	300mm	300mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H3000B
	350mm	350mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H3500B
	400mm	400mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H4000B
ANDEM	450mm	450mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H4500B
ANDLINI	500mm	500mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H5000B
	550mm		
		550mm full extension, 30Kg with BLUMOTION (pair)	BLUM560H5500B
	450mm	450mm full extension, 50Kg with BLUMOTION (pair)	BLUM566H4500B
	500mm	500mm full extension, 50Kg with BLUMOTION (Pair)	BLUM566H5000B
TANDEM Locking Device		Locking device to suit TANDEM runners (pair)	BLUMT511700
	270mm	270mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H2700B
	300mm	300mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H3000B
	350mm	350mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H3500B
	400mm	400mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H4000B
MOVENTO	450mm	450mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H4500B
	500mm	500mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H5000B
	550mm	550mm full extension, 40Kg with integrated BLUMOTION (pair)	BLUM760H5500B
	450mm	450mm full extension, 60Kg with integrated BLUMOTION (pair)	BLUM766H4500B
	500mm	500mm full extension, 60Kg with integrated BLUMOTION (pair)	BLUM766H5000B
		Locking device to suit left hand	BLUMT51.7601L
MOVENTO Locking Device		Locking device to suit right hand	BLUMT51.7601R
		Depth adjustment attachment to suit left hand (optional)	BLUM298.7601L
MOVENTO Depth Adjuster		Depth adjustment attachment to suit right hand (optional)	BLUM298.7601R
		LEGRABOX and MOVENTO Tip-On BLUMOTION Sync Rod Adapter	BLUMT60.000D
		LEGRABOX and MOVENTO Tip-On BLUMOTION Sync Rod	BLUMT60.1125W
TP ON Components		LEGRABOX and MOVENTO Tip-On BLUMOTION Mechanism	BLUMT60L7540
		LEGRABOX and MOVENTO Front Spacing Template	BLUM65.5631
	450mm	MOVENTO Tip-On BLUMOTION Runner, 450mm Full Extension, 40Kg (Pair)	BLUM760H4500M
MOVENTO TIP-ON		MOVELATO TIP-OTI DEGINO FIOTA NATITIES, 450111111 Tull Extension, 40Kg (Fall)	DEGIVI7 001 143001V





ASSEMBLY DEVICES

For any installation, quality equals precision. To make a real difference for every fitter, our full range of Blum templates, jigs and assembly devices helps you get a perfect fit. They're simply designed, easy to use and highly durable...so with ECF, you can't go wrong.



BLUM TEMPLATES & JIGS

A range of Blum templates, jigs and assembly devices are available from ECF to aid you in manufacture and assembly.

Designed by Blum, these devices help to ensure the precise assembly of Blum products into your furniture and are characterised by their straightforward simplicity, user-friendliness and high durability.

The range featured are all held in stock by ECF, however the full range of Blum templates and assembly devices are also available from ECF.



BLUMZML.0040

Universal drilling templates for AVENTOS, TANDEMBOX, METABOX and TANDEM - can be used for marking and pre-drilling fixing positions for front fixings including gallery; drawer back and base; AVENTOS front fixings; has integrated calibration for variable stop settings; usable in both the workshop or on-site.



BLUM65.1000.01

Universal drilling template for AVENTOS, mounting plates, TANDEMBOX, METABOX and TANDEM - can be used for pre-drilling the fixing positions for cabinet profiles, lift mechanisms, mounting and adaptor plates, calibration for setting height and depth positions, precise transfer of measurements for the left/right cabinet profile suitable for both system screws and chipboard screw assembly; usable in both the workshop and on-site.





BLUMT65.1000.02

Drilling template for TANDEM - can be used for drilling hook positions for the drawer profile, pre-drilling TANDEM locking device fixing positions; usable in both the workshop and on-site.



BLUMM31.1000

ECODrill for Blum hinge drilling patterns - hand-held tool for drilling accurate Blum hinge drilling patterns, variable drilling distance from 2mm-8mm, drilling from marked line is possible, robust and compact design; usable in both the workshop and on-site.



BLUM65.1051.01

Universal individual drilling template for AVENTOS, TANDEMBOX, METABOX and TANDEM - can be used for marking and pre-drilling fixing positions. Has integrated calibration for variable set back dimensions; usable in both the workshop and on-site.

GADDESBY

KITCHENS

THE PERFECT KITCHEN

A delicious recipe for family living

For success this recipe depends on using the finest quality ingredients. Start with SUPERIOR CABINETS from ECF, and dress with the latest European finishes by Egger. Mix these with the very best décor technology with Egger's worktops, together with lifetime guaranteed drawer and lift system technology from Blum. Add a flavour of cutting edge design with sinks, taps and appliances from Caple, and finish with innovative lighting from Sensio.

Serve with a dash of style



Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our GADDESBY Kitchens brochure.





LIGHTING & ELECTRICAL

A flash of brilliance? From subtle moods to well-lit preparation areas, in a kitchen, bathroom or bedroom it's essential to get your lighting right. You'll find ECF has plenty of bright ideas, with all the latest innovations as well as access to Sensio's complete catalogue.





UNDER CABINET SPOT LIGHTING





TRIOTONE BERMUDA

Colour Selectable Triangle Light

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
TRIOTONE BERMUDA, Colour Selectable Triangle Light	SE21000	Stainless Steel	54	154	144		1.65	Cool/Warm/ Natural	1500	Green
TRIOTONE BERMUDA, Colour Selectable Triangle Light, 2 Light Kit	SE21000K2	Stainless Steel	54	154	144		3.3	Cool/Warm/ Natural	1500	Included
TRIOTONE BERMUDA, Colour Selectable Triangle Light, 3 Light Kit	SE21000K3	Stainless Steel	54	154	144		4.95	Cool/Warm/ Natural	1500	Included





TRIOTONE HYPE

Colour Selectable Surface Light

Description									Driver Required
TRIOTONE HYPE, Colour Selectable Surface Light	SE21100	Stainless Steel	13.5		68	1.65	Cool/Warm/ Natural	1500	Green
TRIOTONE HYPE, Colour Selectable Surface Light, 2 Light Kit	SE21100K2	Stainless Steel	13.5		68	3.3	Cool/Warm/ Natural	1500	Included
TRIOTONE HYPE, Colour Selectable Surface Light, 3 Light Kit	SE21100K3	Stainless Steel	13.5		68	4.95	Cool/Warm/ Natural	1500	Included
Extension Cable, 2500mm White	SE9009							2500	





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
PAD2, Prismatic LED Under Cabinet Light, Single Light, Cool White	SE22006C0	Silver	7	75	180		3.5	Cool White	1500	Green
PAD2, Prismatic LED Under Cabinet Light, 2 Light Kit, Cool White	SE22006C2	Silver	7	75	180		7	Cool White	1500	Included
PAD2, Prismatic LED Under Cabinet Light, 3 Light Kit, Cool White	SE22006C3	Silver	7	75	180		10.5	Cool White	1500	Included
PAD2, Prismatic LED Under Cabinet Light, Single Light, Warm White	SE22006W0	Silver	7	75	180		3.5	Warm White	1500	Green
PAD2, Prismatic LED Under Cabinet Light, 2 Light Kit, Warm White	SE22006W2	Silver	7	75	180		7	Warm White	1500	Included
PAD2, Prismatic LED Under Cabinet Light, 3 Light Kit, Warm White	SE22006W3	Silver	7	75	180		10.5	Warm White	1500	Included
Extension Cable, 2500mm White	SE9009								2500	



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ALTI, Square Prismatic Under Cabinet Light, Single Light, Cool White	SE21006C0	Silver	7	110	110		3.5	Cool White	1500	Green
ALTI, Square Prismatic Under Cabinet Light, 2 Light Kit, Cool White	SE21006C2	Silver	7	110	110		7	Cool White	1500	Included
ALTI, Square Prismatic Under Cabinet Light, 3 Light Kit, Cool White	SE21006C3	Silver	7	110	110		10.5	Cool White	1500	Included
ALTI, Square Prismatic Under Cabinet Light, Single Light, Warm White	SE21006W0	Silver	7	110	110		3.5	Warm White	1500	Green
ALTI, Square Prismatic Under Cabinet Light, 2 Light Kit, Warm White	SE21006W2	Silver	7	110	110		7	Warm White	1500	Included
ALTI, Square Prismatic Under Cabinet Light, 3 Light Kit, Warm White	SE21006W3	Silver	7	110	110		10.5	Warm White	1500	Included
Extension Cable, 2500mm White	SE9009								2500	





LED Under / Over Cabinet Light

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SLS QUADRA, LED Under / Over Cabinet Light, Aluminium, Cool White	SE21092C0	Aluminium	10	40	180		2.5	Cool White	1500	Green
SLS QUADRA, LED Under / Over Cabinet Light, 2 Light Kit, Aluminium, Cool White	SE21092C2	Aluminium	10	40	180		5	Cool White	1500	Included
SLS QUADRA, LED Under / Over Cabinet Light, 3 Light Kit, Aluminium, Cool White	SE21092C3	Aluminium	10	40	180		7.5	Cool White	1500	Included
SLS QUADRA, LED Under / Over Cabinet Light, Aluminium, Warm White	SE21092W0	Aluminium	10	40	180		2.5	Warm White	1500	Green
SLS QUADRA, LED Under / Over Cabinet Light, 2 Light Kit, Aluminium, Warm White	SE21092W2	Aluminium	10	40	180		5	Warm White	1500	Included
SLS QUADRA, LED Under / Over Cabinet Light, 3 Light Kit, Aluminium, Warm White	SE21092W3	Aluminium	10	40	180		7.5	Warm White	1500	Included
SLS QUADRA, Over Cabinet Mounting Bracket, Aluminium	SE240920									
Extension Cable, 2500mm, White	SE9009								2500	



SLS QUADRA

LED Under Cabinet Light with Sensor

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SLS QUADRA, LED Under Cabinet Light with Sensor, Aluminium, Cool White	SE21192C0	Aluminium	10	40	180		2.5	Cool White	1500	Green
SLS QUADRA, LED Under Cabinet Light with Sensor, 2 Light Kit, Aluminium, Cool White	SE21192C2	Aluminium	10	40	180		5	Cool White	1500	Included
SLS QUADRA, LED Under Cabinet Light with Sensor, 3 Light Kit, Aluminium, Cool White	SE21192C3	Aluminium	10	40	180		7.5	Cool White	1500	Included
SLS QUADRA, LED Under Cabinet Light with Sensor, Aluminium, Warm White	SE21192W0	Aluminium	10	40	180		2.5	Warm White	1500	Green
SLS QUADRA, LED Under Cabinet Light with Sensor, 2 Light Kit, Aluminium, Warm White	SE21192W2	Aluminium	10	40	180		5	Warm White	1500	Included
SLS QUADRA, LED Under Cabinet Light with Sensor, 3 Light Kit, Aluminium, Warm White	SE21192W3	Aluminium	10	40	180		7.5	Warm White	1500	Included
Extension Cable, 2500mm, White	SE9009								2500	







Description									Driver Required
SLS BERMUDA, Triangle Light, Stainless Steel, Cool White	SE21000C0	Stainless Steel	54	156	142	1.65	Cool White	2500	Green
SLS BERMUDA, Triangle Light, 2 Light Kit, Stainless Steel, Cool White	SE21000C2	Stainless Steel	54	156	142	3.3	Cool White	2500	Included
SLS BERMUDA, Triangle Light, 3 Light Kit, Stainless Steel, Cool White	SE21000C3	Stainless Steel	54	156	142	4.95	Cool White	2500	Included
SLS BERMUDA, Triangle Light, Stainless Steel, Warm White	SE21000W0	Stainless Steel	54	156	142	1.65	Warm White	2500	Green
SLS BERMUDA, Triangle Light, 2 Light Kit, Stainless Steel, Warm White	SE21000W2	Stainless Steel	54	156	142	3.3	Warm White	2500	Included
SLS BERMUDA, Triangle Light, 3 Light Kit, Stainless Steel, Warm White	SE21000W3	Stainless Steel	54	156	142	4.95	Warm White	2500	Included
Extension Cable, 2500mm, White	SE9009							2500	





Description			Height (mm)					Cable Length (mm)	Driver Required
SLS HYPE, Recess / Surface Light, Single Light, Stainless Steel, Cool White	SE21100C0	Stainless Steel	13.5		68	1.65	Cool White	2500	Green
SLS HYPE, Recess / Surface Light, 2 Light Kit, Stainless Steel, Cool White	SE21100C2	Stainless Steel	13.5		68	3.3	Cool White	2500	Included
SLS HYPE, Recess / Surface Light, 3 Light Kit, Stainless Steel, Cool White	SE21100C3	Stainless Steel	13.5		68	4.95	Cool White	2500	Included
SLS HYPE, Recess / Surface Light, Single Light, Stainless Steel, Warm White	SE21100W0	Stainless Steel	13.5		68	1.65	Warm White	2500	Green
SLS HYPE, Recess / Surface Light, 2 Light Kit, Stainless Steel, Warm White	SE21100W2	Stainless Steel	13.5		68	3.3	Warm White	2500	Included
SLS HYPE, Recess / Surface Light, 3 Light Kit, Stainless Steel, Warm White	SE21100W3	Stainless Steel	13.5		68	4.95	Warm White	2500	Included
Extension Cable, 2500mm, White	SE9009							2500	





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
NICO, 240V LED Surface / Recessed Light, Stainless Steel, Cool White	SE21190C0	Stainless Steel	13.5			65	3	Cool White	1500	
NICO, 240V LED Surface / Recessed Light, 2 Light Kit, Stainless Steel, Cool White	SE21190C2	Stainless Steel	13.5			65	6	Cool White	1500	
NICO, 240V LED Surface / Recessed Light, 3 Light Kit, Stainless Steel, Cool White	SE21190C3	Stainless Steel	13.5			65	9	Cool White	1500	
NICO, 240V LED Surface / Recessed Light, Stainless Steel, Warm White	SE21190W0	Stainless Steel	13.5			65	3	Warm White	1500	
NICO, 240V LED Surface / Recessed Light, 2 Light Kit, Stainless Steel, Warm White	SE21190W2	Stainless Steel	13.5			65	6	Warm White	1500	
NICO, 240V LED Surface / Recessed Light, 3 Light Kit, Stainless Steel, Warm White	SE21190W3	Stainless Steel	13.5			65	9	Warm White	1500	
NICO, 6 Way Distribution Block with 13A Plug	SE211570									
Extension Cable, 1500mm, White	SE211750								1500	
Extension Cable, 2500mm, White	SE9009								2500	





HD LED Under Cabinet Triangle Light



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
BERMUDA, HD LED Under Cabinet Triangle Light, Single Light, Stainless Steel, Cool White	SE9001HDSSCW	Stainless Steel	20.6	148	139		1.65	Cool White	2500	Green
BERMUDA, HD LED Under Cabinet Triangle Light, 2 Light Kit, Stainless Steel, Cool White	SE9001HDSSCWK2	Stainless Steel	20.6	148	139		3.3	Cool White	2500	Included
BERMUDA, HD LED Under Cabinet Triangle Light, 3 Light Kit, Stainless Steel, Cool White	SE9001HDSSCWK3	Stainless Steel	20.6	148	139		4.95	Cool White	2500	Included
BERMUDA, HD LED Under Cabinet Triangle Light, Single Light, Stainless Steel, Warm White	SE9001HDSSWW	Stainless Steel	20.6	148	139		1.65	Warm White	2500	Green
BERMUDA, HD LED Under Cabinet Triangle Light, 2 Light Kit, Stainless Steel, Warm White	SE9001HDSSWWK2	Stainless Steel	20.6	148	139		3.3	Warm White	2500	Included
BERMUDA, HD LED Under Cabinet Triangle Light, 3 Light Kit, Stainless Steel, Warm White	SE9001HDSSWWK3	Stainless Steel	20.6	148	139		4.95	Warm White	2500	Included
Extension Cable, 2500mm, White	SE9009								2500	





HYPEHD LED Under Cabinet Recessed / Surface Mounted Light

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, Single Light, Stainless Steel, Cool White	SE9005HDSSCW	Stainless Steel	13.5			68	1.65	Cool White	2500	Green
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, 2 Light Kit, Stainless Steel, Cool White	SE9005HDSSCWK2	Stainless Steel	13.5			68	3.3	Cool White	2500	Included
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, 3 Light Kit, Stainless Steel, Cool White	SE9005HDSSCWK3	Stainless Steel	13.5			68	4.95	Cool White	2500	Included
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, Single Light, Stainless Steel, Warm White	SE9005HDSSWW	Stainless Steel	13.5			68	1.65	Warm White	2500	Green
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, 2 Light Kit, Stainless Steel, Warm White	SE9005HDSSWWK2	Stainless Steel	13.5			68	3.3	Warm White	2500	Included
HYPE, HD LED Under Cabinet Recessed / Surface Mounted Light, 3 Light Kit, Stainless Steel, Warm White	SE9005HDSSWWK3	Stainless Steel	13.5			68	4.95	Warm White	2500	Included
Extension Cable, 2500mm, White	SE9009								2500	



ORAHD LED Surface Mounted Square Light



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ORA, HD LED Surface Mounted Square Light, Single Light, Stainless Steel, Cool White	SE9007HDCW	Stainless Steel	8.8	66	66		1.8	Cool White	2500	Green
ORA, HD LED Surface Mounted Square Light, 2 Light Kit, Stainless Steel, Cool White	SE9007HDCWK2	Stainless Steel	8.8	66	66		3.6	Cool White	2500	Included
ORA, HD LED Surface Mounted Square Light, 3 Light Kit, Stainless Steel, Cool White	SE9007HDCWK3	Stainless Steel	8.8	66	66		5.4	Cool White	2500	Included
ORA, HD LED Surface Mounted Square Light, Single Light, Stainless Steel, Warm White	SE9007HDWW	Stainless Steel	8.8	66	66		1.8	Warm White	2500	Green
ORA, HD LED Surface Mounted Square Light, 2 Light Kit, Stainless Steel, Warm White	SE9007HDWWK2	Stainless Steel	8.8	66	66		3.6	Warm White	2500	Included
ORA, HD LED Surface Mounted Square Light, 3 Light Kit, Stainless Steel, Warm White	SE9007HDWWK3	Stainless Steel	8.8	66	66		5.4	Warm White	2500	Included
Extension Cable, 2500mm, White	SE9009								2500	







Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
CALIDA, LED Flat Disc Light, Single Light, Aluminium, Cool White	SE10138CW	Aluminium	6			58	1.4	Cool White	1500	Orange
CALIDA, LED Flat Disc Light, 3 Light Kit, Aluminium, Cool White	SE10138CWK3	Aluminium	6			58	4.2	Cool White	1500	Included
CALIDA, LED Flat Disc Light, Single Light, Aluminium, Warm White	SE10138WW	Aluminium	6			58	1.4	Warm White	1500	Orange
CALIDA, LED Flat Disc Light, 3 Light Kit, Aluminium, Warm White	SE10138WWK3	Aluminium	6			58	4.2	Warm White	1500	Included
Extension Cable, 2500mm, White	SE9009								2500	



SENSIOSOUND

LED Bluetooth Speaker Light

D	escription	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
LE	ENSIOSOUND, Illuminated ED Bluetooth Speaker ght, Steel, Cool White	SE21090C0	Steel	39			117	8	Cool White	1800	Orange
LE	NSIOSOUND, Illuminated D Bluetooth Speaker ght, Steel, Warm White	SE21090W0	Steel	39			117	8	Warm White	1800	Orange

UNDER CABINET STRIP LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ARROW, Slim Profile 200mm LED Strip Light, Cool White	SE9071HDCW	Aluminium & Clear	13	200	13		2.7	Cool White	2500	Green
ARROW, Slim Profile 300mm LED Strip Light, Aluminium & Clear, Cool White	SE9074HDCW	Aluminium & Clear	13	300	13		4	Cool White	2500	Green
ARROW, Slim Profile 570mm LED Strip Light, Aluminium & Clear, Cool White	SE9075HDCW	Aluminium & Clear	13	570	13		7.5	Cool White	2500	Green
ARROW, Slim Profile 870mm LED Strip Light, Cool White	SE9076HDCW	Aluminium & Clear	13	870	13		11.4	Cool White	2500	Green
ARROW, Slim Profile 200mm LED Strip Light, Warm White	SE9071HDWW	Aluminium & Clear	13	200	13		2.7	Warm White	2500	Green
ARROW, Slim Profile 300mm LED Strip Light, Aluminium & Clear, Warm White	SE9074HDWW	Aluminium & Clear	13	300	13		4	Warm White	2500	Green
ARROW, Slim Profile 570mm LED Strip Light, Aluminium & Clear, Warm White	SE9075HDWW	Aluminium & Clear	13	570	13		7.5	Warm White	2500	Green
ARROW, Slim Profile 870mm LED Strip Light, Warm White	SE9076HDWW	Aluminium & Clear	13	870	13		11.4	Warm White	2500	Green
ARROW, 50mm Corner Connector	SE9077HD								50	
ARROW, 1500mm Starter Cable	SE9078HD								1500	
ARROW, 500mm Inter- Connecting Cable	SE9079HD								500	





Description	Code	 Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
CONNEX, LED Strip Light 270mm	SE10173W0	Aluminium	28	270	21		4.4	Warm White	1000	
CONNEX, LED Strip Light 396mm	SE10183W0	Aluminium	28	396	21		6.4	Warm White	1000	
CONNEX, LED Strip Light 524mm	SE10193W0	Aluminium	28	524	21		8.4	Warm White	1000	
CONNEX, LED Strip Light 623mm	SE10203W0	Aluminium	28	623	21		10.2	Warm White	1000	
CONNEX, 500mm Connex Inter- Connecting Lead	SE120450								500	
CONNEX, 1500mm Connex Inter- Connecting Lead	SE120750								1500	

IN CABINET LIGHTING



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SLS QUADRA, LED In Cabinet Light, Aluminium	SE23092C0	Aluminium	10	40	180		2.5	Cool White	1500	Green
SLS QUADRA, LED In Cabinet Light, Aluminium	SE23092W0	Aluminium	10	40	180		2.5	Warm White	1500	Green
Extension Cable, 2500mm, White	SE9009								2500	

SHELF LIGHTING



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
EDGE, LED Glass Clip Light, Cool White	SE9063HDCW	Transparent	14	450	26		2	Cool White	1500	Green
EDGE, LED Glass Clip Light, Warm White	SE9063HDWW	Transparent	14	450	26		2	Warm White	1500	Green
Extension Cable, 2500mm, White	SE9009								2500	



DRAWER LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
VERSO, HD LED Drawer Light, Aluminium, Cool White, 462mm	SE7300HDCW	Aluminium	14	462	20		2.6	Cool White	2000	Orange
VERSO, HD LED Drawer Light, Aluminium, Cool White, 562mm	SE7305HDCW	Aluminium	14	562	20		3.3	Cool White	2000	Orange
VERSO, HD LED Drawer Light, Aluminium, Cool White, 762mm	SE7310HDCW	Aluminium	14	762	20		4.5	Cool White	2000	Orange
VERSO, HD LED Drawer Light, Aluminium, Cool White, 862mm	SE7315HDCW	Aluminium	14	862	20		5.4	Cool White	2000	Orange
VERSO, HD LED Drawer Light, Aluminium, Cool White, 962mm	SE7320HDCW	Aluminium	14	962	20		6	Cool White	2000	Orange
VERSO, HD LED Drawer Light, Aluminium, Cool White, 1162mm	SE7325HDCW	Aluminium	14	1162	20		7.3	Cool White	2000	Orange
Extension Cable, 2500mm, White	SE9009								2500	

OVER CABINET LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ASTA, HD LED Over Cabinet Light, Single Light, Aluminium, Cool White	SE9015HDCW	Aluminium	40	350	250		1.65	Cool White	1500	Green
ASTA, HD LED Over Cabinet Light, 2 Light Kit, Aluminium, Cool White	SE9015HDCWK2	Aluminium	40	350	250		3.3	Cool White	1500	Included
ASTA, HD LED Over Cabinet Light, 3 Light Kit, Aluminium, Cool White	SE9015HDCWK3	Aluminium	40	350	250		4.95	Cool White	1500	Included
ASTA, HD LED Over Cabinet Light, Single Light, Aluminium, Warm White	SE9015HDWW	Aluminium	40	350	250		1.65	Warm White	1500	Green
ASTA, HD LED Over Cabinet Light, 2 Light Kit, Aluminium, Warm White	SE9015HDWWK2	Aluminium	40	350	250		3.3	Warm White	1500	Included
ASTA, HD LED Over Cabinet Light, 3 Light Kit, Aluminium, Warm White	SE9015HDWWK3	Aluminium	40	350	250		4.95	Warm White	1500	Included
Extension Cable, 2500mm, White	SE9009								2500	



PLINTH LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
LUCE, Single add-on SLS LED Square Plinth Light, Stainless Steel, Cool White	SE15090C0	Stainless Steel	50	50	2.5		0.6	Cool White	2000	Green
LUCE, 4 x SLS LED Square Plinth Light Pack, Stainless Steel, Cool White	SE15090C4	Stainless Steel	50	50	2.5		2.4	Cool White	2000	Included
LUCE, 8 x SLS LED Square Plinth Light Pack, Stainless Steel, Cool White	SE15090C8	Stainless Steel	50	50	2.5		4.8	Cool White	2000	Included
LUCE, Single add-on SLS LED Square Plinth Light, Stainless Steel, Warm White	SE15090W0	Stainless Steel	50	50	2.5		0.6	Warm White	2000	Green
LUCE, 4 x SLS LED Square Plinth Light Pack, Stainless Steel, Warm White	SE15090W4	Stainless Steel	50	50	2.5		2.4	Warm White	2000	Included
LUCE, 8 x SLS LED Square Plinth Light Pack, Stainless Steel, Warm White	SE15090W8	Stainless Steel	50	50	2.5		4.8	Warm White	2000	Included





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SPECTO, Single add-on LED Round Plinth Light, Chrome, Cool White	SE15091C0	Chrome			2.5	15	1	Cool White	2000	Green
SPECTO, 4 x LED Round Plinth Light Pack, Chrome, Cool White	SE15091C4	Chrome			2.5	15	4	Cool White	2000	Included
SPECTO, 8 x LED Round Plinth Light Pack, Chrome, Cool White	SE15091C8	Chrome			2.5	15	8	Cool White	2000	Included
SPECTO, Single add-on LED Round Plinth Light, Chrome, Warm White	SE15091W0	Chrome			2.5	15	1	Warm White	2000	Green
SPECTO, 4 x LED Round Plinth Light Pack, Chrome, Warm White	SE15091W4	Chrome			2.5	15	4	Warm White	2000	Included
SPECTO, 8 x LED Round Plinth Light Pack, Chrome, Warm White	SE15091W8	Chrome			2.5	15	8	Warm White	2000	Included









Description	Code	 Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
PURO, Single add-on LED Round Plinth Light, Cool White	SE15094C0	Transparent			2	15	0.24	Cool White	2000	Green
PURO, 4 x LED Round Plinth Light Pack, Cool White	SE15094C4	Transparent			2	15	0.96	Cool White	2000	Included
PURO, 8 x LED Round Plinth Light Pack, Cool White	SE15094C8	Transparent			2	15	1.92	Cool White	2000	Included
PURO, Single add-on LED Round Plinth Light, Warm White	SE15094W0	Transparent			2	15	0.24	Warm White	2000	Green
PURO, 4 x LED Round Plinth Light Pack, Warm White	SE15094W4	Transparent			2	15	0.96	Warm White	2000	Included
PURO, 8 x LED Round Plinth Light Pack, Warm White	SE15094W8	Transparent			2	15	1.92	Warm White	2000	Included



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
NIMBUS, IP67 6 x Round Plinth Light Kit, 6 Light Kit, Stainless Steel, Cool White	SE35000C6	Stainless Steel			2	30	1.8	Cool White	1500	Included

FLEXIBLE STRIP LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
COMPACT, 1000mm Multi- point LED Flexible Strip, Cool White	SE20015C0	White	10	1000	2.5		6	Cool White		Green
COMPACT, 1000mm Multi- point LED Flexible Strip, 1 Light Kit, Cool White	SE20015C1	White	10	1000	2.5		6	Cool White	2500	Included
COMPACT, 2000mm Multi- point LED Flexible Strip, Cool White	SE20025C0	White	10	2000	2.5		12	Cool White		Green
COMPACT, 2000mm Multi- point LED Flexible Strip, 1 Light Kit, Cool White	SE20025C1	White	10	2000	2.5		12	Cool White	2500	Included
COMPACT, 1000mm Multi- point LED Flexible Strip, Warm White	SE20015W0	White	10	1000	2.5		6	Warm White		Green
COMPACT, 1000mm Multi- point LED Flexible Strip, 1 Light Kit, Warm White	SE20015W1	White	10	1000	2.5		6	Warm White	2500	Included
COMPACT, 2000mm Multi- point LED Flexible Strip, Warm White	SE20025W0	White	10	2000	2.5		12	Warm White		Green
COMPACT, 2000mm Multi- point LED Flexible Strip, 1 Light Kit, Warm White	SE20025W1	White	10	2000	2.5		12	Warm White	2500	Included
2500mm Driver Connecting Lead, Suitable For Use With HD LED Flexible Strip Lights	SE90314HD								2500	
500mm Connecting Lead, Suitable For Use With HD LED Flexible Strip Lights	SE90315HD								500	
50mm Corner Connecting Lead, Suitable For Use With HD LED Flexible Strip Lights	SE90316HD								50	
HD Flexible Cut Connector	SE90317HD									







Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
VIVA, LED Flexible Strip Light, White, Cool White, 333mm	SE10310CW	White	8	330	2.5		0.8	Cool White		Orange
VIVA, LED Flexible Strip Light, White, Cool White, 1000mm	SE10312CW	White	8	1000	2.5		2.5	Cool White		Orange
VIVA, LED Flexible Strip Light, 1 Light Kit, White, Cool White, 1000mm	SE10312CWK1	White	8	1000	2.5		2.5	Cool White	2500	Included
VIVA, LED Flexible Strip Light, White, Cool White, 2000mm	SE10311CW	White	8	2000	2.5		5	Cool White		Orange
VIVA, LED Flexible Strip Light, 1 Light Kit, White, Cool White, 2000mm	SE10311CWK1	White	8	2000	2.5		5	Cool White	2500	Included
VIVA, LED Flexible Strip Light, White, Warm White, 333mm	SE10310WW	White	8	330	2.5		0.8	Warm White		Orange
VIVA, LED Flexible Strip Light, White, Warm White, 1000mm	SE10312WW	White	8	1000	2.5		2.5	Warm White		Orange
VIVA, LED Flexible Strip Light, 1 Light Kit, White, Warm White, 1000mm	SE10312WWK1	White	8	1000	2.5		2.5	Warm White	2500	Included
VIVA, LED Flexible Strip Light, White, Warm White, 2000mm	SE10311WW	White	8	2000	2.5		5	Warm White		Orange
VIVA, LED Flexible Strip Light, 1 Light Kit, White, Warm White, 2000mm	SE10311WWK1	White	8	2000	2.5		5	Warm White	2500	Included
LED Flexible Strip Driver Connection Lead, 2500mm	SE10314								2500	
LED Flexible Strip, Corner Connection, 50mm	SE10316								50	
LED Flexible Strip, Inter Connecting Lead, 1500mm	SE10317								1500	
LED Flexible Strip Mini Cut Connector	SE10318MCC									



PRIMOClip Flexible Strip

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
PRIMO, 5m Clip Flexible Strip, Cool White	SE10055C0	White	10	5000	3		18	Cool White		Green
PRIMO, 5m Clip Flexible Strip, 1 Light Kit, Cool White	SE10055C1	White	10	5000	3		18	Cool White	2500	Included
PRIMO, 5m Clip Flexible Strip, Warm White	SE10055W0	White	10	5000	3		18	Warm White		Green
PRIMO, 5m Clip Flexible Strip, 1 Light Kit, Warm White	SE10055W1	White	10	5000	3		18	Warm White	2500	Included
PRIMO, 50mm Corner Connector	SE101050								50	
PRIMO, 2500mm Driver Connection Cable	SE101080								2500	
PRIMO, End Cap / Interconnecting Clip	SE100050									







Description	Code	 Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
DUOFLEX, Flexible Strip, White, Colour Temperature Changing, 1000mm	SE10011D0	White	10	1000	2.5		3.75	Changeable		Green
DUOFLEX, Flexible Strip, White, Colour Temperature Changing, 2000mm	SE10021D0	White	10	2000	2.5		7.5	Changeable		Green
DUOFLEX, Starter Pack With Remote Control, White, Colour Temperature Changing	SE10073D1	White	10	2000	2.5		7.5	Changeable	2500	Included
DUOFLEX, Receiver	SE1004100									
DUOFLEX, Remote Control	SE1003000									
RGB And DUOFLEX, Flexible Strip Driver Connection Lead, 2500mm	SE10325								2500	
RGB And DUOFLEX, Flexible Strip Corner Connector, 50mm	SE10327								50	
RGB And DUOFLEX, Flexible Strip Extension Cable, 500mm	SE10328								500	



Flexible Strip

Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
RGB, LED RGB Colour Changing Flexible Strip, 330mm, RGB	SE10005R0	White	10	330	2.5		1.8	Changeable		Green
RGB, LED RGB Colour Changing Flexible Strip, 2000mm, RGB	SE10025R0	White	10	2000	2.5		10	Changeable		Green
RGB Starter Pack, Including 2000mm Strip Light, Driver, Cables And Remote	SE10160R1	White	10	2000	2.5		10	Changeable		Included
RGB And DUOFLEX, Flexible Strip Driver Connection Lead, 2500mm	SE10325									
RGB And DUOFLEX, Flexible Strip Corner Connector, 50mm	SE10327									
RGB And DUOFLEX, Flexible Strip Extension Cable, 500mm	SE10328									
RGB, Remote Receiver	SE791050									
RGB, Remote Control	SE791090									





Description	Code	 Finish 	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
LINIA, Recessed Aluminium Profile, 1000mm	SE980120	Aluminium	21	1000	8					
LINIA, Recessed Aluminium Profile, 2200mm	SE980220	Aluminium	21	2200	8					
2 x Additional End Caps To Suit Linia Recessed Profile	SE980050									
2 x Additional Mounting Brackets for Recess/Surface Mounted Profile	SE981050									



Description								Driver Required
FINO, Surface Mounted Aluminium Profile, 1000mm	SE981120	Aluminium	18	1000	8.5			
FINO, Surface Mounted Aluminium Profile, 2000mm	SE981220	Aluminium	18	2000	8.5			
2 x Additional End Caps To Suit Fino Surface Mounted Profile	SE982050							
2 x Additional Mounting Brackets for Recess/Surface Mounted Profile	SE981050							

SENSIOPOD







Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SensioPod, Pull Up Power Socket, Aluminium	SE80050AL	Aluminium	422			130.6			1500	
Sensio+, Pull Up Power Socket, Polished Chrome	SE80050CH	Chrome	422			130.6			1500	
Sensio+, Pull Up Power Socket, Black Nickel	SE80050GM	Black Nickel	422			130.6			1500	
Sensio+, Pull Up Power Socket, Stainless Steel	SE80050SS	Stainless Steel	422			130.6			1500	
SensioPod R, Recessed Power Socket & USB	SE890900	Stainless Steel	85			102			1500	
Bluetooth Power System With Shelf	SE891920	Aluminium	275	364	73				2500	
SensioPod Bluetooth Pull Up Socket, Stainless Steel	SE890920	Stainless Steel	456			130			1500	





DRIVERS






Description							Driver Required
6W Driver With 4 Port JB4 Distributor (Orange), White	SE40625	White			6		
15W Driver With 6 Port JB4 Distributor (Orange), White	SE40525	White			15		
30W Driver With 12 Port JB4 Distributor (Orange), White	SE40526	White			30		

Description		Finish		Diameter (mm)			Driver Required
6W Driver With 4 Port JB4 Distributor (Green), White	SE40553	White			6		
15W Driver With 6 Port JB4 Distributor (Green), White	SE40555	White			15		
30W Driver With 12 Port JB4 Distributor (Green), White	SE40556	White			30		
60W Driver With 12 Port JB4 Distributor (Green), White	SE40557	White			60		



SENSORS AND CONTROLLERS



Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
Passive IR Sensor Switch, White	SE40515									
CANNON, Cabinet Swipe Sensor Switch, Complete With 6 Port JB4 Connector, Aluminium	SE40516									
IR Swipe Sensor Switch, White	SE40517									
IR Door Sensor Switch, White	SE40518									
Moda HD LED Dimming On / Off Switch, Aluminium	SE40520									

BEDROOM LIGHTING





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ELARA, 12V LED Wardrobe Rail Light, Aluminium, Cool White, 562mm	SE20011C0	Aluminium	31	562	23		1.9	Cool White	2000	Orange
ELARA, 12V LED Wardrobe Rail Light, Aluminium, Cool White, 762mm	SE20021C0	Aluminium	31	762	23		2.6	Cool White	2000	Orange
ELARA, 12V LED Wardrobe Rail Light, Aluminium, Cool White, 962mm	SE20031C0	Aluminium	31	962	23		3.2	Cool White	2000	Orange
ELARA, 12V LED Wardrobe Rail Light, Aluminium, Cool White, 1162mm	SE20041C0	Aluminium	31	1162	23		3.9	Cool White	2000	Orange





Description								Driver Required
INCLINE, LED Rechargeable Wardrobe Light 350mm, Cool white	SE20242C0	Aluminium	18	350	41	0.4	Cool White	
INCLINE, LED Rechargeable Wardrobe Light 550mm, Cool white	SE20252C0	Aluminium	18	550	41	0.6	Cool White	
INCLINE, LED Rechargeable Wardrobe Light 850mm, Cool white	SE20272C0	Aluminium	18	850	41	0.9	Cool White	
USB 13A Charger For Rail Light & Incline	03.2005.0800							







Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
ALTO, HD LED Rechargeable Wardrobe Rail Light, Aluminium, Cool White, 562mm	SE53002C0	Aluminium	32	562	24		0.6	Cool White		
ALTO, HD LED Rechargeable Wardrobe Rail Light, Aluminium, Cool White, 762mm	SE53102C0	Aluminium	32	762	24		0.8	Cool White		
ALTO, HD LED Rechargeable Wardrobe Rail Light, Aluminium, Cool White, 962mm	SE53202C0	Aluminium	32	962	24		1	Cool White		
ALTO, HD LED Rechargeable Wardrobe Rail Light, Aluminium, Cool White, 1162mm	SE53302C0	Aluminium	32	1162	24		1.2	Cool White		





Description								Driver Required
FLECTO, LED Reading Light With In-Built Driver, Single Light, Aluminium, Cool White	SE20131C0	Aluminium	640	50	31	1.6	Cool White	Built In
FLECTO, LED Reading Light With In-Built Driver, 2 Light Kit, Aluminium, Cool White	SE20131C2	Aluminium	640	50	31	1.6	Cool White	Built In





Description	Code	Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
OPUS, LED Reading Light With In-Built Driver, Single Light, Aluminium, Cool White	SE20121C0	Aluminium	600	50	31		1.7	Cool White		Built In
OPUS, LED Reading Light With In-Built Driver, 2 Light Kit, Aluminium, Cool White	SE20121C2	Aluminium	600	50	31		1.7	Cool White		Built In





Description								Driver Required
MIMAS, Rechargeable Wardrobe Light, Single Light, Aluminium, Cool White	SE20051C0	Aluminium	30	200	55	0.7	Cool White	
USB 13A Charger	SE2007000							







Description	Code	 Finish	Height (mm)	Width (mm)	Depth (mm)	Diameter (mm)	Wattage (W)	Light Colour	Cable Length (mm)	Driver Required
SOLUS, Rechargeable Wardrobe Light, Single Light, Aluminium, Cool White	SE20061C0	Aluminium	35			80	0.7	Cool White		
USB 13A Charger	SE2007000									



Arguably the most comprehensive collection of vinyl wrapped doors available to you and your customer. GOSCOTE offers a multitude of finish options and provides an extensive choice of contemporary, traditional and classic styles.

Available made to measure, GOSCOTE provides a solution for any application in the home, Kitchen, Bedroom or Bathroom.

Flexibility is the key to GOSCOTE's continued success, over 2000 different combinations available, complimented with an array of accessories.

Tried and tested concept, endless possibilities.

That's what makes it GOSCOTE.

Call your local Sales Manager for further information or email sales.support@ecf.co for a copy of our brochure.







GENERAL ACCESSORIES

Whatever essential items you need to make your installation easier, smarter and give it the perfect finish, you'll find them at ECF – ranging from decorative shelf brackets, connector bolts and cabinet support legs to tie racks, mirrors and bedroom stools.







HANGING RAILS



HR01



CS03 · HR05 · HR06





T

ES01 ES03 ES04


Description		Code
90° Corner oval hanging rail 30 x 15mm	Chrome	CR01
Oval hanging rail 30 x 15mm, 2.5m length	Chrome	HR01
Oval hanging rail 30 x 15mm, 4.0m length	Chrome	HR02
Round hanging rail 25mm dia., 2.5m length	Chrome	HR05
Round hanging rail 25mm dia., 4.0m length	Chrome	HR06
Centre support to suit HR01 & HR02	Chrome	CS01
Centre support to suit HR05 & HR06	Chrome	CS03
End support to suit HR01 & HR02	Chrome	ES01
End support - side mounted to suit HR05 & HR06	Chrome	ES03
End support - under mounted to suit HR05 & HR06	Chrome	ES04

Hanging Rail Packs

Description	Finish	Code
358mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP400
408mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP450
458mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP500
558mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP600
758mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP800
858mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP900
958mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP1000
1058mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 4 Screws	Chrome	HRP1100
1158mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets & 4 Screws	Chrome	HRP1200
1458mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 1 Centre Support, 6 Screws	Chrome	HRP1500
1958mm Cut Hanging Rail Pack, 30 x 15mm with 2 End Sockets, 1 Centre Support, 6 Screws	Chrome	HRP2000
900 x 900 Curved Rail, 30 x 15mm with 2 End Sockets, 2 Centre Supports, 8 Screws	Chrome	HRPC90

Rail Fitting Pack, 2 End Sockets, 2 Centre Support And 8 Screws	Chrome	HRP/PACK3
Rail Fitting Pack, 2 End Sockets, 1 Centre Support And 6 Screws	Chrome	HRP/PACK2
Rail Fitting Pack, 2 End Sockets & 4 Screws	Chrome	HRP/PACK1










TIE RACKS

3-tier door mounted swing out tie and belt rack FF50900CH

Twin rail door mounted tie rack FF61400CH

Description	Finish	Code
3-tier door mounted swing out tie and belt rack	Chrome	FF50900CH
Twin rail door mounted tie rack	Chrome	FF61400CH
Curtain rail, 360mm centres, 372mm length	Chrome	FF51100CH360
Curtain rail, 410mm centres, 422mm length	Chrome	FF51100CH410



TAMBOUR DOOR

Comfort Stainless Steel Tambour Door SSTAMBOUR500 · SSTAMBOUR600

Description		Finish	Code
1450 x 500mm Comfort Stainless Steel Tambour Door	To suit 500mm (w) cabinet.	Stainless Steel	SSTAMBOUR500
1450 x 600mm Comfort Stainless Steel Tambour Door	To suit 600mm (w) cabinet.	Stainless Steel	SSTAMBOUR600







MIRROR
Pull-out pivoting mirror
WWPOM1

Pull-out pivoting mirror	Aluminium	WWPOM1	









STOOLS

Modern stool base (flat top) MSB2 Stool top faux leather MST1BL

Stool top faux leather MST1CH

Stool top faux leather MST1IV

Description	Height (mm)	Width (mm)	Depth (mm)	Finish	Code
Modern stool base (flat top)	410	460	360	Chrome	MSB2
Stool top faux leather	65	460	360	Black	MST1BL
Stool top faux leather	65	460	360	Chocolate	MST1CH
Stool top faux leather	65	460	360	Ivory	MST1IV

ADDITIONAL ACCESSORIES

Product Description			
Self adhesive door buffers	9.5mm x 3mm, 50 per sheet	Clear	DB01
Self adhesive door buffers	12.7mm x 1.8mm, 100 per sheet	Clear	DB02
Door stop	To fit 10mm diameter hole	White	DB03
Mitrepen pack	Rapid Adhesive 1 x mitrepen activator with 3 x 50g mitrebond adhesives		MPPEN
VuPlex Plastic cleaner and static polish	200g aerosol		VUPLEX
Allen key	6mm		AL01
Blum KD Fitting	Brown	Brown	BLUM402000B
Blum KD Fitting	White	White	BLUM402000W
Push Catch to suit cabinet doors with sprung hinges	Short (14mm visible w/buffer)		PC05
Push Catch to suit cabinet doors with sprung hinges	Long (37mm visible w/buffer)		PC06



BRACKETS & CONNECTORS

Product Description	Product details	Finish	Code
Angle bracket			AB01
Connector Bolt and sleeve	M4 to suit 28mm-36mm thickness	Nickel	CB01
Concealed cabinet hanger	Universal fitting	Nickel	CH04
Cover Cap for concealed cabinet hanger	18mm diameter	Nickel	CH07
Double wall mounting plate for concealed cabinet hanger		Nickel	CH08
Door connecting plate	140mm length 19mm width	Nickel	DC01
Door connecting plate	98mm length 36mm width	Nickel	DC02
BZP flush mount			FM01
Panel lock concealed fixing system	Enables adjustment after panel is fitted	Black	PANELLOCK
Stretcher bracket			SB01
Worktop connector bolt	150mm long		WC01



Product Description	Product details	Finish	Code
Table Support Leg	710 x 60mm, adjustable	Brushed Nickel	BB710BN
Table Support Leg	710 x 60mm, adjustable	Chrome	BB710CH
Breakfast bar support leg	870 x 60mm	Brushed Nickel	BB870BN
Breakfast bar support leg	870 x 60mm	Chrome	BB870CH
Adjustable Cabinet Support Leg	100mm high, screw-fix (4 pack)	Black	CL100
Adjustable Cabinet Support Leg	150mm high, screw-fix (4 pack)	Black	CL150
Décor Leg	150mm high, adjustable	Aluminium / Chrome	FDL150
Furniture Leveller			FL01



Product Description			Code
Decorative Plinth	Integrated floor seal 150mm x 3000mm	Stainless Steel	SSP1503000
Corner Joint	45/135° dual use, stainless steel finish (laminate on extruded plastic)	Stainless Steel	SSPCJ135
Corner Joint	90/270° dual use, stainless steel finish (laminate on extruded plastic)	Stainless Steel	SSPCJ90
End Cap		Stainless Steel	SSPEC
Inline Joint	Laminated on extruded plastic	Stainless Steel	SSPJC
Plinth Dust Sealing Strip	Transparent PVC, 3.0m Length	Clear	PLINTHSS



SHELF SUPPORTS
Shelf Bracket
\$\$01 \cdot \$\$502



Kalabrone Wood or Glass Decorative Shelf Bracket \$\$12 \cdot \$\$13



Mini Kalabrone Wood or Glass Decorative Shelf Bracket \$\$14 · \$\$15



Pull In Shelf Bracket \$\$11



Glass Shelf Support SS07



Shelf Support SS09



Kristal Retaining Glass Shelf Support SS16 · SS17



K Line Glass Shelf Support \$\$18

Product Description			
Shelf Bracket	8-40mm adjustment, pair	Brushed Nickel	SS01
Shelf Bracket	8-40mm adjustment, pair	Aluminium	SS02
Glass Shelf Support	5mm pin	Chrome / Black	SS07
Glass Shelf Support	5mm pin	Chrome / Clear	SS08
Shelf Support	5mm pin	Nickel / Clear	SS09
Shelf Support	Screw fix application	Clear	SS10
Pull In Shelf Bracket	5mm pin, single	Nickel	SS11
Kalabrone Wood or Glass Decorative Shelf Bracket	8-30mm adjustment, pair	Chrome	SS12
Kalabrone Wood or Glass Decorative Shelf Bracket	8-30mm adjustment, pair	Brushed Nickel	SS13
Mini Kalabrone Wood or Glass Decorative Shelf Bracket	5-10mm adjustment, single	Chrome	SS14
Mini Kalabrone Wood or Glass Decorative Shelf Bracket	5-10mm adjustment, single	Brushed Nickel	SS15
Kristal Retaining Glass Shelf Support	5-6mm adjustment, 5mm pin,single	Chrome	SS16
Kristal Retaining Glass Shelf Support	5-6mm adjustment, 5mm pin ,single	Nickel	SS17
K Line Glass Shelf Support	5mm pin	Nickel	SS18



CONTACT

General		Sales	
Opening Hours Monday - Thursday Friday	8am - 5pm 8am - 2pm	New OrdersChanges to OrdersTechnical Queries	01664 424288 sales.orders@ecf.co
Main Number Email	01664 424288 help@ecf.co	Request a callback	Text ECF Call with yourname to 60777*
f facebook twitter linkedin	/ECFLtd @ECF_Ltd ECF Ltd		
Customer Services		Sales Support	
Damages and ShortagesDelivery Enquiries	03330 032 000 help@ecf.co	Brochures and Marketing Services	sales.support@ecf.co
inc expected time of arrivals • Feedback		Request a brochure	Text ECF Brochures to 60777*
Request a callback	Text ECF Call with yourname to 60777*		
Returns and Collections		Accounts	
Returns and Collections	01664 424288 collections@ecf.co	All finance enquiries	01664 424288 accountsecf@ecf.co
*Texts will be charged at your sta	andard network rate		

Disclaimer:

In the interests of our ongoing product development programme East Coast Fittings Limited reserve the right to discontinue, amend designs, materials or production methods of any of the products featured within this catalogue without prior notice.

Whilst every care has been taken to ensure that colours and finishes in this catalogue are accurate, due to the printing process involved in the production of this catalogue the reproduction of colours and finishes cannot be guaranteed as a true likeness. They should therefore only be used as a guide.

All images and illustrations featured in this catalogue are the copyright of East Coast Fittings Limited. Images and Illustrations may not be reproduced, copied, transmitted or manipulated without the permission of East Coast Fittings Limited.

INDEX

HANDLES	LIFT SYSTEMS	
STORAGE SOLUTIONS		
Innostor Plus		
	PULL-OUT DRAWER SYSTEMS	
SINKS		
	ASSEMBLY DEVICES	
	LIGHTING & ELECTRICAL	
	GENERAL ACCESSORIES	
TAPS		
HINGE SYSTEMS		



East Coast Fittings Limited

Auster House, Rearsby Business Park, Gaddesby Lane, Rearsby, LE7 4YH

T 01664 424 288 · E sales.orders@ecf.co www.ecf.co

EDITION 04 **SS.BR.1003**